

DAFTAR PUSTAKA

- [1] A. M. Dwi Handoko, Iyus, “ANALISA SIFAT MEKANIK KOMPOSIT LIMBAH LIMBAH PLASTIK PP (POLYPROPYLENE) DAN LIMBAH SERBUK KAYU DURIAN,” vol. 3, no. 12, 2022, doi: <https://doi.org/10.46799/jsa.v3i12.495> 2722-5356.
- [2] H. G. Karian, *Polypropylene and Polypropylene Composites*. 2003.
- [3] M. M. Mazidi and H. Sharif, “Post-consumer recycled high density polyethylene / polypropylene blend with improved overall performance through modification by impact polypropylene copolymer : morphology , properties and fracture resistance,” no. May, 2021, doi: 10.1002/pi.6268.
- [4] D. H. Purwanto Setiyo, “Pemanfaatan Limbah Plastik Menjadi Biji Plastik Yang Bernilai Tambah Ekonomi,” vol. 2, no. 1, pp. 171–181, 2023, doi: <https://doi.org/10.53276/dedikasi.v2i1.42>.
- [5] A. S. Hutama, P. Kurniawan, A. Nugroho, and W. S. Hayu, “Studi Karakteristik Mekanis Material Limbah Polypropilene (PP) untuk Pembuatan Produk Cone Benang dengan Penambahan Material Kalsium Karbonat,” vol. 11, no. 1, pp. 101–108, 2022.
- [6] Silvia, Castiqiana, and Halimatuddahiana, “Pengujian Kekuatan Tarik Dan Kekuatan Lentur Komposit Hibrid Plastik Bekas Kemasan Gelas Jenis Polipropilena/ Serbuk Kayu Kelapa Termodifikasi/Serbuk Serat Kaca Tipe E,” *Jurnal Teknik Kimia USU*, vol. 4, no. 3, pp. 1–5, 2015, doi: 10.32734/jtk.v4i3.1473.
- [7] M. Poletto, “Natural oils as coupling agents in recycled polypropylene wood flour composites: Mechanical, thermal and morphological properties,” *Polymers and Polymer Composites*, vol. 28, no. 7, pp. 443–450, 2019, doi: 10.1177/0967391119886941.
- [8] A. K. Yadav and R. Srivastava, “Mechanical and Hygroscopic Behaviour of Teak Wood Sawdust Filled Recycled Polypropylene Composites,” vol. 31, no. 5, pp. 202–208, 2018.

- [9] M. Fitri, "Influence of Coupling Agent and Fibre Treatment to Mechanical Properties of Oil Palm Fibre Reinforced Polymer Matrix Composite," vol. 5, no. 4, pp. 223–232, 2018.
- [10] H. Baloul, N. Belhaneche-bensemra, A. Rodriguez, and B. De Quirós, "Analysis and quantitative estimation of phenolic antioxidants in polypropylene packaging for fat products," pp. 1–6, 2018.
- [11] A. M. Dwi Handoko, Iyus, "ANALISA SIFAT MEKANIK KOMPOSIT LIMBAH LIMBAH PLASTIK PP (POLYPROPYLENE) DAN LIMBAH SERBUK KAYU DURIAN," vol. 3, no. 12, 2022, doi: <https://doi.org/10.46799/jsa.v3i12.495> 2722-5356.
- [12] M. Riza, S. Aprilia, N. Razali, M. Rabani Fikry, and H. Saputra, "Characterization of Eco-Friendly Composite Board as a Heat Insulator Based on Polypropylene Waste with Coconut Coir Filler," *Journal of Applied Technology*, vol. 9, no. 1, pp. 7–15, 2022.
- [13] G. Gundara, D. S. Robani, and A. Sambas, "Effect of Fiber Volume Fraction with Epoxy Matrix on Mendong Fiber Composite Material Pengaruh Fraksi Volume Serat Dengan Matriks Epoxy Pada Material Komposit Serat Mendong," vol. 2, no. 7, pp. 3007–3020, 2022.
- [14] M. Riza, S. Aprilia, N. Razali, M. Rabani Fikry, and H. Saputra, "Characterization of Eco-Friendly Composite Board as a Heat Insulator Based on Polypropylene Waste with Coconut Coir Filler," *Journal of Applied Technology*, vol. 9, no. 1, pp. 7–15, 2022.
- [15] M. L. Betasolo, A. Lageo, W. Kasai, R. Kathoa, W. Kipit, and S. Kueyak, "Polypropylene Fiber (Disposable Plastic Cups) Reinforced Autoclaved Concrete," 2017.
- [16] S. Raharjo, "UNIVERSITAS INDONESIA Studi Pengaruh Kadar Komonomer Etilena terhadap Karakteristik Polipropilena (PP) Homopolimer grade Thermoforming SKRIPSI Sapto Raharjo Fakultas Teknik Departemen Metalurgi dan Material Kekhususan Polimer Depok Juni 2009," 2009.

- [17] M. B. PRASETYO and A. N. WAGISWARI, “濟無No Title No Title,” *Angewandte Chemie International Edition*, 6(11), 951–952., vol. 3, no. 1, pp. 10–27, 2018.
- [18] H. G. Karian, *POLYPROPYLENE AND POLYPROPYLENE COMPOSITES* edited by. Marcel Dekker, Inc., 2003.
- [19] D. Weiguo, “High flow polypropylene composites reinforced by glass filaments : Manufacturing process and property evaluations,” pp. 1–19, 2020, doi: 10.1177/0892705720939148.
- [20] W. D. CALLISTER and D. G. RETHWISCH, *FUNDAMENTALS OF MATERIALS SCIENCE AND ENGINEERING AN INTEGRATED APPROACH*, FITH EDITI. 2015.
- [21] D. H. Purwanto Setiyo, “Pemanfaatan Limbah Plastik Menjadi Biji Plastik Yang Bernilai Tambah Ekonomi,” vol. 2, no. 1, pp. 171–181, 2023, doi: <https://doi.org/10.53276/dedikasi.v2i1.42>.
- [22] A. Prasetyaningrum, “Pengembangan potensi plastik daur ulang di mangkang kulon kecamatan tugu kota semarang,” vol. 13, no. 1, pp. 65–70, 2019.
- [23] U. C. Mark, I. C. Madufor, H. C. Obasi, and U. Mark, “Influence of filler loading on the mechanical and morphological properties of carbonized coconut shell particles reinforced polypropylene composites,” 2019, doi: 10.1177/0021998319856070.
- [24] A. Mwango and C. Kambole, “Engineering Characteristics and Potential Increased Utilisation of Sawdust Composites in Construction—A Review,” *Journal of Building Construction and Planning Research*, vol. 07, no. 03, pp. 59–88, 2019, doi: 10.4236/jbcpr.2019.73005.
- [25] K. T. Leto, “Pemanfaatan Serbuk Gergaji Kayu Jati dan Sengon sebagai Bahan Dasar Penghasil Gula Reduksi,” *Variabel*, vol. 4, no. 1, p. 21, 2021, doi: 10.26737/var.v4i1.2424.
- [26] F. Hidayati, G. Lukmandaru, T. Listyanto, D. Irawati, R. Pujiarti, and S. Purwanta, “Effect of different seed sources on the physical and mechanical properties of 15-year-old teak trees planted in West Java, Indonesia,”

- Journal of the Indian Academy of Wood Science*, vol. 19, no. 2, pp. 87–93, 2022, doi: 10.1007/s13196-022-00294-8.
- [27] E. Melyna, K. S. Nisa, A. Aurel, and L. Fitri, “Pengaruh penambahan serbuk alumina (Al 2 O 3) pada komposit serat kayu jati bermatriks polipropilena The effect of alumina (Al 2 O 3) addition on teak powder and polypropylene composite Received February 2023 , Revised May 2023 , Accepted for publicat,” vol. 29, no. 2, pp. 62–70, 2023.
- [28] C. S. Verma, N. K. Sharma, V. M. Chariar, S. Maheshwari, and M. K. Hada, “Comparative study of mechanical properties of bamboo laminae and their laminates with woods and wood based composites,” *Composites Part B: Engineering*, vol. 60, pp. 523–530, 2014, doi: 10.1016/j.compositesb.2013.12.061.
- [29] I. Gunawan, A. Handayani, and E. Hertinviana, “Synthesis And Characterization Of Polypropylene/Jigsaw Wood Ash Composite,” *Jurnal Sains Materi Indonesia*, vol. 4, no. 1, pp. 20–25, 2002.
- [30] S. Ray and P. Ralph, *and Polymer Composites*, Third Edit. Elsevier Inc., 2018. doi: 10.1016/B978-0-323-52472-8.00009-5.
- [31] S. Ray and P. Ralph, *and Polymer Composites*, Third Edit. Elsevier Inc., 2018. doi: 10.1016/B978-0-323-52472-8.00009-5.
- [32] Murphy, *Additives for Plastics Handbook*. 2001.
- [33] E. Oktariani, H. Arina, and R. Christine, “PENYULUHAN PEMANFAATAN LIMBAH SERBUK KAYU,” vol. 6, pp. 101–105, 2023.
- [34] M. Kutz, *Applied Plastics Engineering Handbook*. 2017. doi: <https://doi.org/10.1016/C2014-0-04118-4>.
- [35] R. Waluyo, A. R. Ahmad, G. E. Pramono, and K. Kurniansyah, “Pengembangan Wood Plastic Composite (WPC) Melalui Pemanfaatan Limbah Plastik dan Serbuk Gergaji Kayu,” *AME (Aplikasi Mekanika dan Energi): Jurnal Ilmiah Teknik Mesin*, vol. 7, no. 1, p. 1, 2021, doi: 10.32832/ame.v7i1.3434.
- [36] H. Sosiati, A. Nahyudin, D. A. Wijayanti, K. Triyana, and Sudarisman, “Effect of alkali treatment and MAPP addition on tensile strength of

- sisal/polypropylene composites," *Journal of Advanced Manufacturing Technology*, vol. 12, no. 2, pp. 65–77, 2018.
- [37] SNI 8432-2022, "SNI 8432-2022.pdf." 2022.
- [38] P. Saxena, P. Shukla, and M. S. Gaur, "Thermal analysis of polymer blends and double layer by DSC," *Polymers and Polymer Composites*, vol. 29, no. 9, pp. S11–S18, 2021, doi: 10.1177/0967391120984606.
- [39] S. H. P. Bettini, A. T. Uliana, and D. Holzschuh, "Effect of Process Parameters and Composition on Mechanical, Thermal, and Morphological Properties of Polypropylene/Sawdust Composites," *Journal of Applied Polymer Science*, vol. 116, no. 5, pp. 2658–2667, 2008, doi: 10.1002/app.
- [40] Y. Wang, L. Cheng, X. Cui, and W. Guo, "Crystallization behavior and properties of glass fiber reinforced polypropylene composites," *Polymers*, vol. 11, no. 7, pp. 14–16, 2019, doi: 10.3390/polym11071198.
- [41] M. A. Fuqua and C. A. Ulven, "Characterization of polypropylene/corn fiber composites with maleic anhydride grafted polypropylene," *Journal of Biobased Materials and Bioenergy*, vol. 2, no. 3, pp. 258–263, 2008, doi: 10.1166/jbmb.2008.405.
- [42] N. M. Nurazzi, A. Khalina, and S. Mohd, "Charpy and Izod impact properties of natural fibre composites Charpy and Izod impact properties of natural fibre composites," pp. 0–5, 2019, doi: 10.1088/1757-899X/670/1/012031.
- [43] N. M. Nurazzi, A. Khalina, and S. Mohd, "Charpy and Izod impact properties of natural fibre composites Charpy and Izod impact properties of natural fibre composites," pp. 0–5, 2019, doi: 10.1088/1757-899X/670/1/012031.
- [44] Y. Peng, R. Liu, and J. Cao, "Effects of Antioxidants on Photodegradation of Wood Flour / Polypropylene Composites during Artificial Weathering," no. October 2015, 2014, doi: 10.15376/biores.9.4.5817-5830.
- [45] E. Roumeli *et al.*, "Effect of maleic anhydride on the mechanical and thermal properties of hemp/high-density polyethylene green composites," *Journal of Thermal Analysis and Calorimetry*, vol. 121, no. 1, pp. 93–105, 2015, doi: 10.1007/s10973-015-4596-y.
- [46] M. Mihelčić, A. Oseli, M. Huskić, and P. Lidija Slemenik, "Influence of Stabilization Additive on Rheological, Thermal and Mechanical Properties

- of Recycled Polypropylene,” *Polymers*, vol. 14, no. 24, 2022, doi: 10.3390/polym14245438.
- [47] K. Nurun Nayiroh, “Studi Pengaruh Variasi Fraksi Volum Filler Terhadap Sifat,” vol. 6, no. 1, pp. 48–59, 2021.
- [48] N. Navaranjan and T. Neitzert, “Impact Strength of Natural Fibre Composites Measured by Different Test Methods: A Review,” *MATEC Web of Conferences*, vol. 109, 2017, doi: 10.1051/matecconf/201710901003.
- [49] ASTM, “D256-10E1,” *Methods*, no. January, pp. 1–20, 2004, doi: 10.1520/D0256-10.