

## DAFTAR PUSTAKA

- [1] "SIPSN - Sistem Informasi Pengelolaan Sampah Nasional."
- [2] I. Mujiarto, "Sifat dan Karakteristik Material Plastik Dan Bahan Aditif," *Traksi*, vol. 3, no. 2, pp. 65–74, 2005.
- [3] A. Ashori and Z. Bahreini, "Evaluation of calotropis gigantea as a promising raw material for fiber-reinforced composite," *J Compos Mater*, vol. 43, no. 11, pp. 1297–1304, 2009, doi: 10.1177/0021998308104526.
- [4] M. Sulaiman and M. H. Rahmat, "Kajian Potensi Pengembangan Material Komposit Polimer Dengan Serat Alam Untuk Produk Otomotif," *Sistem*, vol. 4, no. 1, pp. 9–15, 2018.
- [5] H. U. Zaman and R. A. Khan, "Surface Modified Calotropis Gigantea Fiber Reinforced Polypropylene Composites," *International Journal of Advanced Science and Engineering*, vol. 9, no. 1, pp. 2477–2487, 2022, doi: 10.29294/ijase.9.1.2022.2477-2487.
- [6] M. D. Sukardan, D. Natawijaya, P. Prettyanti, C. Cahyadi, and E. Novarini, "Karakterisasi Serat Dari Tanaman Biduri (Calotropis Gigantea) Dan Identifikasi Kemungkinan Pemanfaatannya Sebagai Serat Tekstil," *Arena Tekstil*, vol. 31, no. 2, pp. 51–62, 2017, doi: 10.31266/at.v31i2.1986.
- [7] G. Rajesh, G. Siripurapu, and A. Lella, "Evaluating Tensile Properties of Successive Alkali Treated Continuous Pineapple Leaf Fiber Reinforced Polyester Composites," *Mater Today Proc*, vol. 5, no. 5, pp. 13146–13151, 2018, doi: 10.1016/j.matpr.2018.02.304.
- [8] R. Sidik, "Studi Pengaruh Penambahan Polypropylene dan Low Density Polyethylene terhadap Sifat Fisik dan Mekanik Wood Plastic Composite untuk Aplikasi Genteng Ramah Lingkungan," pp. 1–112, 2018.
- [9] K. Velusamy, P. Navaneethakrishnan, V. S. Arungalai, and K. K. Saravana, "Experimental investigations to evaluate the mechanical properties and behavior of raw and alkali treated king's crown (calotropis gigantea) fiber to be employed for fabricating fiber composite," *Applied Mechanics and Materials*, vol. 598, pp. 73–77, 2014, doi: 10.4028/www.scientific.net/AMM.598.73.
- [10] E. Saldívar-Guerra and E. Vivaldo-Lima, *Handbook of Polymer Synthesis, Characterization, and Processing*. John Wiley and Sons, 2013. doi: 10.1002/9781118480793.
- [11] G. Wypych, *Handbook of Polymers*. 2016.
- [12] H. S. Ji and H. W. Jung, "Effect of the multiple injection process on the structural and mechanical properties of PP impact copolymers focusing on the deformation of ethylene-propylene copolymer," *Polym Test*, vol. 124, no. February, p. 108051, 2023, doi: 10.1016/j.polymertesting.2023.108051.

- [13] A. K. Gupta, M. Biswal, S. Mohanty, and S. K. Nayak, "Mechanical and thermal degradation behavior of sisal fiber (SF) reinforced recycled polypropylene (RPP) composites," *Fibers and Polymers*, vol. 15, no. 5, pp. 994–1003, 2014, doi: 10.1007/s12221-014-0994-1.
- [14] M. A. S. Spinace, K. K. G. Fermoseli, and M.-A. De Paoli, "Recycled Polypropylene Reinforced with Curaua Fibers by Extrusion," *J Appl Polym Sci*, vol. 112, 2009, doi: 10.1002/app.
- [15] M. K. Singh, R. Tewari, S. Zafar, S. M. Rangappa, and S. Siengchin, "A comprehensive review of various factors for application feasibility of natural fiber-reinforced polymer composites," *Results in Materials*, vol. 17, no. December 2022, p. 100355, 2023, doi: 10.1016/j.rinma.2022.100355.
- [16] S. Mortazavian and A. Fatemi, "Fatigue behavior and modeling of short fiber reinforced polymer composites: A literature review," *Int J Fatigue*, vol. 70, pp. 297–321, 2015, doi: 10.1016/j.ijfatigue.2014.10.005.
- [17] K. Goda, M. S. Sreekala, S. K. Malhotra, K. Joseph, and S. Thomas, "Advances in polymer composites: Biocomposites-state of the art, new challenges, and opportunities," *Polymer Composites, Biocomposites*, vol. 3, pp. 1–10, 2013, doi: 10.1002/9783527674220.ch1.
- [18] R. M. Wang, S. R. Zheng, and Y. P. Zheng, *Polymer matrix composites and technology*. 2011. doi: 10.1533/9780857092229.
- [19] S. Arif, D. Irawan, and M. Jainudin, "Karakteristik sifat mekanis disk pad komposit serbuk kayu jati – polyester," *Seminar Nasional Teknologi dan Rekayasa*, pp. 169–176, 2019.
- [20] O. Suparno, "Potensi Dan Masa Depan Serat Alam Indonesia Sebagai Bahan Baku Aneka Industri," *Jurnal Teknologi Industri Pertanian*, vol. 30, no. 2, pp. 221–227, 2020, doi: 10.24961/j.tek.ind.pert.2020.30.2.221.
- [21] A. K. T. Lau and K. H. Y. Cheung, *Natural fiber-reinforced polymer-based composites*, no. 2. Elsevier Ltd, 2017. doi: 10.1016/B978-0-08-100656-6.00001-7.
- [22] J. K. Pandey, V. Nagarajan, A. K. Mohanty, and M. Misra, *Commercial potential and competitiveness of natural fiber composites*, Fourteenth. Elsevier Ltd., 2015. doi: 10.1016/B978-1-78242-373-7.00001-9.
- [23] J. Jaafar, J. P. Siregar, S. Mohd Salleh, M. H. Mohd Hamdan, T. Cionita, and T. Rihayat, "Important considerations in manufacturing of natural fiber composites: a review," *International Journal of Precision Engineering and Manufacturing - Green Technology*, vol. 6, no. 3, pp. 647–664, 2019, doi: 10.1007/s40684-019-00097-2.
- [24] H. L. Richards, P. G. L. Baker, and E. Iwuoha, "Metal Nanoparticle Modified Polysulfone Membranes for Use in Wastewater Treatment: A Critical Review," *J Surf Eng Mater Adv Technol*, vol. 02, no. 03, pp. 183–193, 2012, doi: 10.4236/jsemat.2012.223029.

- [25] Y. Zhang and M. Naebe, "Lignin: A Review on Structure, Properties, and Applications as a Light-Colored UV Absorber," *ACS Sustain Chem Eng*, vol. 9, no. 4, pp. 1427–1442, 2021, doi: 10.1021/acssuschemeng.0c06998.
- [26] S. Nikafshar *et al.*, "A renewable bio-based epoxy resin with improved mechanical performance that can compete with DGEBA," *RSC Adv*, vol. 7, no. 14, pp. 8694–8701, 2017, doi: 10.1039/c6ra27283e.
- [27] J. Jaafar, J. P. Siregar, S. Mohd Salleh, M. H. Mohd Hamdan, T. Cionita, and T. Rihayat, "Important considerations in manufacturing of natural fiber composites: a review," *International Journal of Precision Engineering and Manufacturing - Green Technology*, vol. 6, no. 3, pp. 647–664, 2019, doi: 10.1007/s40684-019-00097-2.
- [28] M. J. John and R. D. Anandjiwala, "Recent Developments in Chemical Modification and Characterization of Natural Fiber-Reinforced Composites Maya," *Polymers and Polymer Composites*, vol. 16, no. 2, pp. 101–113, 2008, doi: 10.1002/pc.
- [29] T. Kanchan and A. Atreya, "Calotropis gigantea," *Wilderness Environ Med*, vol. 27, no. 2, pp. 350–351, 2016, doi: 10.1016/j.wem.2015.12.011.
- [30] P. Narayanasamy *et al.*, "Characterization of a novel natural cellulosic fiber from Calotropis gigantea fruit bunch for ecofriendly polymer composites," *Int J Biol Macromol*, vol. 150, pp. 793–801, 2020, doi: 10.1016/j.ijbiomac.2020.02.134.
- [31] P. Ovlaque, M. Bayart, S. Elkoun, and M. Robert, "Milkweed floss-reinforced thermoplastics: interfacial adhesion and related mechanical properties," *Compos Interfaces*, vol. 29, no. 2, pp. 215–235, 2022, doi: 10.1080/09276440.2021.1920238.
- [32] E. Novarini and U. Prayudie, "Potensi pemanfaatan serat alam untuk produk tekstil otomotif." pp. 1–16, 2016.
- [33] S. Kaewkuk, W. Sutapun, and K. Jarukumjorn, "Effects of interfacial modification and fiber content on physical properties of sisal fiber/polypropylene composites," *Compos B Eng*, vol. 45, no. 1, pp. 544–549, 2013, doi: 10.1016/j.compositesb.2012.07.036.
- [34] I. O. Oladele and O. G. Agbabiaka, "Investigating the influence of mercerization treatment of sisal fiber on the mechanical properties of reinforced polypropylene composites and modeling of the properties," *Fibers and Polymers*, vol. 16, no. 3, pp. 650–656, 2015, doi: 10.1007/s12221-015-0650-4.
- [35] G. Bogoeva-Gaceva *et al.*, "Natural fiber eco-composites," *Polymers and Polymer Composites*, vol. 16, no. 2, pp. 101–113, 2007, doi: 10.1002/pc.
- [36] K. Senthilkumar, N. Rajini, N. Saba, M. Chandrasekar, M. Jawaid, and S. Siengchin, "Effect of Alkali Treatment on Mechanical and Morphological Properties of Pineapple Leaf Fibre/Polyester Composites," *J Polym Environ*, vol. 0, no. 0, p. 0, 2019, doi: 10.1007/s10924-019-01418-x.

- [37] P. Ovlaque, M. Foruzanmehr, S. Elkoun, and M. Robert, "Milkweed floss fiber/PLA composites: effect of alkaline and epoxy-silanol surface modifications on their mechanical properties," *Compos Interfaces*, vol. 27, no. 5, pp. 495–513, 2020, doi: 10.1080/09276440.2019.1655316.
- [38] Alatuji, "QC-601A Manual Thermos Press Forming Machine," pp. 1–2, 2023.
- [39] BRIN, "E-Layanan Sains BRIN | Badan Riset dan Inovasi Nasional." Accessed: Aug. 14, 2023. [Online]. Available: <https://elsa.brin.go.id/>
- [40] M. A. Ganzoury, N. K. Allam, T. Nicolet, and C. All, "Introduction to Fourier Transform Infrared Spectrometry," *Renewable and Sustainable Energy Reviews*, vol. 50, pp. 1–8, 2015, doi: 10.1016/j.rser.2015.05.073.
- [41] S. K. Sharma, D. S. Verma, L. U. Khan, S. Kumar, and S. B. Khan, "Handbook of Materials Characterization," *Handbook of Materials Characterization*, no. July 2020, pp. 1–613, 2018, doi: 10.1007/978-3-319-92955-2.
- [42] R. Salim, J. Asik, and M. Sani, "Chemical Functional Groups of Extractives, Cellulose and Lignin Extracted from native Leucaena leucocephala bark," *Wood Sci Technol*, vol. 55, no. 2, pp. 295–313, 2021, doi: 10.1007/s00226-020-01258-2.
- [43] Alatuji, "2 Metode Pengujian Pada Impact Testing Machine Yang Perlu Diketahui." Accessed: May 19, 2023. [Online]. Available: <https://www.alatuji.com/article/detail/897/2-metode-pengujian-pada-impact-testing-machine-yang-perlu-diketahui>
- [44] Intertek, "Tensile Testing of Polymers and Composites Materials." Accessed: May 14, 2023. [Online]. Available: <https://www.intertek.com/polymers/tensile-testing/>
- [45] M. Aniber Benin, B. Stanly Jones Retnam, M. Ramachandran, M. Sivapragash, and J. Edwin Raja Dhas, "Comparative study of tensile properties on thermoplastic & thermosetting polymer composites," *International Journal of Applied Engineering Research*, vol. 10, no. 11, pp. 10109–10113, 2015.
- [46] A. A. Ghazal, "The Process of Maintenance and Assessment of The Universal Testing Material Machine H50KS," *Jmsa*, vol. 4, 2020, doi: 10.17303/jmsa.2020.4.204.
- [47] American Society for Testing and Materials, "ASTM D638-14, Standar test method for tensile properties of plastics," *ASTM International*, vol. 82, no. C, pp. 1–15, 2014, doi: 10.1520/D0638-14.1.
- [48] American Society for Testing and Materials, "ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens," *ASTM International*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [49] P. Lampman, K. Vyvyan, D. L. Pavia, and G. S. Kriz, *Introduction to Spectroscopy*, 4th ed. 2008.

- [50] W. Ouarhim, N. Zari, R. Bouhfid, and A. E. K. Qaiss, *Mechanical performance of natural fibers-based thermosetting composites*. 2018. doi: 10.1016/B978-0-08-102292-4.00003-5.
- [51] S. Luo and A. N. Netravali, “Mechanical and thermal properties of environment-friendly ‘green’ composites made from pineapple leaf fibers and poly(hydroxybutyrate-co-valerate) resin,” *Polym Compos*, vol. 20, no. 3, pp. 367–378, 1999, doi: 10.1002/pc.10363.
- [52] M. Sayanjali Jasbi, H. Hasani, A. Zadhoush, and S. Safi, “Effect of alkali treatment on mechanical properties of the green composites reinforced with milkweed fibers,” *Journal of the Textile Institute*, vol. 109, no. 1, pp. 24–31, 2018, doi: 10.1080/00405000.2017.1320816.
- [53] N. Jaramillo-Quiceno, J. M. Vélez R, E. M. Cadena Ch, A. Restrepo-Osorio, and J. F. Santa, “Improvement of Mechanical Properties of Pineapple Leaf Fibers by Mercerization Process,” *Fibers and Polymers*, vol. 19, no. 12, pp. 2604–2611, 2018, doi: 10.1007/s12221-018-8522-3.