

## DAFTAR PUSTAKA

- [1] "SIPSN - Sistem Informasi Pengelolaan Sampah Nasional." Accessed: May 14, 2023. [Online]. Available: <https://sipsn.menlhk.go.id/sipsn/>
- [2] D. W. Nurhajati, I. N. Indrajati, H. E. Mayasari, and M. Sholeh, "Pengaruh Penambahan Pati Tapioka Terhadap Sifat Mekanis Dan Struktur Komposit High Density Polyethylene," *Majalah Kulit, Karet, dan Plastik*, vol. 34, no. 2, p. 77, 2019, doi: 10.20543/mkkp.v34i2.4138.
- [3] Nursyamsi and V. Theresa, "Pengaruh Penambahan Limbah Plastik HDPE sebagai Substitusi Pasir Pada Campuran Batako," *Jurnal Teknik Sipil USU*, vol. 6, no. 1, pp. 1–7, 2017.
- [4] I. Mawardi, *Proses manufaktur plastik dan komposit: edisi revisi*. Penerbit Andi, 2020.
- [5] Dr. R. K. Chandrappa and Mrs. S. S. Kamath, "The Egg Shell as a Filler in Composite Materials," *Journal of Mechanical and Energy Engineering*, vol. 4, no. 4, pp. 335–340, 2021, doi: 10.30464/jmee.2020.4.4.335.
- [6] A. Basit, "Implementasi Algoritma Naive Bayes Untuk Memprediksi Hasil Panen Padi," *Jurnal Teknik Informatika Kaputama (JTIK)*, vol. 4, no. 2, pp. 208–213, 2020.
- [7] J. A. Halip, S. H. Lee, P. M. Tahir, L. Te Chuan, M. A. Selimin, and H. A. Saffian, "A review: Chemical treatments of rice husk for polymer composites," *Biointerface Research in Applied Chemistry*, vol. 11, no. 4, pp. 12425–12433, 2021, doi: 10.33263/BRIAC114.1242512433.
- [8] Q. Zhang, Y. Li, H. Cai, X. Lin, W. Yi, and J. Zhang, "Properties comparison of high density polyethylene composites filled with three kinds of shell fibers," *Results in Physics*, vol. 12, pp. 1542–1546, 2019, doi: 10.1016/j.rinp.2018.09.054.
- [9] K. Hardinnawirda and I. S. Aisha, "Effect of Rice Husks As Filler in Polymer Matrix," vol. 2, no. June 2012, pp. 181–186, 2012.
- [10] U. H. Hasyim, N. A. Yansah, and M. F. Nuris, "Modifikasi Sifat Kimia Serbuk Tempurung Kelapa (STK) Sebagai Matriks Komposit Serat Alam Dengan Perbandingan Alkalisasi Naoh Dan KOH," *E - Journal UMJ*, vol. 015, no. 3, pp. 1–7, 2018.
- [11] M. B. N. Rahman and H. Sosiati, "Pengaruh Perlakuan Sebelum Alkalisasi dan Waktu Alkalisasi terhadap Sifat Bending Komposit Serat Sisal / PMMA," *Semesta Teknika*, vol. 23, no. 1, pp. 75–84, 2020, doi: 10.18196/st.231257.
- [12] B. S. Ndazi, C. Nyahumwa, and J. Tesha, "Chemical and thermal stability of rice husks against alkali treatment," *BioResources*, vol. 3, no. 4, pp. 1267–1277, 2008.

- [13] F. W. Billmeyer, *Plastic injection molding material selection and product design fundamentals*, no. 2. Society of Manufacturing Engineers, Dearborn, 1984. doi: 10.1295/kobunshi.12.240.
- [14] D. N. Anindya, "Pengaruh Variasi Fraksi Volume Polyesterserat Sisal Dan Struktur Serat Terhadap Karakteristik Bending Komposit," 2016.
- [15] Supriyanto, S. W. Mudjanarko, Koespiadi, and A. D. Limantara, "Studi penggunaan variasi campuran material plastik jenis high density polyethylene (HDPE) ada campuran beraspal untuk lapis Aus Ac- Wc (Asphalt Concrete Wearing Course)," *Paduraksa*, vol. 8, no. 2, pp. 222–233, 2019.
- [16] H. Nurcahyanto, "Evaluasi Sifat Mekanik High Density Polyethylene Yang Diisi Serat Batang Pisang Dan Partikel Zeolit Alam," *T R a K Si*, vol. 18, no. 2, p. 78, 2019, doi: 10.26714/traksi.18.2.2018.78-95.
- [17] G. Wypych, *Handbook of Polymers*. 2012.
- [18] A. K. Wardana, W. Kartini, and M. D. Astawa, "Pemanfaatan Limbah Plastik HDPE Sebagai Pengganti Agregat Kasar Tertentu Pada Campuran Beton Ringan," *KERN : Jurnal Ilmiah Teknik Sipil*, vol. 7, no. 2, pp. 53–58, 2021, doi: 10.33005/kern.v7i2.47.
- [19] M. Kadhafi, S. Sunardi, and A. Triono, "Studi Karakteristik Stabilitas dan Konstruksi Kapal Berbahan High Density Polyethylene (HDPE)," *Jurnal Rekayasa Mesin*, vol. 12, no. 2, pp. 315–323, 2021, doi: 10.21776/ub.jrm.2021.012.02.9.
- [20] S. E. Selke and R. J. Hernandez, "Packaging: Polymers for Containers," *Encyclopedia of Materials: Science and Technology*, pp. 6646–6652, 2001, doi: 10.1016/b0-08-043152-6/01175-x.
- [21] E. R. Mardika, *Pengaruh Temperatur terhadap Pembentukan Fuel Oil Hasil Pirolisis Plastik Polypropylene (PP)*. 2018.
- [22] W. A. Yulianto, "Kenali 7 Tipe Plastik yang Digunakan dalam Kehidupan," *IDN Times*. Accessed: Aug. 26, 2023. [Online]. Available: <https://www.idntimes.com/science/discovery/wahyu-ari-yulianto/wajib-tahu-7-tipe-plastik-mana-yang-sering-digunakan>
- [23] Kamus Besar Bahasa Indonesia, "Arti Kata Jeriken." Accessed: May 21, 2023. [Online]. Available: <https://kbbi.web.id/jeriken>
- [24] B. Utami, "Optimasi Tebal Jerigen HDPE Untuk Kapasitas 30 Liter," 2002.
- [25] N. A. Jalali, A. Salim, F. Perdamaian, and J. Borotoding, "Kuat Tekan Dan Kuat Tarik Belah Beton Dengan Campuran Limbah Jerigen Plastik HDPE," pp. 54–59, 2021.
- [26] G. Gundara, "Analisis Sifat Fisis dan Mekanis Komposit Serat Gelas Berlapis," *Seminar Nasional Teknoka*, vol. 2, no. 2502, pp. M17–M21, 2017.

- [27] I. B. Dharmawan and Zulkifli, "Analisa Pengaruh Perlakuan Alkali Dan Hydrogen Peroksida Terhadap Kekuatan Mekanik Komposit Serat Sabut Kelapa Bermatriks Epoxy," *Jurnal Polimesin*, vol. 17, no. 1, pp. 41–46, 2019.
- [28] F. G. Putra, "Pengaruh Komposisi Pencampuran Abu Cangkang Kelapa Sawit Dan Grafit Dengan Matriks Resin Epoxy Pada Pellet Konduktor Komposit Terhadap Mikrostruktur ...," 2021.
- [29] P. Ardiyanto, "Analisa Pengaruh Ketebalan Inti (Core) Polyurethane Terhadap Karakteristik Thickness Effect of Polyurethane Foam Core on the Flexural Behaviour of Composite Sandwich Materials," *Teknik Mesin ITS*, pp. 1–82, 2014.
- [30] N. Nayiroh, "Material komposit handbook," 2013.
- [31] M. Z. H. Utama, *Budidaya Padi pada Lahan Marginal: Kiat Meningkatkan Produksi Padi - Universitas Taman Siswa Padang - Google Buku*. Penerbit Andi, 2015.
- [32] B. Marques, A. Tadeu, J. António, J. Almeida, and J. de Brito, "Mechanical, thermal and acoustic behaviour of polymer-based composite materials produced with rice husk and expanded cork by-products," *Construction and Building Materials*, vol. 239, p. 117851, 2020, doi: 10.1016/j.conbuildmat.2019.117851.
- [33] Badan Pusat Statistik, "Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi 2018-2022." Accessed: May 14, 2023. [Online]. Available: <https://www.bps.go.id/indicator/53/1498/2/luas-panen-produksi-dan-produktivitas-padi-menurut-provinsi.html>
- [34] P. Naik, S. Pradhan, P. Sahoo, and S. K. Acharya, "Study of mechanical behaviour of raw and chemical treated bio-filler composites and its effect on moisture absorption," *Materials Today: Proceedings*, vol. 26, no. xxxx, pp. 1936–1940, 2019, doi: 10.1016/j.matpr.2020.02.423.
- [35] S. Sutini, Y. R. Widiastuty, and A. N. Ramadhani, "Review: Hidrolisis Lignoselulosa dari Agricultural Waste Sebagai Optimasi Produksi Fermentable Sugar," *Equilibrium Journal of Chemical Engineering*, vol. 3, no. 2, p. 59, 2020, doi: 10.20961/equilibrium.v3i2.42788.
- [36] A. ur R. Shah, A. Imdad, A. Sadiq, R. A. Malik, H. Alrobei, and I. A. Badruddin, "Mechanical, Thermal, and Fire Retardant Properties of Rice Husk Biochar Reinforced Recycled High-Density Polyethylene Composite Material," *Polymers*, vol. 15, no. 8, 2023, doi: 10.3390/polym15081827.
- [37] A. F. Rigail-Cedeño, D. Cabrera-Alava, J. Vera-Sorroche, M. Lazo, E. Adrian, and R. Perugachi, "Effect of compatibilization agents and rice husk on the energy demand on the extrusion of recycled high-density polyethylene composites," *Energy Reports*, vol. 8, no. May, pp. 548–555, 2022, doi: 10.1016/j.egy.2022.07.101.

- [38] I. Kurniaty, "Proses Delignifikasi Menggunakan NaOH Dan Amonia (NH<sub>3</sub>) Pada Tempurung Kelapa," *Jurnal Integrasi Proses*, vol. 6, no. 4, p. 197, 2017, doi: 10.36055/jip.v6i4.2546.
- [39] G. Bogoeva-Gaceva *et al.*, "Natural Fiber Eco-Composites," *Polymers and Polymer Composites*, vol. 16, no. 2, pp. 101–113, 2007, doi: 10.1002/pc.
- [40] K. Witono, Y. Surya Irawan, R. Soenoko, and H. Suryanto, "Pengaruh Perlakuan Alkali (NaOH) Terhadap Morfologi dan Kekuatan Tarik Serat Mendong," *Jurnal Rekayasa Mesin*, vol. 4, no. 3, pp. 227–234, 2013.
- [41] E. Melyna and A. P. Afridana, "The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites," *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, p. 14, 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [42] K. S. Nisa, E. Melyna, and M. R. M. Samida, "Sintesis Biokomposit Serat Sabut Kelapa dan Resin Poliester dengan Alkalisasi KOH Menggunakan Metode Hand Lay-Up," *Rekayasa*, vol. 15, no. 3, pp. 354–361, 2022, doi: 10.21107/rekayasa.v15i3.16713.
- [43] R. Prasetyo and M. A. Irfai, "Pengaruh Konsentrasi Larutan KOH Dan Arah Orientasi Serat Rami Terhadap Kekuatan Bending Komposit Dengan Matrik Polyester," *Jurnal Teknik Mesin*, 2021.
- [44] A. M. Das, A. A. Ali, and M. P. Hazarika, "Synthesis and characterization of cellulose acetate from rice husk: Eco-friendly condition," *Carbohydrate Polymers*, vol. 112, pp. 342–349, 2014, doi: 10.1016/j.carbpol.2014.06.006.
- [45] F. A. A. Azam, N. R. R. Royan, N. Y. Yuhana, N. A. M. Radzuan, S. Ahmad, and A. B. Sulong, "Fabrication of porous recycled HDPE biocomposites foam: Effect of rice husk filler contents and surface treatments on the mechanical properties," *Polymers*, vol. 12, no. 2, 2020, doi: 10.3390/polym12020475.
- [46] E. K. Silviya, S. Varma, G. Unnikrishnan, and S. Thomas, "Compounding and mixing of polymers," *Advances in Polymer Processing: From Macro- To Nano-Scales*, pp. 71–105, 2009, doi: 10.1533/9781845696429.1.71.
- [47] Hartek, "Lab twin screw extrusion line-Lab twin screw extrusion line." Accessed: Aug. 15, 2023. [Online]. Available: [https://www.extrusion-lab.com/Lab\\_twin\\_screw\\_extrusion\\_line/show/35.html](https://www.extrusion-lab.com/Lab_twin_screw_extrusion_line/show/35.html)
- [48] R. E. Smallman and R. J. Bishop, *Metalurgi Fisik Modern & Rekayasa Material*. Penerbit Erlangga, 2000.
- [49] Alatuji, "QC-601A Manual Thermos Press Forming Machine," vol. 6777, no. 62, pp. 21–22, 2023.
- [50] M. Sulistyani, "Spektroskopi Fourier Transform Infra Red Metode Reflektansi (ATR-FTIR) Pada Optimasi Pengukuran Spektrum Vibrasi Vitamin C," *Jurnal*

TEMAPELA, vol. 1, no. 2, pp. 39–43, 2018, doi: 10.25077/temapela.1.2.39-43.2018.

- [51] D. J. Wulandari, S. Yanti, and L. Arlianti, "Pembuatan Asam Oksalat dari Campuran Sekam Padi dan Sabut Kelapa dengan Metode Hidrolisis Alkali," *Jurnal Ilmiah Fakultas Teknik*, vol. 2, no. 1, pp. 1–7, 2021.
- [52] A. A. Fitri, "Studi Pengujian Gugus Fungsi (FTIR) Biopolimer Dari Kulit Singkong Untuk Meningkatkan Viskositas Air Formasi Sebagai Bahan Alternatif Dalam Mengatasi Water Coning," vol. 33, no. 1, pp. 1–12, 2022.
- [53] M. M. Beasley, E. J. Bartelink, L. Taylor, and R. M. Miller, "Comparison of transmission FTIR, ATR, and DRIFT spectra: Implications for assessment of bone bioapatite diagenesis," *Journal of Archaeological Science*, vol. 46, no. 1, pp. 16–22, 2014, doi: 10.1016/j.jas.2014.03.008.
- [54] S. J. Parikh, K. W. Goyne, A. J. Margenot, F. N. D. Mukome, and F. J. Calderón, *Soil chemical insights provided through vibrational spectroscopy*, vol. 126. Elsevier, 2014. doi: 10.1016/B978-0-12-800132-5.00001-8.
- [55] M. N. Salleh, R. A. Aziz, M. F. S. A. Razak, L. Musa, and H. L. Ying, "Effect of Surface Treatment on Mechanical Properties of Rice Husk Reinforced Recycled High Density Polyethylene (rHDPE) Composites," *IOP Conference Series: Materials Science and Engineering*, vol. 957, no. 1, 2020, doi: 10.1088/1757-899X/957/1/012011.
- [56] D. N. Susanti, "Pengaruh variasi panjang serat nanas terhadap kekuatan tarik dan impact komposit polyester - serat nanas," Universitas Muhammadiyah Semarang, 2018.
- [57] A. Donald, P. P. Fulay, and W. J. Wright, "The sciences and engineering of materials," pp. 0–495, 2011.
- [58] Asroni and D. Nurkholis, "Pengaruh Komposisi Resin Poliester Terhadap Kekerasan Dan Kekuatan Tarik Komposit Papan Partikel Onggok Limbah Singkong," *Jurnal Teknik Mesin Univ. Muhammadiyah Metro*, vol. 5, no. 1, pp. 14–20, 2016.
- [59] American Society for Testing and Materials, "ASTM D638-14," *ASTM International*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [60] I. Gunawan *et al.*, "Synthesis And Characterization Of Polypropylene/Jigsaw Wood Ash Composite," *Jurnal Sains Materi Indonesia*, vol. 4, no. 1, pp. 20–25, 2002.
- [61] R. A. Sani, *Karakterisasi Material*. Bumi Aksara, 2021.
- [62] G. Samodra, "Differential Scanning Calorimetry." Accessed: Aug. 16, 2023. [Online]. Available: <https://www.scribd.com/document/326293646/AutoGenerateLink-77778314-Differential-Scanning-Calorimetry-DSC>

- [63] M. Hasan *et al.*, "BIOPLASTIK UNTUK PENGEMAS MAKANAN BERBASIS PATI DAN KITOSAN," 2022.
- [64] K. V. Kodre, "Differential Scanning Calorimetry: A Review.," *Journal of Pharmaceutical Analysis*, vol. 5, no. 7, p. 60, 2014.
- [65] A. Chafidz, M. Rizal, R. M. Faisal, M. Kaavessina, D. Hartanto, and S. M. AlZahrani, "Processing and properties of high density polyethylene/date palm fiber composites prepared by a laboratory mixing extruder," *Journal of Mechanical Engineering and Sciences*, vol. 12, no. 3, pp. 3771–3785, 2018, doi: 10.15282/jmes.12.3.2018.2.0333.
- [66] R. S. Chen and S. Ahmad, "Characterization of Rice Husk Biofibre-Reinforced Recycled Thermoplastic Blend Biocomposite," *Composites from Renewable and Sustainable Materials*, 2018, doi: 10.5772/65026.
- [67] E. Melyna, K. S. Nisa, A. Aurel, and L. Fitri, "Pengaruh penambahan serbuk alumina (Al<sub>2</sub>O<sub>3</sub>) pada komposit serat kayu jati bermatriks polipropilena," vol. 29, no. 2, pp. 62–70, 2023.
- [68] U. Huner, "Effect of chemical treatment and maleic anhydride grafted polypropylene coupling agent on rice husk and rice husk reinforced composite," *Materials Express*, vol. 7, no. 2, pp. 134–144, 2017, doi: 10.1166/mex.2017.1359.
- [69] B. Armynah, Atika, Z. Djafar, W. H. Piarah, and D. Tahir, "Analysis of Chemical and Physical Properties of Biochar from Rice Husk Biomass," *Journal of Physics: Conference Series*, vol. 979, no. 1, 2018, doi: 10.1088/1742-6596/979/1/012038.
- [70] R. Gusnedi, "Analisis Nilai Absorbansi dalam Penentuan Kadar Flavonoid untuk Berbagai Jenis Daun Tanaman Obat," *Pillar of Physics*, vol. 2, pp. 76–83, 2013.
- [71] T. G. Mayerhöfer and J. Popp, "Beer's Law – Why Absorbance Depends (Almost) Linearly on Concentration," *ChemPhysChem*, vol. 20, no. 4, pp. 511–515, 2019, doi: 10.1002/cphc.201801073.
- [72] A. Qomariyah and R. Hidayah, "Abu Limbah Sekam Padi sebagai Bioadsorben yang Efektif untuk Logam Timbal dalam Tanah," *Fullerene Journ. Of Chem*, vol. 6, no. 2, pp. 81–88, 2021, doi: 10.37033/fjc.v6i2.273.
- [73] D. Umaningrum, R. Nurmasari, M. D. Astuti, M. Mardhatillah, A. Mulyasuryani, and D. Mardiana, "Isolasi Selulosa Dari Jerami Padi Menggunakan Variasi Konsentrasi Basa," *Jurnal Sains dan Terapan Kimia*, vol. 12, no. 1, p. 25, 2018, doi: 10.20527/jstk.v12i1.4652.
- [74] C. U. Atuanya, S. A. Olaitan, T. O. Azeez, C. C. Akagu, O. D. Onukwuli, and M. C. Menkiti, "Effects of Rice Husk Filler on the Mechanical and Rheological Properties of Polyethylene Matrix Composite," *International Journal of Current Research and Review*, vol. 13, no. 2, pp. 278–288, 2013.