

DAFTAR PUSTAKA

- [1] R. M. Pikhulan, “KONSEP ALIH TEKNOLOGI DALAM PENANAMAN MODAL DI INDONESIA BIDANG INDUSTRI OTOMOTIF,” 2018. [Daring]. Tersedia pada: <http://www.harian>
- [2] H. S. Budiningsih, Zulkifli, dan W. Rachbini, “PENGARUH PENDEMI COVID-19 TERHADAP KINERJA PERUSAHAAN (PROFITABILITAS, LIKUIDITAS, FAKTOR EKSTERNAL, DAN HARGA SAHAM) PADA PERUSAHAAN INDUSTRI OTOMOTIF DI BEI,” vol. 4, no. 1, 2022.
- [3] D. Rinaldy, A. Asmara, dan M. Findi, “Strategi Industri Kecil Menengah Komponen Otomotif (Studi Kasus Pt Pqr),” *Jurnal Aplikasi Bisnis dan Manajemen*, vol. 6, no. 1, hlm. 37–49, 2020, doi: 10.17358/jabm.6.1.37.
- [4] Kemenperin, “Kemenperin Dorong Industri Daur Ulang di Sektor Otomotif.” Diakses: 20 Mei 2023. [Daring]. Tersedia pada: <https://kemenperin.go.id/artikel/20240/Kemenperin-Dorong-Industri-Daur-Ulang-di-Sektor-Otomotif>
- [5] M. Wiese, S. Thiede, dan C. Herrmann, “Rapid manufacturing of automotive polymer series parts: A systematic review of processes, materials and challenges,” *Additive Manufacturing*, vol. 36. Elsevier B.V., 1 Desember 2020. doi: 10.1016/j.addma.2020.101582.
- [6] A. M. Rhoades, J. L. Williams, dan R. Androsch, “Crystallization kinetics of polyamide 66 at processing-relevant cooling conditions and high supercooling,” *Thermochim Acta*, vol. 603, hlm. 103–109, Mar 2015, doi: 10.1016/j.tca.2014.10.020.
- [7] “PT. Injeksi Plastik Pasifik.” 2022.
- [8] S. Moritomi, T. Watanabe, dan S. Kanzaki, “Polypropylene compounds for automotive application,” 2010.
- [9] E. N. Peters, “Engineering Thermoplastics-Materials, Properties, Trends,” dalam *Applied Plastics Engineering Handbook: Processing, Materials, and Applications: Second Edition*, Elsevier Inc., 2017, hlm. 3–26. doi: 10.1016/B978-0-323-39040-8.00001-8.
- [10] S. Y. Kim, J. U. Ha, W. Jung, dan P. C. Lee, “Mechanical Properties and Morphology of Polyamide/Polypropylene Blends,” *Elastomer and Composites*, vol. 55, hlm. 1–5, 2020, doi: <https://doi.org/10.7473/EC.2020.55.1.16>.
- [11] C. Komalan, “Correlation between Morphology and Mechanical Properties of TPEs from PA (6, 66) / EPDM Blends,” *Int J Res Appl Sci Eng Technol*, vol. 8, no. 1, hlm. 190–196, 2020,

doi: 10.22214/ijraset.2020.1033.

- [12] M. Li, Y. Wang, C. Shen, dan S. Gao, "PP/POE thermoplastic elastomer prepared by dynamic vulcanization and its flame retardant modification," *Journal of Elastomers and Plastics*, vol. 54, no. 2, hlm. 209–224, Mar 2022, doi: 10.1177/00952443211029039.
- [13] M. He, Z. Wang, R. Wang, L. Zhang, dan Q. Jia, "Preparation of bio-based polyamide elastomer by using green plasticizers," *Polymers (Basel)*, vol. 8, no. 7, Jul 2016, doi: 10.3390/polym8070257.
- [14] A. A. B. A. Mohammed *dkk.*, "Corn: Its Structure, Polymer, Fiber, Composite, Properties, and Applications," *Polymers (Basel)*, vol. 14, no. 20, 2022, doi: 10.3390/polym14204396.
- [15] N. van de Werken, H. Tekinalp, P. Khanbolouki, S. Ozcan, A. Williams, dan M. Tehrani, "Additively manufactured carbon fiber-reinforced composites: State of the art and perspective," *Additive Manufacturing*, vol. 31. Elsevier B.V., 1 Januari 2020. doi: 10.1016/j.addma.2019.100962.
- [16] E. I. Akpan, X. Shen, B. Wetzel, dan K. Friedrich, *Design and Synthesis of Polymer Nanocomposites*. Elsevier Inc., 2018. doi: 10.1016/B978-0-12-814064-2.00002-0.
- [17] A. K. Ghosh dan M. Dwivedi, *Processability of Polymeric Composites*. 2019. doi: 10.1007/978-81-322-3933-8.
- [18] R. Hsissou, R. Seghiri, Z. Benzekri, M. Hilali, M. Rafik, dan A. Elharfi, "Polymer composite materials: A comprehensive review," *Composite Structures*, vol. 262. Elsevier Ltd, 15 April 2021. doi: 10.1016/j.compstruct.2021.113640.
- [19] G. Wypych, *Handbok of Polymers*. 2012.
- [20] H. A. Maddah, "Polypropylene as a Promising Plastic: A Review," *American Journal of Polymer Science*, vol. 6, no. 1, hlm. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [21] E. Oktariani *dkk.*, "Sifat Mekanis Polipropilena Berpenguat Serat Kenaf Pendek: Pengaruh Fraksi Massa dan Talk," *Sainmatika: Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, vol. 15, no. 2, hlm. 90, 2018, doi: 10.31851/sainmatika.v15i2.2303.
- [22] S. Koltzenburg, M. Maskos, dan O. Nuyken, *Polymer chemistry*. 2017. doi: 10.1016/B978-1-84569-741-9.50002-1.
- [23] J. E. Lee, D. H. Han, Y. M. Kim, dan K. M. Choi, "Comparison of mechanical and thermal properties of polyamide-66/rubber/ fiber alloy composites," *Asian Journal of Chemistry*, vol. 25, no. 9, hlm. 5237–5244, 2013, doi: 10.14233/ajchem.2013.f25.
- [24] L. W. McKeen, *Polyamides (Nylons)*. 2017. doi: 10.1016/b978-0-12-813292-0.00008-3.

- [25] G. Wypych, "PA-6,6 polyamide-6,6," dalam *Handbook of Polymers*, Elsevier, 2016, hlm. 221–226. doi: 10.1016/b978-1-895198-92-8.50071-9.
- [26] D. K. Kim, A. S. Lee, B. K. Baek, K. H. Song, S. M. Hong, dan C. M. Koo, "PPE/Nylon 66 Blends with High Mechanical Toughness and Flame Retardancy," *Macromol Res*, vol. 28, no. 2, hlm. 103–109, 2020, doi: 10.1007/s13233-020-8022-3.
- [27] D. Tomova dan H. J. Radusch, "Morphology and properties of ternary polyamide 6/polyamide 66/elastomer blends," *Polym Adv Technol*, vol. 14, no. 1, hlm. 19–26, 2003, doi: 10.1002/pat.263.
- [28] D. P. Harper dan M. P. Wolcott, "Chemical Imaging of Wood-Polypropylene Composites," 2006.
- [29] G. S. Ezat, A. L. Kelly, S. C. Mitchell, M. Youseffi, dan P. D. Coates, "Effect of Maleic Anhydride Grafted Polypropylene Compatibilizer on the Morphology and Properties of Polypropylene/Multiwalled Carbon Nanotube Composite," *Polymers and Polymer Composites*, vol. 16, no. 2, hlm. 13776–1386, 2012, doi: 10.1002/pc.
- [30] X. S. Sun, "Plastics derived from starch and poly (lactic acid)," *Bio Based Polymers and Composites*, hlm. 369–410, 2005.
- [31] X. Zhou, P. Zhang, X. Jiang, dan G. Rao, "Influence of maleic anhydride grafted polypropylene on the miscibility of polypropylene/polyamide-6 blends using ATR-FTIR mapping," *Vib Spectrosc*, vol. 49, no. 1, hlm. 17–21, 2009, doi: 10.1016/j.vibspec.2008.04.004.
- [32] C. Nakason, S. Saiwari, dan A. Kaesaman, "Rheological properties of maleated natural rubber/polypropylene blends with phenolic modified polypropylene and polypropylene-g-maleic anhydride compatibilizers," *Polym Test*, vol. 25, no. 3, hlm. 413–423, 2006, doi: 10.1016/j.polymertesting.2005.11.006.
- [33] M. S. Siregar, "GRAFTING PRODUCT OF MALEIC ANHYDRIDE ONTO CYCLIZED NATURAL RUBBER IN AN INTERNAL MIXER: PHYSICAL PROPERTIES AND COMPATIBILITY WITH POLYAMIDE," 2015.
- [34] J. Drobny, *Handbook of Thermoplastic Elastomers*. William Andrew, 2013.
- [35] A. N. Gent, "Rubber Elasticity: Basic Concepts and Behavior," dalam *The Science and Technology of Rubber, Fourth Edition*, Elsevier, 2013, hlm. 1–26. doi: 10.1016/B978-0-12-394584-6.00001-7.
- [36] G. Holden, "Thermoplastic Elastomers," dalam *Applied Plastics Engineering Handbook:*

Processing and Materials, Elsevier, 2011, hlm. 77–91. doi: 10.1016/B978-1-4377-3514-7.10006-6.

- [37] A. R. Cooper, J. R. Martin, dan J. F. Johnson, “Mechanical Properties of Polymers: The Influence of Molecular Weight and Molecular Weight Distribution,” *Journal of Macromolecular Science, Part C*, vol. 8, no. 1, hlm. 57–199, Jan 1972, doi: 10.1080/15321797208068169.
- [38] B. Du *dkk.*, “Mechanical Property of Long Glass Fiber Reinforced Polypropylene Composite: From Material to Car Seat Frame and Bumper Beam,” *Polymers (Basel)*, vol. 14, no. 9, Mei 2022, doi: 10.3390/polym14091814.
- [39] B. V Linges, B. N. Ravikumar, dan B. M. Rudresh, “Investigation on the Mechanical Behavior of Polyamide 66/Polypropylene Blends,” *Indian Journal of Advances in Chemical Science*, vol. 4, no. 2, hlm. 168–171, 2016, [Daring]. Tersedia pada: www.ijacskros.com
- [40] B. V. Linges, B. M. Rudresh, dan B. N. Ravikumar, “Effect of Short Glass Fibers on Mechanical Properties of Polyamide66 and Polypropylene (PA66/PP) Thermoplastic Blend Composites,” *Procedia Materials Science*, vol. 5, hlm. 1231–1240, 2014, doi: 10.1016/j.mspro.2014.07.434.
- [41] H. Uematsu, Y. Suzuki, Y. Iemoto, dan S. Tanoue, “Effect of maleic anhydride-grafted polypropylene on the flow orientation of short glass fiber in molten polypropylene and on tensile properties of composites,” *Advances in Polymer Technology*, vol. 37, no. 6, hlm. 1755–1763, Okt 2018, doi: 10.1002/adv.21834.
- [42] R. Ruzuqi, “Analysing the Impact Strength of Polymer Composite Materials (PCM) Fiber Reinforced in the Fiberboat Application,” dalam *Recent Trends in Chemical and Material Sciences Vol. 1*, Book Publisher International (a part of SCIENCEDOMAIN International), 2021, hlm. 71–81. doi: 10.9734/bpi/rtcams/v1/2857f.
- [43] H. Wu, M. Krifa, dan J. H. Koo, “Rubber (SEBS-g-MA) Toughened Flame-Retardant Polyamide 6: Microstructure, Combustion, Extension, and Izod Impact Behavior,” *Polymer - Plastics Technology and Engineering*, vol. 57, no. 8, hlm. 727–739, Mei 2018, doi: 10.1080/03602559.2017.1344856.
- [44] Y. Wang, Y. Zhang, Y. Xu, X. Liu, dan W. Guo, “Research on compatibility and surface of high impact bio-based polyamide,” *High Perform Polym*, vol. 33, no. 8, hlm. 960–968, Okt 2021, doi: 10.1177/09540083211005511.
- [45] G. Keledi, A. Sudár, C. Burgstaller, K. Renner, J. Móczó, dan B. Pukánszky, “Tensile and

- impact properties of three-component PP/wood/elastomer composites,” *Express Polym Lett*, vol. 6, no. 3, hlm. 224–236, Mar 2012, doi: 10.3144/expresspolymlett.2012.25.
- [46] Y. Son dan S. Lee, “One step method for fabrication of PPO/PA-66/elastomer blends,” *Polymer Bulletin*, vol. 56, no. 2–3, hlm. 267–273, Feb 2006, doi: 10.1007/s00289-005-0473-3.
- [47] ASTM D638, “ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens,” *ASTM International*, vol. 82, no. C, hlm. 1–15, 2014, doi: 10.1520/D0638-14.1.
- [48] G. Staufenberg, N. Graupner, dan M. Rieth, “Charpy and Izod impact properties of natural fibre composites Charpy and Izod impact properties of natural fibre composites,” 2019, doi: 10.1088/1757-899X/670/1/012031.
- [49] ASTM D256, “Standard Test Methods for Determining the Izod Pendulum Impact Resistance of Plastics,” 2010, doi: 10.1520/D0256-10.
- [50] A. Tavasoli, M. Jalilian, dan ad Khosravi Seyed Saj, “Investigation of the effect of compatibilizer on Mechanical Properties of Recycled Polyamide 66 Composites and Short Glass Fiber,” 2018.