

DAFTAR PUSTAKA

- [1] S. Kore *et al.*, “Performance of hybridized bamboo-carbon fiber reinforced polypropylene composites processed using wet laid technique,” *Composites Part C: Open Access*, vol. 6, no. June, p. 100185, 2021, doi: 10.1016/j.jcomc.2021.100185.
- [2] N. L. Feng, S. D. Malingam, C. W. Ping, and N. Razali, “Mechanical properties and water absorption of kenaf/pineapple leaf fiber-reinforced polypropylene hybrid composites,” *Polymer Composites*, vol. 41, no. 4, pp. 1255–1264, 2020, doi: 10.1002/pc.25451.
- [3] S. D. Malingam, N. L. Feng, N. C. Sean, K. Subramaniam, N. Razali, and Z. Mustafa, “Mechanical properties of hybrid kenaf/kevlar fibre reinforced thermoplastic composites,” *Defence S and T Technical Bulletin*, vol. 11, no. 2, pp. 209–224, 2018.
- [4] T. Fauzi, E. Kurniasih, and T. Rihayat, “Preparasi dan karakterisasi sifat mekanik komposit hybrid polyester abstrak,” 2016.
- [5] J. Parameswaranpillai *et al.*, “Turning waste plant fibers into advanced plant fiber reinforced polymer composites: a comprehensive review,” *Composites Part C: Open Access*, vol. 10, no. December 2022, p. 100333, 2023, doi: 10.1016/j.jcomc.2022.100333.
- [6] J. Liu, R. Q. Chen, C. P. Wang, Y. J. Zhao, and F. X. Chu, “Synthesis and characterization of polyethylene glycol-phenol-formaldehyde based polyurethane composite,” *Scientific Reports*, vol. 9, no. 1, pp. 1–9, 2019, doi: 10.1038/s41598-019-56147-x.
- [7] P. Yeole, H. Ning, A. A. Hassen, and U. K. Vaidya, “The effect of flocculent, dispersants, and binder on wet-laid process for recycled glass fiber/PA6 composite,” *Polymers and Polymer Composites*, vol. 26, no. 3, pp. 259–269, 2018, doi: 10.1177/096739111802600306.
- [8] M. B. Hoque, M. S. Hossain, A. M. Nahid, S. Bari, and R. A. Khan, “Fabrication and Characterization of pineapple fiber-reinforced polypropylene based composites,” *Nano Hybrids and Composites*, vol. 21, pp. 31–42, 2018, doi: 10.4028/www.scientific.net/nhc.21.31.
- [9] Z. Yang, H. Peng, W. Wang, and T. Liu, “Crystallization behavior of polypropylene/layered double hydroxide nanocomposites,” *Journal of Applied Polymer Science*, vol. 116, no. 5, pp. 2658–2667, 2010, doi: 10.1002/app.
- [10] M. Suhardiman, “Kajian pengaruh penambahan serat bambu ori,” *Jurnal Teknik*, vol. 1, no. 2, p. 8, 2011.

- [11] F. A. Wahyudi and L. D. Yuono, “Pengaruh Komposisi Serat Terhadap Kekuatan Impak Komposit Yang Diperkuat Serat Bambu,” *Turbo : Jurnal Program Studi Teknik Mesin*, vol. 4, no. 2, pp. 72–78, 2017, doi: 10.24127/trb.v4i2.73.
- [12] X. Gao, D. Zhu, S. Fan, M. Z. Rahman, S. Guo, and F. Chen, “Structural and mechanical properties of bamboo fiber bundle and fiber/bundle reinforced composites: a review,” *Journal of Materials Research and Technology*, vol. 19, pp. 1162–1190, 2022, doi: 10.1016/j.jmrt.2022.05.077.
- [13] S. K. Samal, S. Mohanty, and S. K. Nayak, “Polypropylene bamboo/glass fiber hybrid composites: Fabrication and analysis of mechanical, morphological, thermal, and dynamic mechanical behavior,” *Journal of Reinforced Plastics and Composites*, vol. 28, no. 22, pp. 2729–2747, 2009, doi: 10.1177/0731684408093451.
- [14] A. L. Leao, B. M. Cherian, S. Narine, S. F. Souza, M. Sain, and S. Thomas, “The use of pineapple leaf fibers (palfs) as reinforcements in composites,” 2015, doi: 10.1533/9781782421276.2.211.
- [15] L. Y. Ningrum, “Potensi serat daun nanas sebagai alternatif bahan komposit pengganti fiberglass pada pembuatan lambung kapal,” Institut Teknologi Sepuluh Nopember November Surabaya, 2017.
- [16] Y. Yusof, N. bin Mat Nawi, and M. S. H. Bin Alias, “Pineapple leaf fiber and pineapple peduncle fiber analyzing and characterization for yarn production,” *ARPN Journal of Engineering and Applied Sciences*, vol. 11, no. 6, pp. 4197–4202, 2016.
- [17] M. Hsie, C. Tu, and P. S. Song, “Mechanical properties of polypropylene hybrid fiber-reinforced concrete,” *Materials Science and Engineering A*, vol. 494, no. 1–2, pp. 153–157, 2008, doi: 10.1016/j.msea.2008.05.037.
- [18] Z. Sun and Q. Xu, “Microscopic, physical and mechanical analysis of polypropylene fiber reinforced concrete,” *Materials Science and Engineering A*, vol. 527, no. 1–2, pp. 198–204, 2009, doi: 10.1016/j.msea.2009.07.056.
- [19] S. Habibie, “Prospek industri serat polipropilena di indonesia dan proses pembuatannya,” in 1986.
- [20] A. Menyhárd, J. D. Menczel, and T. Abraham, “Polypropylene fibers,” *Thermal Analysis of Textiles and Fibers*, pp. 205–222, 2020, doi: 10.1016/B978-0-08-100572-9.00012-4.
- [21] S. Thomas, K. Joseph, K. S. Malhotra, K. Goda, and M. S. Sreekala, *Polymer composites*. 2012. doi: 10.1016/B978-0-12-821984-3.00003-6.
- [22] D. H. Islam Shyha, *Advances in machining of composite materials*. 2021.

- [23] N. Ghamarian, *Effect of fiber orientation on the mechanical properties of laminated polymer composites*. Elsevier Ltd., 2016. doi: 10.1016/B978-0-12-803581-8.04083-2.
- [24] B. Baghaei and M. Skrifvars, “All-cellulose composites: a review of recent studies on structure, properties and applications,” *Molecules*, vol. 25, no. 12, 2020, doi: 10.3390/molecules25122836.
- [25] K. Olechno, A. Basa, and K. Winnicka, “‘Success depends on your backbone’ about the use of polymers as essential materials forming orodispersible films,” *Materials*, vol. 14, no. 17, pp. 1–27, 2021, doi: 10.3390/ma14174872.
- [26] A. K. Bledzki and J. Gassan, “Composites reinforced with cellulose,” *Progress in Polymer Science*, vol. 24, pp. 221–274, 1999.
- [27] E. K. Uusi-Tarkka, M. Skrifvars, and A. Haapala, “Fabricating sustainable all-cellulose composites,” *Applied Sciences (Switzerland)*, vol. 11, no. 21, pp. 1–21, 2021, doi: 10.3390/app112110069.
- [28] A. Shrivastava, *Plastic properties and testing*. 2018. doi: 10.1016/b978-0-323-39500-7.00003-4.
- [29] P. Prabhu, B. Karthikeyan, R. R. R. M. Vannan, and A. Balaji, “Mechanical, thermal and morphological analysis of hybrid natural and glass fiber-reinforced hybrid resin nanocomposites,” *Biomass Conversion and Biorefinery*, no. August, 2022, doi: 10.1007/s13399-022-02632-9.
- [30] B. H. Stuart, *Infrared Spectroscopy : fundamental*, vol. 8. 2004.
- [31] F. Nworie, “Comparison of analytical techniques in the characterization of complex comparison of analytical techniques in the characterization of complex compounds,” no. January, 2015, doi: 10.9734/ACSJ/2015/20257.
- [32] A. H. D. Abdullah, N. Karlina, W. Rahmatiya, S. Mudaim, Patimah, and A. R. Fajrin, “Physical and mechanical properties of five Indonesian bamboos,” *IOP Conference Series: Earth and Environmental Science*, vol. 60, no. 1, 2017, doi: 10.1088/1755-1315/60/1/012014.
- [33] P. Hidayat, “Teknologi Pemanfaatan Serat Daun Nanas Sebagai Alternatif Bahan Baku Tekstil,” *Teknoin*, vol. 13, no. 2, pp. 31–35, 2008, doi: 10.20885/teknoin.vol13.iss2.art7.
- [34] V. P. Khavilla, S. Wahyuni, A. F. Riyanto, Jumaeri, and Harjono, “Preparasi dan karakterisasi pp (polypropylene) termodifikasi lldpe (linear low density polyethylene),” *Indonesian Journal of Chemical Science*, vol. 8, no. 3, pp. 176–184, 2019.