

DAFTAR PUSTAKA

- [1] M. Yani and F. Lubis, "Pembuatan Dan Penyelidikan Perilaku Mekanik Komposit Diperkuat Serat Limbah Plastikakibat Beban Lendutan," *Teknik Mesin ITM*, vol. 4, no. 2, pp. 77–84, 2018.
- [2] Hisham A. Maddah, "Polypropylene as a Promising Plastic: A Review," *American Journal of Polymer Science*, vol. 6, no. 1, pp. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [3] I. Turku, T. Kärki, and A. Puurtinen, "Durability of wood plastic composites manufactured from recycled plastic," *Heliyon*, vol. 4, no. 3, pp. 1–20, 2018, doi: 10.1016/j.heliyon.2018.e00559.
- [4] M. Kusnanto, Sehono, and I. Rizki Putra, "Pengaruh Sifat Mekanis Serat Pandan Dan Pelapisan Carbon Cloth Pada Komposit Polypropylene," *Teknika STTKD: Jurnal Teknik, Elektronik, Engine*, vol. 8, no. 2, pp. 302–306, 2022, doi: 10.56521/teknika.v8i2.669.
- [5] M. Yani, B. Suroso, and R. Rajali, "Mechanical Properties Komposit Limbah Plastik," *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 2, no. 1, pp. 74–83, 2019, doi: 10.30596/rmme.v2i1.3071.
- [6] S. Arif, D. Irawan, and M. Jainudin, "KARAKTERISTIK SIFAT MEKANIS DISK PAD KOMPOSIT SERBUK KAYU JATI – POLYESTER," pp. 166–173, 2019.
- [7] A. K. Yadav and R. Srivastava, "Mechanical and Hygroscopic Behaviour of Teak Wood Sawdust Filled Recycled Polypropylene Composites," vol. 31, no. 5, pp. 202–208, 2018.
- [8] M. Sain and M. Pervaiz, "Mechanical properties of wood ± polymer composites," *Woodhead Publishing Series in Composites Science and Engineering*, pp. 101–117, 2008.
- [9] K. Alokabel and A. D. Betan, "Pengaruh Variasi Serbuk Kayu Terhadap Sifat Mekanis Material Komposit," *Jurnal TAPAK*, vol. 8, no. 2, pp. 150–154, 2019.
- [10] N. Islamuddin and S. Wisma, "ANALISA UJI TEKAN, KERAPATAN DENSITAS DAN MIKROSTRUKTUR TERHADAP KOMPOSIT BAHAN BAKU TEAKWOOD SERBUK GERGAJI KAYU," *Journal Mechanical and Manufacture Technology*, vol. 1, no. 2, pp. 58–65, 2020.
- [11] I. P. W. S. P. Arisudana, "Analisa Uji Tarik dan Impak Penguat Karbon, Campuran Epoxy-Karet Silikon 30%,40%,50%, Rami dan Kapas Matrik Epoxy," Institut Teknologi Nasional Malang, 2020.
- [12] M. Ulfah, S. Aprilia, and F. M. Djuned, "Karakterisasi Bionanofiller Dari Limbah Serbuk Kayu Meranti Sebagai Pengisi Pada Polimer Komposit," *Jurnal Serambi Engineering*, vol. 3, no. 2, 2018, doi: 10.32672/jse.v3i2.718.

- [13] M. B. Waluyo and A. A. Maidhah, "Pemanfaatan Limbah Cangkang Kerang Sebagai Pengisi Pada Komposit Hybrid Dengan Metode Hand Lay-Up," *Mustek Anim Ha*, vol. 9, no. 3, pp. 125–129, 2020.
- [14] I. W. Sugiarkha, A. Rofaida, R. S. Saptaningtyas, and T. Handayani, "Pemanfaatan Limbah Plastik Dan Serbuk Gergaji Kayu Sebagai Bahan Pengisi Bambu Komposit Setempat," *Jurnal Sains Teknologi & Lingkungan*, vol. 4, pp. 168–173, 2021, doi: 10.29303/jstl.v0i0.260.
- [15] Lelawati and A. Sefentry, "Pengaruh ukuran terhadap kekerasan komposit paduan sampah plastik dan cangkang sawit," vol. 6, no. 2, pp. 86–91, 2021.
- [16] M. Nuruddin, R. A. Santoso, and R. A. Hidayati, "Desain Komposisi Bahan Komposit yang Optimal Berbahan Baku Utama Limbah Ampas Serat Tebu (Baggase)," *Prosiding Seminar Nasional Teknoka*, vol. 3, no. 2502, p. 53, 2019, doi: 10.22236/teknoka.v3i0.2915.
- [17] H. G. Karian, *Polypropylene and Polypropylene Composites*. 2003.
- [18] B. Sulaeman, "Pemanfaatan Limbah Karung Plastik," *PENA TEKNIK: Jurnal Ilmiah Ilmu-Ilmu Teknik*, vol. 3, no. 1, p. 93, 2018, doi: 10.51557/pt_jiit.v3i1.173.
- [19] A. N. Wagiswari and M. B. Prasetyo, "Pabrik Polipropilen Dari Propilen Dan Etilen Dengan Polimerisasi Fase Gas Teknologi Unipol," 2016.
- [20] E. R. Mardika, "Pengaruh Temperatur terhadap Pembentukan Fuel Oil Hasil Pirolisis Plastik Polypropylene (PP)," 2018.
- [21] K. B. Adhikary, "Development of Wood Flour- Recycled Polymer Composite Panels As Building Materials," 2008.
- [22] S. Y. Lisha and A. Mahyudin, "Pengaruh Panjang Serat Pinang terhadap Sifat Mekanik dan Uji Biodegradabel Komposit Polipropilena Berpati Talas," vol. 8, no. 2, pp. 139–145, 2019.
- [23] Dr. H. Mujana, "Pengembangan Produk Polimer: Permasalahan, Arah Riset dan Potensi Aplikasinya di Indonesia," *Oratio Dies Natalis XXVI Fakultas Teknologi Industri*, no. April, pp. 1–37, 2019.
- [24] E. M. Ginting, "Sifat Mekanis Nano Komposit Termoplastik HDPE dengan beberapa Pengisi," 2016.
- [25] E. Okidimis, "Sintesis Komposit Polipropilena/ Serat Alam/Grup Kaolin Yang Memiliki Kemampuan Hambat Bakar Serta Sifat Mekanik Yang Baik," 2012.
- [26] G. E. Pramono, I. A. Saputro, R. Waluyo, and A. R. Ahmad, "Pengaruh variasi jenis plastik terhadap sifat fisik dan mekanik Wood plastic composite (WPC)," *AME (Aplikasi Mekanika dan Energi): Jurnal Ilmiah Teknik Mesin*, vol. 8, no. 1, p. 9, 2022, doi: 10.32832/ame.v8i1.6680.

- [27] W. Hidanto, "Analisis Pengaruh Komposisi Serbuk terhadap Sifat Fisis dan Mekanis Komposit Papan Partikel Dari Tandan Kosong Kelapa Sawit , Serbuk Kayu dan Tempurung Kelapa," vol. 8, no. 2, pp. 106–112, 2019.
- [28] R. Merijs-Meri *et al.*, "Development and Characterization of Grain Husks Derived Lignocellulose Filler Containing Polypropylene Composites," *Polymer Engineering and Science*, vol. 59, no. 12, pp. 2467–2473, 2019, doi: 10.1002/pen.25245.
- [29] U. C. Mark, I. C. Madufor, H. C. Obasi, and U. Mark, "Influence of filler loading on the mechanical and morphological properties of carbonized coconut shell particles reinforced polypropylene composites," *Journal of Composite Materials*, pp. 1–11, 2019, doi: 10.1177/0021998319856070.
- [30] A. D. Laksono, E. Lusi, and D. Maryanti, "Pengaruh Fraksi Volume Komposit Polyester Berpenguat Limbah Serbuk Kayu Bangkirai terhadap Sifat Material Akustik," *Jurnal Rekayasa Mesin*, vol. 10, no. 3, pp. 277–285, 2019, doi: 10.21776/ub.jrm.2019.010.03.8.
- [31] F. Yudhanto, S. A. Dhewanto, and S. W. Yakti, "Karakterisasi Bahan Kampas Rem Sepeda Motor Dari Komposit Serbuk Kayu Jati," vol. 1, no. 1, pp. 19–27, 2019, doi: 10.18196/jqt.010104.
- [32] B. Rohmawati, F. A. N. Sya'Idah, Rhismayanti, D. Alighiri, and W. T. Eden, "Synthesis of bioplastic-based renewable cellulose acetate from teak wood (*tectona grandis*) biowaste using glycerol-chitosan plasticizer," *Oriental Journal of Chemistry*, vol. 34, no. 4, pp. 1810–1816, 2018, doi: 10.13005/ojc/3404014.
- [33] J. Bhaskar and S. Haq, "Evaluation and testing of mechanical properties of wood plastic composite," *Journal of Thermoplastic Composite Materials*, 2011, doi: 10.1177/0892705711406158.
- [34] R. D. Handoko and F. Setiawan, "Pengaruh fraksi serbuk kayu jati terhadap kekuatan komposit partikel dengan pengujian impact," *Jurnal Teknik, Elektronik, Engine*, vol. 8, no. 2, pp. 322–329, 2022.
- [35] A. H. Elsheikh, H. Panchal, S. Shanmugan, T. Muthuramalingam, M. El-kassas, and B. Ramesh, "Recent progresses in wood-plastic composites : Pre-processing treatments , manufacturing techniques , recyclability and eco-friendly assessment," *Cleaner Engineering and Technology*, vol. 8, no. February, pp. 100450Elsheikh, A. H., Panchal, H., Shanmugan, S., 2022, doi: 10.1016/j.clet.2022.100450.
- [36] C. Maraveas, I. S. Bayer, and T. Bartzanas, "Recent advances in antioxidant polymers: From sustainable and natural monomers to synthesis and applications," *Polymers*, vol. 13, no. 15, pp. 1–31, 2021, doi: 10.3390/polym13152465.
- [37] H. Wang, J. Zhang, H. Fu, W. Wang, and Q. Wang, "Effect of an antioxidant on the life cycle of wood flour/polypropylene composites," *Journal of Forestry Research*, vol. 31, no. 4, pp. 1435–1443, 2020, doi: 10.1007/s11676-019-00898-w.

- [38] S. Almeida *et al.*, “A Brief Evaluation of Antioxidants, Antistatics, and Plasticizers Additives from Natural Sources for Polymers Formulation,” *Polymers*, vol. 15, no. 1, 2023, doi: 10.3390/polym15010006.
- [39] D. Ginting and R. N. Fitri, “Efek sintesis silane coupling agent pada sifat fisis dan mekanis komposit serbuk kenaf,” *Jurnal Fisika*, vol. 6, no. 2, pp. 113–117, 2021.
- [40] M. H. M. H. J. P. Siregar, M. R. M. R. D. Bachtiar, and J. J. C. Tezara, “Effect of Maleated Anhydride on Mechanical Properties of Rice Husk Filler Reinforced PLA Matrix Polymer Composite,” *International Journal of Precision Engineering and Manufacturing-Green Technology*, 2019, doi: 10.1007/s40684-019-00017-4.
- [41] American Society for Testing and Materials, *ASTM D638-14, Standard Practice for Preparation of Metallographic Specimens*, vol. 82, no. C. 2016. doi: 10.1520/D0638-14.1.
- [42] A. Azwar, “Study Perilaku Mekanik Komposit Berbasis Polyester Yang Diperkuat Dengan Partikel Serbuk Kayu Keras Dan Lunak,” *Jurnal Sains dan Teknologi Reaksi*, vol. 7, no. 2, 2016, doi: 10.30811/jstr.v7i2.114.
- [43] B. C. Bonse, L. R. A. Caranti, M. P. P. M. Josefovich, R. A. Costa, R. Magnabosco, and S. Delijaicov, “Effect of Fiber Size , Compatibilizer and Bamboo Fiber Content on Physical Properties of PP-g-MA Compatibilized Polypropylene / Bamboo Fiber Composites,” *Processing*, no. August 2015, pp. 1–7, 2010.
- [44] I. G. P. A. Suryawan, N. Suardana, I. K. Suarsana, I. P. Lokantara, and I. K. J. Lagawa, “Kekuatan Tarik dan Lentur pada Material Komposit Berpenguat Serat Jelatang,” *Jurnal Energi Dan Manufaktur*, vol. 12, no. 1, p. 7, 2019, doi: 10.24843/jem.2019.v12.i01.p02.
- [45] ASTM D790-17, “Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials. D790,” Annual Book of ASTM Standards.
- [46] A. Prayoga, B. Eryawanto, and Q. Hadi, “Pengaruh Ketebalan Skin Terhadap Kekuatan Bending dan Tarik Komposit Sandwich dengan Honeycomb Polypropylene sebagai Core,” *Jurnal Teknik Mesin*, vol. 18, no. 1, pp. 23–28, 2018.
- [47] L. Chandrashekhar, P. Sharma, G. M. Shashidhara, and A. Taraiya, “Evaluation of different cellulosic fillers as reinforcement in polypropylene and their die-drawing behaviour,” *ECCM 2012 - Composites at Venice, Proceedings of the 15th European Conference on Composite Materials*, no. June, pp. 24–28, 2012.
- [48] J. Fekiač, J. Gáborík, and M. Vojtkuliak, “Properties of plywood made from perforated veneers,” *Forests*, vol. 12, no. 12, 2021, doi: 10.3390/f12121709.
- [49] Z. El Hachem, A. Célino, G. Challita, S. Branchu, A. Le Duigou, and S. Fréour, “Dimensional variation and evolution of mechanical properties of wet aged composites reinforced with flax fibers,” *Journal of Composite Materials*, vol. 55, no. 8, pp. 1131–1148, 2021, doi: 10.1177/0021998320966045.