

DAFTAR PUSTAKA

- [1] A. E. Pramono, "Karakteristik Komposit Karbon-Karbon Berbasis Limbah Organik Hasil Proses Tekan Panas," 2012.
- [2] M. Balasubramanian, *Composite materials and processing*. 2013. doi: 10.1201/b15551.
- [3] C. Ozkan, N. Gamze Karsli, A. Aytac, and V. Deniz, "Short carbon fiber reinforced polycarbonate composites: Effects of different sizing materials," *Composites Part B: Engineering*, vol. 62, pp. 230–235, 2014, doi: 10.1016/j.compositesb.2014.03.002.
- [4] A. Kumar DT, K. V Prasad, and P. S. R. Rao, "Study of Mechanical Properties of Carbon Fiber Reinforced Polypropylene," *International Journal of Engineering Research and*, vol. 4, no. 10, pp. 406–408, 2015, doi: 10.17577/ijertv4is100500.
- [5] E. Melyna and A. P. Afridana, "The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites," *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, pp. 14–22, 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [6] J. Murphy, *Additives for Plastic*, Second Edi., no. 1. Oxford, UK: Elsevier Advanced Technology, 2001.
- [7] N. K. Batra and I. Dikshit, "Evaluation of mechanical properties of polytherimide reinforced carbon/glass/aramid hybrid composites," *Materials Today: Proceedings*, vol. 33, no. xxxx, pp. 1–5, 2020, doi: 10.1016/j.matpr.2020.02.009.
- [8] J. N. Coleman, U. Khan, W. J. Blau, and Y. K. Gun'ko, "Small but strong: A review of the mechanical properties of carbon nanotube-polymer composites," *Carbon*, vol. 44, pp. 1624–1652, 2006, doi: 10.1016/j.carbon.2006.02.038.
- [9] A. Permal, M. Devarajan, H. L. Hung, T. Zahner, D. Lacey, and K. Ibrahim, "Improved thermal and mechanical properties of aluminium oxide filled epoxy composites by reinforcing milled carbon fiber by partial replacement method," *Journal of Materials Science: Materials in Electronics*, 2017, doi: 10.1007/s10854-017-7188-8.
- [10] A. Ari, A. Bayram, M. Karahan, and S. Karagöz, "Comparison of the mechanical properties of chopped glass, carbon, and aramid fiber reinforced polypropylene," *Polymers and Polymer Composites*, vol. 30, pp. 1–13, 2022, doi: 10.1177/09673911221098570.
- [11] C. Unterweger *et al.*, "Impact of fiber length and fiber content on the mechanical properties and electrical conductivity of short carbon fiber reinforced polypropylene composites," *Composites Science and Technology*, vol. 188, no. January, pp. 1–8, 2020, doi: 10.1016/j.compscitech.2020.107998.

- [12] C. Wang and S. Ying, "Thermal, tensile and dynamic mechanical properties of short carbon Fibre reinforced polypropylene composites," *Polymers and Polymer Composites*, vol. 21, no. 2, pp. 65–72, 2013, doi: 10.1177/096739111302100202.
- [13] S. A. B. Lins, M. C. G. Rocha, and J. R. M. D'Almeida, "Mechanical and thermal properties of high-density polyethylene/alumina/glass fiber hybrid composites," *Journal of Thermoplastic Composite Materials*, pp. 1–16, 2018, doi: 10.1177/0892705718797391.
- [14] R. K. Nayak, A. Dash, and B. C. Ray, "Effect of Epoxy Modifiers (Al₂O₃/SiO₂/TiO₂) on Mechanical Performance of epoxy/glass Fiber Hybrid Composites," *Procedia Materials Science*, vol. 6, pp. 1359–1364, 2014, doi: 10.1016/j.mspro.2014.07.115.
- [15] Darmansyah, A. Novaringga, R. Damaru, and S. Ginting, "Vinyl ester composite synthesis reinforced with banana tree fiber with the nanofiller addition," *Indonesian Journal Of Chemical Dcience*, vol. 10, no. 2, pp. 1–6, 2021.
- [16] A. J. Farhan and W. A. Hussein, "Effect of alumina contents on the some mechanical properties of alumina (Al₂O₃) reinforced polymer composites," *NeuroQuantology*, vol. 18, no. 5, pp. 35–42, 2020, doi: 10.14704/nq.2020.18.5.NQ20165.
- [17] E. Melyna, K. S. Nisa, A. Aurel, and L. Fitri, "The effect of alumina (Al₂O₃) addition on teak powder and polypropylene composite," *Jurnal Teknik Kimia*, vol. 29, no. 2, pp. 62–70, 2023.
- [18] A. A. Shamsuri, "Compression Moulding Technique for Manufacturing Biocomposite Products," *International Journal of Applied Science and Technology*, vol. 5, no. 3, pp. 23–26, 2015.
- [19] J. Holbery and D. Houston, "Natural-fiber-reinforced polymer composites in automotive applications," *Jom*, pp. 80–86, 2006, doi: 10.1007/s11837-006-0234-2.
- [20] J. P. Jose, S. K. Malhotra, S. Thomas, J. Kuruville, K. Goda, and M. S. Sreekala, *Polymer Composites*, vol. 1. 2012. doi: 10.1002/9783527645213.ch1.
- [21] T. D. Ngo, *Composite and Nanocomposite Materials*. 2020.
- [22] B. Admadi H and I. W. Arnata, "Modul Kuliah 1: Teknologi Polimer," *Jurnal UNUD*, pp. 1–46, 2017.
- [23] W. D. Callister and D. G. Rethwisch, *Materials science and engineering: An introduction*, Eight edit., vol. 12, no. 1. 2009. doi: 10.1016/0261-3069(91)90101-9.
- [24] S. Sable, M. Ikar, and P. Dudheinamdar, "Exploring the Complexities and Challenges of Plastic Recycling: A Comprehensive Research Review," *Advances in Science, Technology and Innovation*, no. March, pp. 189–202, 2024, doi: 10.1007/978-3-031-49826-8_22.

- [25] R. O. Ebewele, *Polymer science and technology*. Boca Raton, Florida: CRC Press LCC, 2000. doi: 10.1016/0261-3069(95)90127-2.
- [26] G. Wypych, *Handbook of Polymers*, Second Edi. 2016.
- [27] B. A. Harsojuwono and I. W. Arnata, "Teknologi Polimer Industri Pertanian," *Teknologi Polimer*, p. 108, 2015.
- [28] R. Damian, N. Bifel, E. U. K. Maliwemu, D. G. H. Adoe, and J. T. Mesin, "Pengaruh Perlakuan Alkali Serat Sabut Kelapa terhadap Kekuatan Tarik Komposit Polyester," *LONTAR Jurnal Teknik Mesin Undana*, vol. 2, no. 1, pp. 61–68, 2015.
- [29] D. Kada, A. Koubaa, G. Tabak, S. Migneault, B. Garnier, and A. Boudenne, "Tensile Properties, Thermal Conductivity, and Thermal Stability of Short Carbon Fiber Reinforced Polypropylene Composites," *Polymer Composites*, pp. 2–7, 2016, doi: 10.1002/pc.
- [30] R. Kumar, V. Prabhakar, and J. Saini, "Alumina," *Comprehensive Biomaterials II*, vol. 3, pp. 1679–1685, 2013, doi: 10.1016/B978-0-12-803581-8.09247-X.
- [31] A. Syafruddin Zohri, N. H. Sari, and S. Sujita, "PEMANFAATAN SERBUK TEMPURUNG KELAPA PADA KOMPOSIT Al₂O₃-EPOXY," *Dinamika Teknik Mesin*, vol. 3, no. 2, pp. 101–105, 2013, doi: 10.29303/d.v3i2.75.
- [32] K. Davis, "Material Review: Alumina (Al₂O₃)," *School of Doctoral Studies (European Union) Journal*, pp. 109–114, 2010.
- [33] X. Zhang *et al.*, "Design of continuous segregated polypropylene/Al₂O₃ nanocomposites and impact of controlled Al₂O₃ distribution on thermal conductivity," *Composites Part A: Applied Science and Manufacturing*, vol. 131, pp. 2–8, 2020, doi: 10.1016/j.compositesa.2020.105825.
- [34] F. S. Hosseini and E. Ahmadloo, "An investigation of thermal and mechanical properties of synthesised polyamide-6/ γ -alumina composites," *Plastics, Rubber and Composites*, vol. 44, no. 5, pp. 182–188, 2015, doi: 10.1179/1743289815Y.0000000009.
- [35] S. Mohd Rawi, S. Alias, S. Aishah Wahid, P. Sultan Mizan Zainal Abidin, and S. Binti Mohd Rawi, "Design and development mini compression molding for teaching and learning Corresponding Author," vol. 1, no. 2, pp. 48–53, 2020.
- [36] Dr. B. Elvers, *Polymer and Plastics*, 7th editio. Hamburg, 2016.
- [37] H. Budiman, "Analisis Pengujian Tarik (Tensile Test) Pada Baja St37 Dengan Alat Bantu Ukur Load Cell," *J-Ensitemc*, vol. 3, no. 01, pp. 9–13, 2016, doi: 10.31949/j-ensitemc.v3i01.309.
- [38] N. T. Anggoro, E. Nugroho, and A. Asroni, "Analisa alat uji tarik buatan lokal dengan variasi bahan teknik terhadap kekuatan hasil pengujian," *ARMATUR: Artikel Teknik Mesin & Manufaktur*, vol. 2, no. 1, p. No.47-51, 2021.

- [39] American Society for Testing and Materials, "ASTM D638, Standard practice for preparation of metallographic specimens," *ASTM International*, pp. 1–15, 2014, doi: 10.1520/D0638-14.1.
- [40] Y. Nuhgraha, M. K. A. Rosa, and I. Agustian, "Perancangan Alat Uji Impak Digital dengan Metode Charpy Untuk Mengukur Kekuatan Material Polimer," *Jurnal Amplifier*, vol. 10, no. 2, pp. 15–19, 2020, doi: 10.33369/jamplifier.v10i2.15316.
- [41] S. Ahsan, A. Rusnaenah, F. D. Pranaridho, and I. N. Apriani, *Modul praktik karakterisasi dan uji polimer*. Jakarta: Politeknik STMI Jakarta, 2021.
- [42] E. Ghanbari, S. J. Picken, and J. H. van Esch, "Analysis of differential scanning calorimetry (DSC): determining the transition temperatures, and enthalpy and heat capacity changes in multicomponent systems by analytical model fitting," *Journal of Thermal Analysis and Calorimetry*, vol. 148, pp. 12393–12409, 2023, doi: 10.1007/s10973-023-12356-1.
- [43] K. Nisa, "Analisis Termal Kaca Cult untuk Menentukan Potensi Daur Ulang," Universitas Negeri Semarang, 2017.
- [44] N. P. Cheremisinoff, *Polymer Characterization Labory Techniques and Analysis*. 1996. doi: 10.1016/b978-0-8155-1403-9.50014-5.
- [45] American Society for Testing and Material, "ASTM D3418 Standard Test Method for Transition Temperatures of Polymers by Differential Scanning Calorimetry.," *ASTM International*, pp. 1–7, 2003.
- [46] R. Yunus, N. H. Zahari, M. A. M. Salleh, and N. A. Ibrahim, "Mechanical properties of carbon fiber-reinforced polypropylene composites," *Key Engineering Materials*, vol. 471–472, pp. 652–657, 2011, doi: 10.4028/www.scientific.net/KEM.471-472.652.
- [47] D. Thongsoon, C. Abeykoon, I. J. Vera-Marun, P. Potluri, W. Polrut, and B. Boonliang, "Comparison of Mechanical Properties of Carbon Fibre and Kaolin Reinforced Polypropylene Composites," *Proceedings of the World Congress on Mechanical, Chemical, and Material Engineering*, vol. 301, no. 1, pp. 1–10, 2021, doi: 10.11159/mmme21.301.
- [48] M. LI and R. Luo, "Effect of carbon fiber content on mechanical and tribological properties of carbon/phenolic resin composites," *Information Engineering for Mechanics and Materials*, vol. 21, pp. 539–542, 2015, doi: 10.2991/icimm-15.2015.101.
- [49] L. T. Harper, D. T. Burn, M. S. Johnson, and N. A. Warrior, "Long discontinuous carbon fibre/polypropylene composites for high volume structural applications," *Journal of Composite Materials*, vol. 52, no. 9, pp. 1155–1170, 2018, doi: 10.1177/0021998317722204.
- [50] N. M. Z. Abidin, M. T. H. Sultan, A. U. M. Shah, and S. N. A. Safri, "Charpy and Izod impact properties of natural fibre composites," *IOP Conference Series: Materials Science and Engineering*, vol. 670, no. 1, pp. 1--5, 2019, doi: 10.1088/1757-899X/670/1/012031.

- [51] D. Pérez-Rocha, A. B. Morales-Cepeda, F. Navarro-Pardo, T. Lozano-Ramírez, and P. G. Lafleur, "Carbon Fiber Composites of Pure Polypropylene and Maleated Polypropylene Blends Obtained from Injection and Compression Moulding," *International Journal of Polymer Science*, vol. 2015, pp. 1–8, 2015, doi: 10.1155/2015/493206.
- [52] L. M. Munirathnamma and H. B. Ravikumar, "Positron lifetime study of PAN-based carbon fiber-reinforced polymer composites," *Polymer Composites*, pp. 1–14, 2018, doi: 10.1002/pc.24759.
- [53] Y. Liu *et al.*, "An effective surface modification of carbon fiber for improving the interfacial adhesion of polypropylene composites," *Materials and Design*, vol. 88, pp. 810–819, 2015, doi: 10.1016/j.matdes.2015.09.100.
- [54] R. K. S. Garigipati and R. Malkapuram, "Sawdust reinforced polybenzoxazine composites: Thermal and structural properties," *Advances in Materials Research (South Korea)*, vol. 9, no. 4, pp. 311–321, 2020, doi: 10.12989/amr.2020.9.4.311.
- [55] F. Dong, G. Hou, H. Liu, L. Liu, and F. Cao, "An Investigation on the Mechanical and Tribological Properties of Carbon Fiber/Polyimide Composites at Elevated Temperatures," *Polymer Composites*, pp. 1–14, 2017, doi: 10.1002/pc.
- [56] N. G. Karsli and A. Aytac, "Effects of maleated polypropylene on the morphology, thermal and mechanical properties of short carbon fiber reinforced polypropylene composites," *Materials and Design*, vol. 32, pp. 4069–4073, 2011, doi: 10.1016/j.matdes.2011.03.021.
- [57] E. Riande, R. Diaz-Calleja, M. G. Prolongo, R. M. Masegosa, and C. Salom, *POLYMER VISCOELASTICITY STRESS AND STRAIN IN PRACTICE*, vol. 6, no. 1. New York: MARCEL DEKKER. INC, 2000.