

DAFTAR PUSTAKA

- [1] W. NANSU, P. CHAIWUT, S. ROSS, G. ROSS, N. SUPHROM, and S. MAHASARANON, “Developments of biodegradable polymer based on polylactic acid (PLA) with natural color extracts for packaging film applications,” *Journal of Metals, Materials and Minerals*, vol. 31, no. 3 SE-Original Research Articles, pp. 127–133, Sep. 2021, doi: 10.55713/jmmm.v31i3.1147.
- [2] A. Fajraoui *et al.*, “Coloration of the polylactic acid with the natural dye extracted from acacia cyanophylla flowers,” *Polymer Testing*, vol. 78, p. 105988, 2019, doi: <https://doi.org/10.1016/j.polymertesting.2019.105988>.
- [3] P. Cazón and A. Sanches Silva, “Natural pigments from food wastes: New approaches for the extraction and encapsulation,” *Current Opinion in Green and Sustainable Chemistry*, vol. 47, p. 100929, 2024, doi: <https://doi.org/10.1016/j.cogsc.2024.100929>.
- [4] J. A. Fernández-López, V. Fernández-Lledó, and J. M. Angosto, “New insights into red plant pigments: More than just natural colorants,” *RSC Advances*, vol. 10, no. 41, pp. 24669–24682, 2020, doi: 10.1039/d0ra03514a.
- [5] D. Serea *et al.*, “Optimization of Extraction Parameters of Anthocyanin Compounds and Antioxidant Properties from Red Grape (Băbească neagră) Peels,” *Inventions*, vol. 8, no. 2, p. 59, Mar. 2023, doi: 10.3390/inventions8020059.
- [6] N. Nawawi, G. Ijod, F. Abas, N. Ramli, N. Mohd Adzahan, and E. Mohamad Azman, “Influence of Different Drying Methods on Anthocyanins Composition and Antioxidant Activities of Mangosteen (*Garcinia mangostana* L.) Pericarps and LC-MS Analysis of the Active Extract,” *Foods*, vol. 12, no. 12, p. 2351, Jun. 2023, doi: 10.3390/foods12122351.
- [7] Badan Pusat Statistik, “Produksi Tanaman Buah-buahan - Tabel Statistik - Badan Pusat Statistik Indonesia.” Accessed: Jul. 13, 2024. [Online]. Available: <https://www.bps.go.id/id/statistics-table/2/NjIjMg==/produksi-tanaman-buah-buahan.html>

- [8] T. J. Erinle and D. I. Adewole, “Fruit pomaces—their nutrient and bioactive components, effects on growth and health of poultry species, and possible optimization techniques,” *Animal Nutrition*, vol. 9, pp. 357–377, 2022, doi: <https://doi.org/10.1016/j.aninu.2021.11.011>.
- [9] F. Nuraini, I. M. Fajarsari, Di. Rosita, and E. N. Cahyani, *KEMENTERIAN PERTANIAN REPUBLIK INDONESIA Profil Manggis*. 2022.
- [10] B. R. Albuquerque *et al.*, “Insights into the Chemical Composition and In Vitro Bioactive Properties of Mangosteen (*Garcinia mangostana* L.) Pericarp,” *Foods*, vol. 12, no. 5, p. 994, Feb. 2023, doi: [10.3390/foods12050994](https://doi.org/10.3390/foods12050994).
- [11] S. Ketsa and R. E. Paull, “1 - Mangosteen (*Garcinia mangostana* L.),” in *Woodhead Publishing Series in Food Science, Technology and Nutrition*, E. M. B. T.-P. B. and T. of T. and S. F. Yahia, Ed., Woodhead Publishing, 2011, pp. 1–32e. doi: <https://doi.org/10.1533/9780857092618.1>.
- [12] J. Liao, H. Xue, and J. Li, “Extraction of phenolics and anthocyanins from purple eggplant peels by multi-frequency ultrasound: Effects of different extraction factors and optimization using uniform design,” *Ultrasonics Sonochemistry*, vol. 90, p. 106174, Nov. 2022, doi: <https://doi.org/10.1016/j.ultsonch.2022.106174>.
- [13] M. Akhbari, S. Hamedi, and Z. Aghamiri, “Optimization of total phenol and anthocyanin extraction from the peels of eggplant (*Solanum melongena* L.) and biological activity of the extracts,” *Journal of Food Measurement and Characterization*, vol. 13, no. 4, pp. 3183–3197, 2019, doi: [10.1007/s11694-019-00241-1](https://doi.org/10.1007/s11694-019-00241-1).
- [14] R. B. Nisha and R. Narayanan, “Effect of different solvents on recovery of total monomeric anthocyanin from mangosteen peel (*Garcinia mangostana* L.),” *IJCS*, vol. 8, no. 1, pp. 9–11, 2020.
- [15] Netravati, S. Gomez, B. Pathrose, M. Joseph, M. Shynu, and B. Kuruvila, “Comparison of extraction methods on anthocyanin pigment attributes from mangosteen (*Garcinia mangostana* L.) fruit rind as potential food colourant,” *Food Chemistry Advances*, vol. 4, p. 100559, 2024, doi: <https://doi.org/10.1016/j.focha.2023.100559>.

- [16] R. Farida and F. Nisa Choirun, “Ekstraksi Antosianin Limbah Kulit Manggis Metode Microwave Assisted Extraction (Lama Ekstraksi dan Rasio Bahan : Pelarut) Extraction Anthocyanin Mangosteen Peel Waste with Microwave (Length of Extraction Time and Ratio of Material : Solvent),” *Jurnal Pangan dan Agroindustri, FTP Universitas Brawijaya Malang, Malang*, vol. 3, no. 2, pp. 362–373, 2015.
- [17] M. Bragaglia, F. Cecchini, L. Paleari, M. Ferrara, M. Rinaldi, and F. Nanni, “Modeling the fracture behavior of 3D-printed PLA as a laminate composite: Influence of printing parameters on failure and mechanical properties,” *Composite Structures*, vol. 322, p. 117379, 2023, doi: <https://doi.org/10.1016/j.compstruct.2023.117379>.
- [18] A. Wypych and G. Wypych, “3.7 - Masterbatch,” A. Wypych and G. B. T.-D. of N. A. Wypych, Eds., ChemTec Publishing, 2016, pp. 145–179. doi: <https://doi.org/10.1016/B978-1-895198-94-2.50011-4>.
- [19] B. Muller, “24b - Colorants for Thermoplastic Polymers,” in *Plastics Design Library*, M. B. T.-A. P. E. H. Kutz, Ed., Oxford: William Andrew Publishing, 2011, pp. 435–440. doi: <https://doi.org/10.1016/B978-1-4377-3514-7.10043-1>.
- [20] P. A. V Freitas *et al.*, “Development and characterization of intelligent cellulose acetate-based films using red cabbage extract for visual detection of volatile bases,” *LWT*, vol. 132, p. 109780, 2020, doi: <https://doi.org/10.1016/j.lwt.2020.109780>.
- [21] H. F. Giles, J. R. Wagner, and E. M. Mount, “21 - Testing Properties,” in *Plastics Design Library*, H. F. Giles, J. R. Wagner, and E. M. B. T.-E. Mount, Eds., Norwich, NY: William Andrew Publishing, 2005, pp. 195–205. doi: <https://doi.org/10.1016/B978-081551473-2.50022-2>.
- [22] D. Muck, H. G. Tomc, U. S. Elesini, M. Ropret, and M. Leskovšek, “Colour Fastness to Various Agents and Dynamic Mechanical Characteristics of Biocomposite Filaments and 3D Printed Samples,” *Polymers*, vol. 13, no. 21, p. 3738, Oct. 2021, doi: [10.3390/polym13213738](https://doi.org/10.3390/polym13213738).

- [23] N. Umam, “RANCANG BANGUN ALAT PEMBENTUK FILAMENT 3D PRINTER DARI BOTOL PLASTIK MERK CRYSTALIN DAN CLUB,” Universitas Diponegoro, 2023.
- [24] A. E.-M. EL-Kenawy, S. M. A. Hassan, and H.-E. H. Osman, “Chapter 3.29 - Mangosteen (*Garcinia mangostana* L.),” S. M. Nabavi and A. S. B. T.-N. and N. N. S. Silva, Eds., Academic Press, 2019, pp. 313–319. doi: <https://doi.org/10.1016/B978-0-12-812491-8.00045-X>.
- [25] T. P. Vo *et al.*, “Green extraction of total phenolic and flavonoid contents from mangosteen (*Garcinia mangostana* L) rind using natural deep eutectic solvents,” *Heliyon*, vol. 9, no. 4, p. e14884, 2023, doi: <https://doi.org/10.1016/j.heliyon.2023.e14884>.
- [26] L. Av erous, “9 - Synthesis, Properties, Environmental and Biomedical Applications of Polylactic Acid,” in *Plastics Design Library*, S. B. T.-H. of B. and B. P. Ebnesajjad, Ed., Boston: William Andrew Publishing, 2013, pp. 171–188. doi: <https://doi.org/10.1016/B978-1-4557-2834-3.00009-4>.
- [27] L. Jiang and J. Zhang, “7 - Biodegradable and Biobased Polymers,” in *Plastics Design Library*, M. B. T.-A. P. E. H. (Second E. Kutz, Ed., William Andrew Publishing, 2017, pp. 127–143. doi: <https://doi.org/10.1016/B978-0-323-39040-8.00007-9>.
- [28] M. Mochizuki, “8 - Synthesis, properties and structure of polylactic acid fibres,” in *Woodhead Publishing Series in Textiles*, vol. 1, S. J. Eichhorn, J. W. S. Hearle, M. Jaffe, and T. B. T.-H. of T. F. S. Kikutani, Eds., Woodhead Publishing, 2009, pp. 257–275. doi: <https://doi.org/10.1533/9781845696504.2.257>.
- [29] A. Greco, F. Ferrari, and A. Maffezzoli, “Mechanical properties of poly(lactid acid) plasticized by cardanol derivatives,” *Polymer Degradation and Stability*, vol. 159, pp. 199–204, 2019, doi: <https://doi.org/10.1016/j.polymdegradstab.2018.11.028>.
- [30] G. Wypych, “PLA poly(lactic acid),” in *Handbook of Polymers*, G. B. T.-H. of P. (Second E. Wypych, Ed., Elsevier, 2016, pp. 450–454. doi: [10.1016/B978-1-895198-92-8.50139-7](https://doi.org/10.1016/B978-1-895198-92-8.50139-7).

- [31] N. Oladzadabbasabadi, A. Mohammadi Nafchi, M. Ghasemlou, F. Ariffin, Z. Singh, and A. A. Al-Hassan, "Natural anthocyanins: Sources, extraction, characterization, and suitability for smart packaging," *Food Packaging and Shelf Life*, vol. 33, p. 100872, 2022, doi: <https://doi.org/10.1016/j.fpsl.2022.100872>.
- [32] A. M. Posadino *et al.*, "An updated overview of cyanidins for chemoprevention and cancer therapy," *Biomedicine & Pharmacotherapy*, vol. 163, p. 114783, 2023, doi: <https://doi.org/10.1016/j.biopha.2023.114783>.
- [33] B. Burton-Freeman, A. Sandhu, and I. Edirisinghe, "Chapter 35 - Anthocyanins," R. C. B. T.-N. Gupta, Ed., Boston: Academic Press, 2016, pp. 489–500. doi: <https://doi.org/10.1016/B978-0-12-802147-7.00035-8>.
- [34] P. Herfayati, S. Pandia, and H. Nasution, "Karakteristik Antosianin dari Kulit Buah Nipah (*Nypa frutican*) sebagai Pewarna Alami dengan Metode Soxhletasi," *Jurnal Teknik Kimia USU*, vol. 9, no. 1, pp. 26–33, 2020, doi: [10.32734/jtk.v9i1.2831](https://doi.org/10.32734/jtk.v9i1.2831).
- [35] W. Nurtiana, "Anthocyanin As Natural Colorant: a Review," *Food ScienTech Journal*, vol. 1, no. 1, p. 1, 2019, doi: [10.33512/fsj.v1i1.6180](https://doi.org/10.33512/fsj.v1i1.6180).
- [36] G. C. Vidana Gamage, Y. Y. Lim, and W. S. Choo, "Sources and relative stabilities of acylated and nonacylated anthocyanins in beverage systems," *Journal of Food Science and Technology*, vol. 59, no. 3, pp. 831–845, 2022, doi: [10.1007/s13197-021-05054-z](https://doi.org/10.1007/s13197-021-05054-z).
- [37] J. A. Fernández-López, V. Fernández-Lledó, and J. M. Angosto, "New insights into red plant pigments: more than just natural colorants," *RSC Advances*, vol. 10, no. 41, pp. 24669–24682, 2020, doi: [10.1039/D0RA03514A](https://doi.org/10.1039/D0RA03514A).
- [38] W. M. Aizat, F. H. Ahmad-Hashim, and S. N. Syed Jaafar, "Valorization of mangosteen, 'The Queen of Fruits,' and new advances in postharvest and in food and engineering applications: A review," *Journal of Advanced Research*, vol. 20, pp. 61–70, 2019, doi: <https://doi.org/10.1016/j.jare.2019.05.005>.

- [39] C.-C. Chen, C. Lin, M.-H. Chen, and P.-Y. Chiang, “Stability and Quality of Anthocyanin in Purple Sweet Potato Extracts,” *Foods*, vol. 8, no. 9, p. 393, Sep. 2019, doi: 10.3390/foods8090393.
- [40] A. C. Araújo *et al.*, “Optimization of Extraction Method of Anthocyanins from Red Cabbage,” 2023. doi: 10.3390/molecules28083549.
- [41] T. Taghavi, H. Patel, and R. Rafie, “Comparing pH differential and methanol-based methods for anthocyanin assessments of strawberries,” *Food Science & Nutrition*, vol. 10, no. 7, pp. 2123–2131, 2022.
- [42] N. P. B. T. Dewi, N. M. A. S. Singapurwa, and I. G. P. Mangku, “Extraction and stability of natural dyes from the skin of red dragon fruit,” *SEAS (Sustainable Environment Agricultural Science)*, vol. 4, no. 2, pp. 130–141, 2020.
- [43] B. Merz, C. Capello, G. C. Leandro, D. E. Moritz, A. R. Monteiro, and G. A. Valencia, “A novel colorimetric indicator film based on chitosan, polyvinyl alcohol and anthocyanins from jambolan (*Syzygium cumini*) fruit for monitoring shrimp freshness,” *International journal of biological macromolecules*, vol. 153, pp. 625–632, 2020.
- [44] W. Nansu *et al.*, “Exploring the Potential of Roselle Calyx and Sappan Heartwood Extracts as Natural Colorants in Poly(butylene Succinate) for Biodegradable Packaging Films,” *Polymers*, vol. 15, no. 20, p. 4193, Oct. 2023, doi: 10.3390/polym15204193.
- [45] O. R. Alara, N. H. Abdurahman, and C. I. Ukaegbu, “Extraction of phenolic compounds: A review,” *Current Research in Food Science*, vol. 4, pp. 200–214, 2021, doi: <https://doi.org/10.1016/j.crfs.2021.03.011>.
- [46] N. Prabavathy *et al.*, “Effect of solvents in the extraction and stability of anthocyanin from the petals of *Caesalpinia pulcherrima* for natural dye sensitized solar cell applications,” *Journal of Materials Science: Materials in Electronics*, vol. 28, no. 13, pp. 9882–9892, 2017, doi: 10.1007/s10854-017-6743-7.
- [47] M. Nistor *et al.*, “Comparative efficiency of different solvents for the anthocyanins extraction from chokeberries and black carrots, to preserve

- their antioxidant activity,” *Chemical Papers*, vol. 75, no. 2, pp. 813–822, 2021, doi: 10.1007/s11696-020-01344-6.
- [48] T. Taghavi, H. Patel, and R. Rafie, “Extraction Solvents Affect Anthocyanin Yield, Color, and Profile of Strawberries,” 2023. doi: 10.3390/plants12091833.
- [49] G. S. Aparna and P. R. Lekshmi, “Effect of acidification and types of solvent on anthocyanin yield, total phenols, flavonoids, antioxidant activity and colour values of extracts from mangosteen pericarp (*Garcinia mangostana* L.),” *Asian Journal of Dairy and Food Research*, vol. 42, no. 2, pp. 226–231, 2023.
- [50] R. B. Nisha and R. Narayanan, “Effect of different solvents on recovery of total monomeric anthocyanin from mangosteen peel (*Garcinia mangostana* L.),” *International Journal of Chemical Studies*, vol. 8, no. 1, pp. 09–11, 2020, doi: 10.22271/chemi.2020.v8.i1a.8297.
- [51] K. L. Ng and C. Y. Cheok, “Evaluation of Thermal Degradation Kinetic Order of Anthocyanins Extracted from *Garcinia Mangostana* L. rind,” *Progress in Energy and Environment*, vol. 13, pp. 16–25, 2020.
- [52] Z. Berk, “Extraction,” in *Food Process Engineering and Technology*, no. Chapter 11, Elsevier, 2018, pp. 289–310. doi: 10.1016/B978-0-12-812018-7.00011-7.
- [53] N. P. Kelly, A. L. Kelly, and J. A. O’Mahony, “Strategies for enrichment and purification of polyphenols from fruit-based materials,” *Trends in Food Science & Technology*, vol. 83, pp. 248–258, 2019, doi: <https://doi.org/10.1016/j.tifs.2018.11.010>.
- [54] R. Cañadas, M. González-Miquel, E. J. González, I. Díaz, and M. Rodríguez, “Overview of neoteric solvents as extractants in food industry: A focus on phenolic compounds separation from liquid streams,” *Food Research International*, vol. 136, no. January, p. 109558, Oct. 2020, doi: 10.1016/j.foodres.2020.109558.
- [55] G. K. Weldegebrical, “Synthesis method, antibacterial and photocatalytic activity of ZnO nanoparticles for azo dyes in wastewater treatment: A

- review,” *Inorganic Chemistry Communications*, vol. 120, p. 108140, 2020, doi: <https://doi.org/10.1016/j.inoche.2020.108140>.
- [56] T. N. Pham *et al.*, “Effect of various factors on extraction efficiency of total anthocyanins from Butterfly pea (*Clitoria ternatea* L. Flowers) in Southern Vietnam,” in *IOP Conference Series: Materials Science and Engineering*, IOP Publishing, 2019, p. 12013.
- [57] H. J. B. Kunnaryo and P. R. Wikandari, “Antosianin dalam produksi fermentasi dan perannya sebagai antioksidan,” *Unesa Journal of Chemistry*, vol. 10, no. 1, pp. 24–36, 2021.
- [58] M. Suzery, B. Nudin, D. N. Bima, and B. Cahyono, “Effects of temperature and heating time on degradation and antioxidant activity of anthocyanin from Roselle petals (*Hibiscus sabdariffa* L.),” *International Journal of Science, Technology & Management*, vol. 1, no. 4, pp. 238–288, 2020.
- [59] N. Tena and A. G. Asuero, “Up-To-Date Analysis of the Extraction Methods for Anthocyanins: Principles of the Techniques, Optimization, Technical Progress, and Industrial Application,” 2022. doi: 10.3390/antiox11020286.
- [60] PubChem, “Citric Acid | C₆H₈O₇ | CID 311 - PubChem.” Accessed: Jul. 28, 2024. [Online]. Available: <https://pubchem.ncbi.nlm.nih.gov/compound/311#section=Solubility>
- [61] N. M. Thuy, D. H. N. Han, V. Q. Minh, and N. Van Tai, “Effect of extraction methods and temperature preservation on total anthocyanins compounds of *Peristrophe bivalvis* L. Merr leaf,” *Journal of Applied Biology and Biotechnology*, vol. 10, no. 2, pp. 146–153, 2022, doi: 10.7324/JABB.2022.100218.
- [62] H. Adil *et al.*, “Poly(lactic acid)/clarithromycin with metals dioxides nanoparticles: Preparation and performance under ultraviolet irradiation,” *Materials Science for Energy Technologies*, vol. 7, pp. 73–84, 2024, doi: <https://doi.org/10.1016/j.mset.2023.07.002>.
- [63] P. Takkalkar *et al.*, “Structural, thermal, rheological and optical properties of poly(lactic acid) films prepared through solvent casting and melt processing techniques,” *Journal of the Taiwan Institute of Chemical*

- Engineers*, vol. 104, pp. 293–300, 2019, doi: <https://doi.org/10.1016/j.jtice.2019.08.018>.
- [64] A. Kramar, I. Rodríguez Ortega, G. González-Gaitano, and J. González-Benito, “Solution casting of cellulose acetate films: influence of surface substrate and humidity on wettability, morphology and optical properties,” *Cellulose*, vol. 30, no. 4, pp. 2037–2052, 2023, doi: 10.1007/s10570-022-05026-2.
- [65] D. R. Tapia-Blácido, P. J. do A. Sobral, and F. C. Menegalli, “Effect of drying conditions and plasticizer type on some physical and mechanical properties of amaranth flour films,” *Lwt*, vol. 50, no. 2, pp. 392–400, 2013, doi: 10.1016/j.lwt.2012.09.008.
- [66] S. Ahsan, R. Diniyah, and M. F. Firmana, “Sifat Mekanis dan Termal PLA dengan Filler TiO₂ dan ZnO,” *Jurnal Teknologi dan Manajemen*, vol. 20, no. 1, pp. 27–32, 2022.
- [67] H. Mukaffa *et al.*, “Effect of alkali treatment of piper betle fiber on tensile properties as biocomposite based polylactic acid: Solvent cast-film method,” *Materials Today: Proceedings*, vol. 48, pp. 761–765, 2022, doi: <https://doi.org/10.1016/j.matpr.2021.02.218>.
- [68] B. I. Oladapo, O. K. Bowoto, V. A. Adebisi, and O. M. Ikumapayi, “Net zero on 3D printing filament recycling: A sustainable analysis,” *Science of The Total Environment*, vol. 894, p. 165046, 2023, doi: <https://doi.org/10.1016/j.scitotenv.2023.165046>.
- [69] H. Y. Lau, M. S. Hussin, S. Hamat, M. S. AbdulManan, M. Ibrahim, and H. Zakaria, “Effect of kenaf fiber loading on the tensile properties of 3D printing PLA filament,” *Materials Today: Proceedings*, 2023, doi: <https://doi.org/10.1016/j.matpr.2023.03.015>.
- [70] M. Nikam, P. Pawar, A. Patil, A. Patil, K. Mokal, and S. Jadhav, “Sustainable fabrication of 3D printing filament from recycled PET plastic,” *Materials Today: Proceedings*, 2023, doi: <https://doi.org/10.1016/j.matpr.2023.08.205>.

- [71] M. Niaounakis, “Chapter 5 - Compounding and Additives,” M. B. T.-B. P. and P. Niaounakis, Ed., Oxford: William Andrew Publishing, 2015, pp. 215–262. doi: <https://doi.org/10.1016/B978-0-323-26698-7.00005-2>.
- [72] D. Becker, “40 - Coloring of Plastics,” in *Plastics Design Library*, D. B. T.-C. T. and S. for P. D. Becker, Ed., William Andrew Publishing, 2016, pp. 195–198. doi: <https://doi.org/10.1016/B978-0-323-39395-9.00040-2>.
- [73] R. E. Przekop, E. Gabriel, D. Pakuła, and B. Sztorch, “Liquid for Fused Deposition Modeling Technique (L-FDM)—A Revolution in Application Chemicals to 3D Printing Technology: Color and Elements,” *Applied Sciences*, vol. 13, no. 13, p. 7393, Jun. 2023, doi: 10.3390/app13137393.
- [74] S. Hamat, M. R. Ishak, S. M. Sapuan, N. Yidris, M. S. Hussin, and M. S. Abd Manan, “Influence of filament fabrication parameter on tensile strength and filament size of 3D printing PLA-3D850,” *Materials Today: Proceedings*, vol. 74, pp. 457–461, 2023, doi: <https://doi.org/10.1016/j.matpr.2022.11.145>.
- [75] S. Rawdkuen and P. Kaewprachu, “Valorization of Food Processing By-Products as Smart Food Packaging Materials and Its Application,” in *Food Preservation and Waste Exploitation*, vol. 10, IntechOpen, 2020. doi: 10.5772/intechopen.86245.
- [76] R. Abedi-Firoozjah *et al.*, “Application of Red Cabbage Anthocyanins as pH-Sensitive Pigments in Smart Food Packaging and Sensors,” *Polymers*, vol. 14, no. 8, p. 1629, Apr. 2022, doi: 10.3390/polym14081629.
- [77] M. M. Giusti and R. E. Wrolstad, “Characterization and Measurement of Anthocyanins by UV-Visible Spectroscopy,” *Current Protocols in Food Analytical Chemistry*, vol. 00, no. 1, p. F1.2.1-F1.2.13, Apr. 2001, doi: 10.1002/0471142913.faf0102s00.
- [78] S. Saha, J. Singh, A. Paul, R. Sarkar, Z. Khan, and K. Banerjee, “Anthocyanin profiling using UV-vis spectroscopy and liquid chromatography mass spectrometry,” *Journal of AOAC International*, vol. 103, no. 1, pp. 23–39, 2020.
- [79] A. G. Shard, R. C. Schofield, and C. Minelli, “Chapter 3.2.3 - Ultraviolet-visible spectrophotometry,” in *Micro and Nano Technologies*, V.-D.

- Hodoroaba, W. E. S. Unger, and A. G. B. T.-C. of N. Shard, Eds., Elsevier, 2020, pp. 185–196. doi: <https://doi.org/10.1016/B978-0-12-814182-3.00012-2>.
- [80] B. P. Kafle, “Chapter 2 - Theory and instrumentation of absorption spectroscopy: UV–VIS spectrophotometry and colorimetry,” B. P. B. T.-C. A. and M. C. by S. Kafle, Ed., Elsevier, 2020, pp. 17–38. doi: <https://doi.org/10.1016/B978-0-12-814866-2.00002-6>.
- [81] Z. Chen *et al.*, “Pre-Treatment, Extraction Solvent, and Color Stability of Anthocyanins from Purple Sweetpotato,” *Foods*, vol. 13, no. 6, p. 833, Mar. 2024, doi: 10.3390/foods13060833.
- [82] L. McKeen, “3 - Introduction to the Physical, Mechanical, and Thermal Properties of Plastics and Elastomers,” in *Plastics Design Library*, L. B. T.-T. E. of S. on P. and E. (Third E. McKeen, Ed., Boston: William Andrew Publishing, 2012, pp. 57–84. doi: <https://doi.org/10.1016/B978-1-4557-2598-4.00003-4>.
- [83] F. Doronin, A. Rudakova, G. Rytikov, and V. Nazarov, “A novel determination of the melt flow index of composite filaments used in extrusion additive manufacturing,” *Polymer Testing*, vol. 133, p. 108376, 2024, doi: <https://doi.org/10.1016/j.polymertesting.2024.108376>.
- [84] N. Hashim *et al.*, “The Effect of Blending Methods on the Properties of PLA/Gr Nanocomposites,” *Journal of Physics: Conference Series*, vol. 1532, no. 1, p. 12012, 2020, doi: 10.1088/1742-6596/1532/1/012012.
- [85] N. F. Nor Ashikin, R. K. Shuib, K. M. Ku Ishak, Z. A. A. Hamid, M. K. Abdullah, and A. Rusli, “Thermal and rheological properties of self-fabricated polyethylene glycol-plasticized poly (lactic acid) filaments for fused deposition modeling,” *Progress in Rubber, Plastics and Recycling Technology*, vol. 37, no. 1, pp. 19–31, 2021.
- [86] Z. Achmad, F. Hadi, D. Siti, D. Kholisoh, K. Kunci, and : Antosianin, “Koefisien Transfer Massa Ekstraksi Antosianin dari Kulit Buah Manggis (*Garcinia mangostana* L.) dengan Pelarut Etanol-HCl,” vol. 19, no. 3, pp. 140–147, 2022.