

DAFTAR PUSTAKA

- [1] G. Colucci, H. Simon, D. Roncato, B. Martorana, and C. Badini, "Effect of recycling on polypropylene composites reinforced with glass fibres," *Journal of Thermoplastic Composite Materials*, vol. 30, no. 5, pp. 707–723, 2017, doi: 10.1177/0892705715610407.
- [2] F. I. Aryanti, "Pembuatan Komposit Polimer Polipropilena/Talk/Masterbatch Hitam Pada Cover Tail," *Jurnal Teknologi dan Manajemen*, vol. 19, no. 1, pp. 1–6, 2021, doi: 10.52330/jtm.v19i1.8.
- [3] A. Ramadhani, S. H. B. Prastowo, and R. D. Handayani, "Pengaruh fraksi volume pada komposit serat kulit jagung dengan matriks polyester terhadap kekuatan tarik sebagai bahan baku industri papan," *Dinamika Teknik Mesin*, vol. 12, no. 2, p. 129, 2022, doi: 10.29303/dtm.v12i2.512.
- [4] I. Mujiarto, "Sifat dan Karakteristik Material Plastik dan Bahan Aditif," *Traksi*, vol. 3, no. 2, pp. 65–74, 2005.
- [5] Hisham A. Maddah, "Polypropylene as a Promising Plastic: A Review," *American Journal of Polymer Science*, vol. 6, no. 1, pp. 1–11, 2016, doi: 10.5923/j.ajps.20160601.01.
- [6] M. Sulaiman and M. H. Rahmat, "Kajian Potensi Pengembangan Material Komposit Polimer Dengan Serat Alam Untuk Produk Otomotif," *Sistem*, vol. 4, no. 1, pp. 9–15, 2018.
- [7] D. Edbert, N. Siagian, M. Hakiem, S. Putra, and I. Artikel, "NATURAL FIBER AS AN ENVIRONMENTALLY FRIENDLY COMPOSITE MATERIAL," vol. 5, no. 1, pp. 55–60, 2024.
- [8] H. U. Zaman and R. A. Khan, "Surface Modified Calotropis Gigantea Fiber Reinforced Polypropylene Composites," *International Journal of Advanced Science and Engineering*, vol. 9, no. 1, pp. 2477–2487, 2022, doi: 10.29294/ijase.9.1.2022.2477-2487.
- [9] A. Ashori and Z. Bahreini, "Evaluation of calotropis gigantea as a promising raw material for fiber-reinforced composite," *J Compos Mater*, vol. 43, no. 11, pp. 1297–1304, 2009, doi: 10.1177/0021998308104526.
- [10] P. Narayanasamy *et al.*, "Characterization of a novel natural cellulosic fiber from Calotropis gigantea fruit bunch for ecofriendly polymer composites," *Int J Biol Macromol*, vol. 150, pp. 793–801, May 2020, doi: 10.1016/j.ijbiomac.2020.02.134.

- [11] V. Viani and U. Prayudie, “Pengaruh Penambahan Serat Biduri (*Calotropis Gigantea*) Terhadap Sifat Mekanik Komposit Polipropilena Daur Ulang / Serat Biduri,” vol. 1, no. 1, pp. 17–22, 2024, doi: 10.52330/jpcet.v1i1.237.
- [12] P. Ovlaque, M. Bayart, S. Elkoun, and M. Robert, “Milkweed floss-reinforced thermoplastics: interfacial adhesion and related mechanical properties,” *Compos Interfaces*, vol. 29, no. 2, pp. 215–235, Feb. 2021, doi: 10.1080/09276440.2021.1920238.
- [13] J. Anggono and C. Ayub, “Pengaruh Variasi Tekanan Hot Press pada Kekuatan Biokomposit Biji Salak - Polipropilena,” *Jurnal Teknik Mesin*, vol. 19, no. 2, pp. 36–39, 2022, doi: 10.9744/jtm.19.2.36-39.
- [14] V. Yudha and F. Yudhanto, “ANALISIS SIFAT FISIS DAN MEKANIS KOMPOSIT HIBRID SERAT JUTE/KARBON YANG DIFABRIKASI DENGAN METODE VACUUM INFUSION SEBAGAI ALTERNATIF BAHAN HELM,” vol. 8, no. 1, pp. 25–35, 2023, doi: 10.20527/sjme kinematika.v8i1.248.
- [15] G. Rajesh, G. Siripurapu, and A. Lella, “Evaluating Tensile Properties of Successive Alkali Treated Continuous Pineapple Leaf Fiber Reinforced Polyester Composites,” *Mater Today Proc*, vol. 5, no. 5, pp. 13146–13151, 2018, doi: 10.1016/j.matpr.2018.02.304.
- [16] K. Boimau, “Efek Panjang Serat Terhadap Sifat Tarik Komposit Poliester Berpenguat Serat Buah Lontar Yang Diberi Perlakuan Alkali,” *Jurnal Mesin Nusantara*, vol. 5, no. 1, pp. 129–140, 2022, doi: 10.29407/jmn.v5i1.17948.
- [17] R. Sidik, “Studi pengaruh penambahan polypropylene dan low density polyethylene terhadap sifat fisik dan mekanik wood plastic composite untuk aplikasi genteng ramah lingkungan,” pp. 1–112, 2018.
- [18] S.-R. Z. and Y.-P. Z. Ru-Min Wang, *Polymer matrix composites and technology*. 2011.
- [19] M. K. Singh, R. Tewari, S. Zafar, S. M. Rangappa, and S. Siengchin, “A comprehensive review of various factors for application feasibility of natural fiber-reinforced polymer composites,” *Results in Materials journal*, 2023, doi: 10.1016/j.rinma.2022.100355.
- [20] A. K. Kaw, *Mechanics of composite materials*. 2006. doi: 10.1115/1.3423688.
- [21] K. Goda, M. S. Sreekala, S. K. Malhotra, K. Joseph, and S. Thomas, “Advances in polymer composites: Biocomposites-state of the art, new challenges, and opportunities,” *Polymer Composites, Biocomposites*, vol. 3, pp. 1–10, 2013, doi: 10.1002/9783527674220.ch1.

- [22] S. Jokosisworo, “PENGARUH PENGGUNAAN SERAT KULIT ROTAN SEBAGAI PENGUAT PADA KOMPOSIT POLIMER DENGAN MATRIKS POLYESTER YUKALAC 157 TERHADAP KEKUATAN TARIK DAN DAN TEKUK Sarjito Jokosisworo *),” pp. 191–197, 2009.
- [23] P. I. Purboputro, “Pengaruh panjang serat terhadap kekuatan impak komposit enceng gondok dengan matriks poliester,” pp. 70–76, 2006.
- [24] achmad jusuf Zulfikar, muhammad yusuf r Siahaan, and ruli bay Syahputra, “Analisis Signifikansi Roda Skateboard Berbahan Komposit Serbuk Batang Pisang Terhadap Perfoma Kecepatan Dengan Metode Anova,” vol. 4, no. 2, pp. 83–90, 2021.
- [25] H. A. Sinambela, “PENGARUH KOMPOSISI PENGISI SERTA TEKANAN HOT PRESS TERHADAP KEKUATAN TARIK KOMPOSIT POLIESTER BERPENGISI PARTIKEL ZINC OXIDE (ZnO),” *Jurnal Teknik Kimia USU*, vol. 7, no. 2, pp. 40–44, 2018, doi: 10.32734/jtk.v7i2.1649.
- [26] D. Sriwita and Astuti, “Pembuatan dan Karakterisasi Sifat Mekanik Bahan Komposit Serat Daun Nenas-Polyester Ditinjau dari Fraksi Massa dan Orientasi Serat,” *Jurnal Fisika Unand*, vol. 3, no. 1, pp. 30–36, 2014.
- [27] S. Mortazavian and A. Fatemi, “Fatigue behavior and modeling of short fiber reinforced polymer composites: A literature review,” *Int J Fatigue*, vol. 70, pp. 297–321, 2015, doi: 10.1016/j.ijfatigue.2014.10.005.
- [28] M. Mardiyati, “Komposit Polimer Sebagai Material Tahan Balistik,” *Jurnal Inovasi Pertahanan dan Keamanan*, vol. 1, no. 1, pp. 20–28, 2018, doi: 10.5614/jipk.2018.1.1.3.
- [29] R. Hsissou, R. Seghiri, Z. Benzekri, M. Hilali, M. Ra, and A. Elhar, “Polymer composite materials : A comprehensive review,” vol. 262, no. November 2020, pp. 0–3, 2021, doi: 10.1016/j.compstruct.2021.113640.
- [30] K. B. Adhikary, “DEVELOPMENT OF WOOD FLOUR- RECYCLED POLYMER COMPOSITE PANELS AS BUILDING MATERIALS,” 2008.
- [31] A. N. Wagiswari and M. B. Prasetyo, “Pabrik Polipropilen Dari Propilen Dan Etilen Dengan Polimerisasi Fase Gas Teknologi Unipol,” *Institut Teknologi Sepuluh Nopember*, pp. 1–123, 2016.
- [32] S. Y. Lisha and A. Mahyudin, “Pengaruh Panjang Serat Pinang terhadap Sifat Mekanik dan Uji Biodegradabel Komposit Polipropilena Berpati Talas,” *Jurnal Fisika Unand*, vol. 8, no. 2, pp. 139–145, Apr. 2019, doi: 10.25077/jfu.8.2.139-145.2019.
- [33] O. Olabisi and K. Adewale, *Handbook of Thermoplastics*. CRC Press, 2016. doi: 10.1201/b19190.

- [34] Dr. H. Mujana, “Pengembangan Produk Polimer: Permasalahan, Arah Riset dan Potensi Aplikasinya di Indonesia,” *Oratio Dies Natalis XXVI Fakultas Teknologi Industri*, no. April, pp. 1–37, 2019.
- [35] K. Yanel, “Karakteristik Produk 100% Daur Ulang Plastik Polypropylene Product Characteristics of 100% Recycled Polypropylene Plastic,” *Jurnal Teknik Mesin Institut Teknologi Padang*, vol. 12, no. 1, pp. 2089–4880, 2022.
- [36] E. Okidimis, “Sintesis Komposit Polipropilena / Serat Alam / Grup Kaolin Yang Memiliki Kemampuan Hambat Bakar Serta Sifat Mekanik Yang Baik,” *Skripsi*, 2012.
- [37] arieyanti dwi Astuti, J. Wahyudi, A. Ernawati, and siti qorrotu Aini, “Jurnal Litbang : Kajian Pendirian Usaha Biji Plastik di Kabupaten Pati , Jawa Tengah,” vol. 16, no. 2, pp. 95–112, 2020.
- [38] Z. Yang, H. Peng, W. Wang, and T. Liu, “Crystallization behavior of poly(ϵ -caprolactone)/layered double hydroxide nanocomposites,” *J Appl Polym Sci*, vol. 116, no. 5, pp. 2658–2667, 2010, doi: 10.1002/app.
- [39] N. Mokaloba and R. Batane, “The effects of mercerization and acetylation treatments on the properties of sisal fiber and its interfacial adhesion characteristics on polypropylene,” *International Journal of Engineering, Science and Technology*, vol. 6, no. 4, p. 83, Jun. 2014, doi: 10.4314/ijest.v6i4.9.
- [40] S. Ono, “THE POTENCY AND FUTURE OF INDONESIA ’ S NATURAL FIBRES AS RAW MATERIALS FOR,” vol. 30, no. 2, pp. 221–227, 2020.
- [41] H. Pernandos and Kaidir, “ANALISA SIFAT MEKANIK KOMPOSIT POLYESTER BERPENGUAT SERAT SABUT KELAPA (Heru Pernandos) dan (Ir . Kaidir . M . Eng . IPM),” 2007.
- [42] J. Jaafar, J. P. Siregar, S. Mohd Salleh, M. H. Mohd Hamdan, T. Cionita, and T. Rihayat, “Important Considerations in Manufacturing of Natural Fiber Composites: A Review,” *International Journal of Precision Engineering and Manufacturing-Green Technology*, vol. 6, no. 3, pp. 647–664, Jul. 2019, doi: 10.1007/s40684-019-00097-2.
- [43] H. L. Richards, P. G. L. Baker, and E. Iwuoha, “Metal Nanoparticle Modified Polysulfone Membranes for Use in Wastewater Treatment: A Critical Review,” *J Surf Eng Mater Adv Technol*, vol. 02, no. 03, pp. 183–193, 2012, doi: 10.4236/jsemat.2012.223029.
- [44] A. Anshar, *Penentuan Suhu Optimum dan Karakterisasi Plastik Biodegradabel Berbahan Dasar Selulosa Limbah Kulit Jagung (Zea Mays)*. 2020.

- [45] S. Nikafshar *et al.*, “A renewable bio-based epoxy resin with improved mechanical performance that can compete with DGEBA,” *RSC Adv*, vol. 7, no. 14, pp. 8694–8701, 2017, doi: 10.1039/c6ra27283e.
- [46] T. Li and S. Takkellapati, “The current and emerging sources of technical lignins and their applications,” *Biofuels, Bioproducts and Biorefining*, vol. 12, no. 5, pp. 756–787, 2018, doi: 10.1002/bbb.1913.
- [47] K. tak Lau, P. yan Hung, M. H. Zhu, and D. Hui, “Properties of natural fibre composites for structural engineering applications,” *Compos B Eng*, vol. 136, no. October 2017, pp. 222–233, 2018, doi: 10.1016/j.compositesb.2017.10.038.
- [48] H. Wardhana and N. H. Haryanti, *Serat Alam: Potensi & Pemanfaatan Nya*. 2016.
- [49] M. A. Fuqua, S. Huo, and C. A. Ulven, “Natural fiber reinforced composites,” *Polymer Reviews*, vol. 52, no. 3–4, pp. 259–320, 2012, doi: 10.1080/15583724.2012.705409.
- [50] A. Wibi Sana, N. Noerati, D. Sugiyana, and M. D. Sukardan, “APLIKASI SERAT ALAM BIDURI (*Calotropis gigantea*) SEBAGAI BAHAN PENGISI INSULATIF PADA JAKET MUSIM DINGIN,” *Arena Tekstil*, vol. 35, no. 1, Jun. 2020, doi: 10.31266/at.v35i1.6050.
- [51] T. Kanchan and A. Atreya, “*Calotropis gigantea*,” *Wilderness Environ Med*, vol. 27, no. 2, pp. 350–351, 2016, doi: 10.1016/j.wem.2015.12.011.
- [52] M. D. Sukardan, D. Natawijaya, P. Prettyanti, C. Cahyadi, and E. Novarini, “Karakterisasi Serat Dari Tanaman Biduri (*Calotropis Gigantea*) Dan Identifikasi Kemungkinan Pemanfaatannya Sebagai Serat Tekstil,” *Arena Tekstil*, vol. 31, no. 2, pp. 51–62, 2017, doi: 10.31266/at.v31i2.1986.
- [53] A. W. Sana, N. Noerati, D. Sugiyana, and M. D. Sukardan, “The Application of Biduri Natural Fiber (*Calotropis gigantea*) as an Insulative Filler Material in Winter Jacket,” *Arena Tekstil*, vol. 35, no. 1, pp. 1–12, 2020.
- [54] G. K. Sathishkumar *et al.*, “Synthesis and Mechanical Properties of Natural Fiber Reinforced Epoxy/Polyester/Polypropylene Composites: A Review,” *Journal of Natural Fibers*, vol. 00, no. 00, pp. 1–24, 2020, doi: 10.1080/15440478.2020.1848723.
- [55] I. O. Oladele and O. G. Agbabiaka, “Investigating the influence of mercerization treatment of sisal fiber on the mechanical properties of reinforced polypropylene composites and modeling of the properties,” *Fibers and Polymers*, vol. 16, no. 3, pp. 650–656, Mar. 2015, doi: 10.1007/s12221-015-0650-4.

- [56] S. Kaewkuk, W. Sutapun, and K. Jarukumjorn, "Effects of interfacial modification and fiber content on physical properties of sisal fiber/polypropylene composites," *Compos B Eng*, vol. 45, no. 1, pp. 544–549, 2013, doi: 10.1016/j.compositesb.2012.07.036.
- [57] A. D. Andiawan, "Pengaruh perlakuan alkalisasi serat batang kenaf terhadap kekuatan mekanik dan bentuk geometri serat pada komposit epoxy dengan uji tarik uji impak dan uji mikro," *Teknik Mesin Universitas Jember*, pp. 1–45, 2020.
- [58] G. Bogoeva-Gaceva *et al.*, "Natural fiber eco-composites," *Polym Compos*, vol. 28, no. 1, pp. 98–107, Feb. 2007, doi: 10.1002/pc.20270.
- [59] K. Senthilkumar, N. Rajini, N. Saba, M. Chandrasekar, M. Jawaid, and S. Siengchin, "Effect of Alkali Treatment on Mechanical and Morphological Properties of Pineapple Leaf Fibre/Polyester Composites," *J Polym Environ*, vol. 27, no. 6, pp. 1191–1201, 2019, doi: 10.1007/s10924-019-01418-x.
- [60] P. Ovlaque, M. Foruzanmehr, S. Elkoun, and M. Robert, "Milkweed floss fiber/PLA composites: effect of alkaline and epoxy-silanol surface modifications on their mechanical properties," *Compos Interfaces*, vol. 27, no. 5, pp. 495–513, 2020, doi: 10.1080/09276440.2019.1655316.
- [61] AlatUji, "Manual Forming Machine," *Alatuji.com*. [Online]. Available: <https://www.alatuji.com/detail/12/669/qc-601-manual-forming-machine>
- [62] A. A. Shamsuri, "Compression Moulding Technique for Manufacturing Biocomposite Products," *Int J Appl Sci Technol*, vol. 5, no. 3, pp. 23–26, 2015.
- [63] N. Sasria, "Composite Manufacturing of Coir Fiber-Reinforced Polyester as a Motorcycle Helmet Material," *JMPM (Jurnal Material dan Proses Manufaktur)*, vol. 6, no. 1, pp. 48–56, 2022, doi: 10.18196/jmpm.v6i1.13756.
- [64] S. Rassman, "Effects of Processing Conditions on the Mechanical and Water Absorption Properties of Resin Transfer Moulded Kenaf Fibre Reinforced Polyester Composite Laminates," pp. 1–31, 2010.
- [65] Intertek, "Tensile Testing of Polymers and Composites Materials." [Online]. Available: <https://www.intertek.com/polymers-plastics/tensile-testing/matrix-composite/>
- [66] N. Saba, M. Jawaid, and M. T. H. Sultan, "An overview of mechanical and physical testing of composite materials," in *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites*, Elsevier, 2019, pp. 1–12. doi: 10.1016/B978-0-08-102292-4.00001-1.

- [67] ASTM D638-14, "Standard test method for tensile properties of plastics," 2015 doi: 10.1520/D0638-14.
- [68] K. Sari and R. Satoto, "Analisis Korelasi Kondisi Pembuatan Film Tipis Polipropilen (PP) dan Sifat-Sifat Mekaniknya dengan Metode Uji Tarik," *Berkala Fisika*, vol. 13, no. 2, pp. 27–38, 2010.
- [69] A. A. Ghazal, "The Process of Maintenance and Assessment of The Universal Testing Material Machine H50KS," *Jmsa*, vol. 4, 2020, doi: 10.17303/jmsa.2020.4.204.
- [70] N. M. Z. Abidin, M. T. H. Sultan, A. U. M. Shah, and S. N. A. Safri, "Charpy and Izod impact properties of natural fibre composites," *IOP Conf Ser Mater Sci Eng*, vol. 670, no. 1, 2019, doi: 10.1088/1757-899X/670/1/012031.
- [71] I. M. Astika, "Pengaruh Fraksi Volume dan Panjang Serat Terhadap Sifat Mekanis dan Karakteristik Serapan Suara Komposit Polyster Dengan Penguat Serat Tapis Kelapa," *Universitas Udayana*, vol. D, no. 0028097004, p. 28, 2014.
- [72] "ASTM D6110," *Annual Book of ASTM Standards*, vol. 10, no. April, pp. 1–17, 2010, doi: 10.1520/D6110-10.1.
- [73] E. Oktariani *et al.*, "Sifat mekanis polipropilena berpenguat serat kenaf pendek: pengaruh fraksi massa dan talk," *Sainmatika: Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, vol. 15, no. 2, pp. 90–95, 2018, doi: 10.31851/sainmatika.v15i2.2303.
- [74] A. Arendra and S. Akhmad, "Rancang Bangun Mesin Hot Press untuk Recycle Plastik Hdpe dan Karakterisasi Pengaruh Temperatur Pemanasan Waktu Pemanasan dan Temperatur Pembukaan terhadap Cacat Flashing Cacat Warpage dan Konsumsi Energi Pencetakan," *Rekayasa*, vol. 10, no. 2, p. 108, 2017, doi: 10.21107/rekayasa.v10i2.3612.
- [75] A. K. Gupta, M. Biswal, S. Mohanty, and S. K. Nayak, "Mechanical and thermal degradation behavior of sisal fiber (SF) reinforced recycled polypropylene (RPP) composites," *Fibers and Polymers*, vol. 15, no. 5, pp. 994–1003, 2014, doi: 10.1007/s12221-014-0994-1.
- [76] R. Kartini, H. Darmasetiawan, A. K. Karo, and Sudirman, "Pembuatan dan Karakterisasi Komposit Polimer Berpenguat Serat Alam," *Jurnal Sains Materi Indonesia*, vol. 3, no. 3, pp. 30–38, 2002.
- [77] W. Waryat, M. Romli, A. Suryani, I. Yuliasih, and S. Johan, "Karakteristik Morfologi, Termal, Fisik-Mekanik, dan Barrier Plastik Biodegradabel Berbahan Baku Komposit Pati Termoplastik-LLDPE/HDPE," *agriTECH*, vol. 33, no. 2, pp. 197–207, 2013, doi: 10.22146/agritech.9800.

- [78] E. Melyna and A. P. Afridana, "The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites," *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, p. 14, 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [79] R. M. N. Arib, S. M. Sapuan, M. M. H. M. Ahmad, M. T. Paridah, and H. M. D. Khairul Zaman, "Mechanical properties of pineapple leaf fibre reinforced polypropylene composites," *Mater Des*, vol. 27, no. 5, pp. 391–396, 2006, doi: 10.1016/j.matdes.2004.11.009.
- [80] M. Z. Abdullah and N. H. C. Aslan, "Performance evaluation of composite from recycled polypropylene reinforced with mengkuang leaf fiber," *Resources*, vol. 8, no. 2, 2019, doi: 10.3390/resources8020097.
- [81] N. Venkateshwaran, A. Elayaperumal, and M. S. Jagatheeshwaran, "Effect of fiber length and fiber content on mechanical properties of banana fiber/epoxy composite," *Journal of Reinforced Plastics and Composites*, vol. 30, no. 19, pp. 1621–1627, 2011, doi: 10.1177/0731684411426810.
- [82] N. a Halim, J. Siregar, D. Mathivanan, D. Bachtiar, and Z. Ghazali, "The performance of mengkuang leaf fiber reinforced low density polyethylene composites," *Angewandte Chemie International Edition*, 6(11), 951–952., vol. 1, no. April, pp. 3645–3655, 2015.
- [83] M. R. Huseini, E. I. Marjuki, D. Iryawan, and T. Y. Hendrawati, "Pengaruh variasi temperatur pengolahan hidrothermal ampas kopi terhadap yield energi untuk bahan baku pembuatan biobriket," *Seminar Nasional Sains dan Teknologi*, pp. 4–7, 2018.
- [84] Arbi Syahrian, "Terhadap Kekuatan Tarik Dan Impak Komposit Resin Berpenguat Serat Resam," 2022.