

DAFTAR PUSTAKA

- [1] "SIPSN - Sistem Informasi Pengelolaan Sampah Nasional." Accessed: Mar. 27, 2024. [Online]. Available: <https://sipsn.menlhk.go.id/sipsn/public/data/komposisi>
- [2] Kementerian PPN/Bappenas, "Study Report: Food Loss and Waste in Indonesia, Supporting the Implementation of Circular Economy and Low Carbon Development," pp. 1–116, 2021.
- [3] M. Sharma, Z. Usmani, V. K. Gupta, and R. Bhat, "Valorization of fruits and vegetable wastes and by-products to produce natural pigments," *Critical Reviews in Biotechnology*, vol. 41, no. 4, pp. 535–563, 2021, doi: 10.1080/07388551.2021.1873240.
- [4] M. Afroz Toma, M. H. Rahman, M. S. Rahman, M. Arif, K. H. M. N. H. Nazir, and L. Dufossé, "Fungal Pigments: Carotenoids, Riboflavin, and Polyketides with Diverse Applications," *Journal of Fungi*, vol. 9, no. 4, 2023, doi: 10.3390/jof9040454.
- [5] S. S. Affat, "Classifications, Advantages, Disadvantages, Toxicity Effects of Natural and Synthetic Dyes: A review," *University of Thi-Qar Journal of Science*, vol. 8, no. 1, pp. 130–135, 2021.
- [6] W. Nansu *et al.*, "Exploring the Potential of Roselle Calyx and Sappan Heartwood Extracts as Natural Colorants in Poly(butylene Succinate) for Biodegradable Packaging Films," *Polymers*, vol. 15, no. 20, 2023, doi: 10.3390/polym15204193.
- [7] M. Priska, N. Peni, L. Carvallo, and Y. D. Ngapa, "Review: Antosianin dan Pemanfaatannya," *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, vol. 6, no. 2, pp. 79–97, 2018.
- [8] S. Li, B. Mu, X. Wang, and A. Wang, "Recent researches on natural pigments stabilized by clay minerals: A review," *Dyes and Pigments*, vol. 190, no. March, p. 109322, 2021, doi: 10.1016/j.dyepig.2021.109322.
- [9] W. M. Aizat, F. H. Ahmad-Hashim, and S. N. Syed Jaafar, "Valorization of mangosteen, 'The Queen of Fruits,' and new advances in postharvest and in food and engineering applications: A review," *Journal of Advanced Research*, vol. 20, pp. 61–70, 2019, doi: 10.1016/j.jare.2019.05.005.
- [10] E. J. Cho, C. S. Park, and H. J. Bae, "Transformation of cheaper mangosteen pericarp waste into bioethanol and chemicals," *Journal of Chemical Technology and Biotechnology*, vol. 95, no. 2, pp. 348–355, 2020, doi: 10.1002/jctb.5904.
- [11] G. S. Aparna and P. R. G. Lekshmi, "Effect of Acidification and Types of Solvent on Anthocyanin Yield, Total Phenols, Flavonoids, Antioxidant Activity and Colour Values of Extracts from Mangosteen Pericarp (*Garcinia mangostana* L.)," *Asian Journal of Dairy and Food Research*, vol. 42, no. 2, pp. 226–231, 2023, doi: 10.18805/ajdfr.DR-2034.

- [12] H. Asni, R. Manurung, and D. Bonella, "Aplikasi Pelarut Eutektik K₂CO₃-Gliserol pada Ekstraksi Pigmen Antosianin dari Kulit Manggis (*Garcinia mangostana* Linn.)," *Jurnal Teknik Kimia USU*, vol. 9, no. 2, pp. 64–69, 2020, doi: 10.32734/jtk.v9i2.3562.
- [13] A. R. Hakim and R. Saputri, "Narrative Review: Optimasi Etanol sebagai Pelarut Senyawa Flavonoid dan Fenolik," *Jurnal Surya Medika*, vol. 6, no. 1, pp. 177–180, 2020, doi: 10.33084/jsm.v6i1.1641.
- [14] M. A. Rostagno and J. M. Prado, Eds., *Natural Product Extraction: Principles and Applications*. The Royal Society of Chemistry, 2017. doi: 10.1039/9781849737579-fp001.
- [15] G. Rifai, I. W. Rai Widarta, and K. Ayu Nocianitri, "Pengaruh Jenis Pelarut Dan Rasio Bahan Dengan Pelarut Terhadap Kandungan Senyawa Fenolik Dan Aktivitas Antioksidan Ekstrak Biji Alpukat (*Persea Americana* Mill.)," *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, vol. 7, no. 2, pp. 22–32, 2018, doi: 10.24843/itepa.2018.v07.i02.p03.
- [16] K. N. Y. Setyawan and K. Kartini, "Optimization of stirring-assisted extraction of anthocyanins from purple roselle (*Hibiscus sabdariffa* L.) calyces as pharmaceutical and food colorants," *Journal of Applied Biology and Biotechnology*, vol. 11, no. 5, pp. 91–97, 2023, doi: 10.7324/JABB.2023.11510-1.
- [17] W. Nansu, P. Chaiwut, S. Ross, G. Ross, N. Suphrom, and S. Mahasaranon, "Developments of biodegradable polymer based on polylactic acid (PLA) with natural color extracts for packaging film applications," *Journal of Metals, Materials and Minerals*, vol. 31, no. 3, pp. 127–133, 2021, doi: 10.14456/jmmm.2021.48.
- [18] J. Iwko, T. Jaruga, O. Trzaska, and T. Stachowiak, "PLA filament is not equal to PLA filament: Experimental studies of the influence of the type of pigment on the mechanical and thermal properties of poly(lactic acid) products," *Materials Science- Poland*, vol. 41, no. 1, pp. 177–190, 2023, doi: 10.2478/msp-2023-0015.
- [19] B. R. Albuquerque *et al.*, "Insights into the Chemical Composition and In Vitro Bioactive Properties of Mangosteen (*Garcinia mangostana* L.) Pericarp," *Foods*, vol. 12, no. 5, 2023, doi: 10.3390/foods12050994.
- [20] F. Gutierrez-Orozco and M. L. Failla, "Biological activities and bioavailability of mangosteen xanthenes: A critical review of the current evidence," *Nutrients*, vol. 5, no. 8, pp. 3163–3183, 2013, doi: 10.3390/nu5083163.
- [21] Y. S. Pratiwi, R. Rahmawati, and Y. A. Sanjaya, "Potency of Mangosteen Pericarp as Source of Antioxidant in Tea to Enhance Immune System: A Review," *3rd International Conference Eco-Innovation in Science, Engineering, and Technology. NST Proceedings.*, pp. 277–282, 2022, doi: 10.11594/nstp.2022.2741.
- [22] A. M. S. Azima, A. Noriham, and N. Manshoor, "Synergistic effects of *Garcinia mangostana* and *Clitoria ternatea* extract mixture on antioxidant activities, colour,

- and anthocyanin stabilities," *International Food Research Journal*, vol. 29, no. 3, pp. 631–645, 2022, doi: 10.47836/ifrj.29.3.15.
- [23] E. M. Azman, N. Yusof, A. Chatzifragkou, and D. Charalampopoulos, "Stability Enhancement of Anthocyanins from Blackcurrant (*Ribes Nigrum* L.) Pomace through Intermolecular Copigmentation," *Molecules*, vol. 27, pp. 1–18, 2022, doi: 10.3390/molecules27175489.
- [24] M. Nistor, R. Pop, A. Daescu, A. Pintea, C. Socaciu, and D. Rugina, "Anthocyanins as Key Phytochemicals Acting for the Prevention of Metabolic Diseases: An Overview," *Molecules*, vol. 27, pp. 1–37, 2022, doi: 10.3390/molecules27134254.
- [25] R. K. Saini, M. I. Khan, X. Shang, V. Kumar, and V. Kumari, "Dietary Sources, Stabilization, Health Benefits, and Industrial Application of Anthocyanins—A Review," 2024.
- [26] W. Nurtiana, "Anthocyanin As Natural Colorant: A Review," *Food ScienTech Journal*, vol. 1, no. 1, p. 1, 2019, doi: 10.33512/fsj.v1i1.6180.
- [27] R. Araki, A. Yada, H. Ueda, K. Tominaga, and H. Isoda, "Differences in the effects of anthocyanin supplementation on glucose and lipid metabolism according to the structure of the main anthocyanin: A meta-analysis of randomized controlled trials," *Nutrients*, vol. 13, no. 6, pp. 1–23, 2021, doi: 10.3390/nu13062003.
- [28] Y. Dong *et al.*, "The Potential Roles of Dietary Anthocyanins in Inhibiting Vascular Endothelial Cell Senescence and Preventing Cardiovascular Diseases," *nutrients*, pp. 1–17, 2022.
- [29] K. V. S. Dharmawansa, D. W. Hoskin, and H. P. Vasantha Rupasinghe, "Chemopreventive effect of dietary anthocyanins against gastrointestinal cancers: A review of recent advances and perspectives," *International Journal of Molecular Sciences*, vol. 21, no. 18, pp. 1–36, 2020, doi: 10.3390/ijms21186555.
- [30] J. M. Lorenzo, F. J. Barba, and Paulo E. S. Munekata, *ANTHOCYANINS: Antioxidant Properties, Source and Health Benefit*, no. July. 2020.
- [31] N. I. M. Nawawi, G. Ijod, F. Abas, N. S. Ramli, N. Mohd Adzahan, and E. Mohamad Azman, "Influence of Different Drying Methods on Anthocyanins Composition and Antioxidant Activities of Mangosteen (*Garcinia mangostana* L.) Pericarps and LC-MS Analysis of the Active Extract," *Foods*, vol. 12, no. 12, 2023, doi: 10.3390/foods12122351.
- [32] A. Mirwan, "Keberlakuan Model HB-GFT Sistem n-Heksana-Mek-Air pada Ekstraksi Cair-Cair Kolom Isian," *Konversi*, vol. 2, no. 1, 2013.
- [33] M. A. U. Leba, *Ekstraksi dan Real Kromatografi*. Deepublish Publisher, 2017.
- [34] S. Prasetyo and F. Yosephine, "Model Perpindahan Massa Pada Ekstraksi Saponin Biji Teh Dengan Pelarut Isopropil Alkohol 50% Dengan Pengontakan Secara Dispersi Menggunakan Analisis Dimensi," *Reaktor*, vol. 14, no. 2, pp. 87–94, 2012, doi: 10.14710/reaktor.14.2.87-94.

- [35] H. Utami and Azhar, *Transfer Massa dan Panas*, Cetakan Pe. Bandar Lampung: Tekkim Publishing, 2017.
- [36] J. E. Cacace and G. Mazza, "Mass transfer process during extraction of phenolic compounds from milled berries," *Journal of Food Engineering*, vol. 59, no. 4, pp. 379–389, 2003, doi: 10.1016/S0260-8774(02)00497-1.
- [37] Z. Achmad, F. Hadi, and S. D. Kholisoh, "Mass Transfer Coefficient of Extraction of Anthocyanin from Mangosteen Peel (*Garcinia mangostana* L.) with Ethanol-HCl as Solvent," *Eksergi*, vol. 19, no. 3, p. 142, 2022, doi: 10.31315/e.v19i3.8008.
- [38] Paryanto., A. Kartika. Suri, and R. Saputro, "Difusi dan Transfer Massa pada Ekstraksi Tanin dari Buah Mangrove (*Rhizophora Stylosa*)," *Rekayasa Bahan Alam dan Energi Berkelanjutan*, vol. 1, no. 2, pp. 42–48, 2017.
- [39] Z. Achmad and B. Sugiarto, "Ekstraksi Antosianin dari Biji Alpukat sebagai Pewarnaan ALami," *Jurnal Teknologi Technoscientia*, vol. 12, no. 2, pp. 134–143, 2020.
- [40] W. B. Sediawan and A. Prasetya, *Pemodelan Matematis dan Peyelelesaian Numeris dalam Teknik Kimia dengan Pemrograman Bahasa Basic dan Fortran*. ANDI Yogyakarta, 1997.
- [41] S. Farooq, M. A. Shah, M. W. Siddiqui, B. N. Dar, S. A. Mir, and A. Ali, "Recent trends in extraction techniques of anthocyanins from plant materials," *Journal of Food Measurement and Characterization*, vol. 14, no. 6, pp. 3508–3519, 2020, doi: 10.1007/s11694-020-00598-8.
- [42] Jayanudin, A. Z. Lestari, and F. Nurbayanti, "Pengaruh Suhu dan Rasio Pelarut Ekstraksi Terhadap Rendemen dan Viskositas Natrium Alginate dari Rumput Laut Cokelat (*Sargassum* sp)," *Jurnal Integrasi Proses*, vol. 5, no. 1, pp. 51–55, 2014.
- [43] R. Jaber, G. Kaban, and M. Kaya, "Effects of Some Extraction Parameters on Anthocyanin Content of Barberry (*Berberis vulgaris* L.) and Its Antioxidant Activity," *Türkiye Tarımsal Araştırmalar Dergisi*, vol. 9, no. 1, pp. 41–48, 2022, doi: 10.19159/tutad.1034137.
- [44] M. Ilham and Sumarni, "Ekstraksi Antosianin dari Kulit Bawang Merah Sebagai Pewarna Alami Makanan (Variabel Volume Pelarut dan Kecepatan Pengadukan)," *Jurnal Inovasi Proses*, vol. 5, no. 1, pp. 27–233, 2020.
- [45] N. Tena and A. G. Asuero, "Up-To-Date Analysis of the Extraction Methods for Anthocyanins : Principles of the Techniques , Optimization , Technical Progress , and Industrial Application," 2022.
- [46] R. B. Nisha and R. Narayanan, "Effect of different solvents on recovery of total monomeric anthocyanin from mangosteen peel (*Garcinia mangostana* L.)," *International Journal of Chemical Studies*, vol. 8, no. 1, pp. 09–11, 2020, doi: 10.22271/chemi.2020.v8.i1a.8297.

- [47] R. Li, B. S. Inbaraj, and B. H. Chen, "Quantification of Xanthone and Anthocyanin in Mangosteen Peel by UPLC-MS/MS and Preparation of Nanoemulsions for Studying Their Inhibition Effects on Liver Cancer Cells," *International Journal of Molecular Sciences*, vol. 24, no. 4, 2023, doi: 10.3390/ijms24043934.
- [48] Netravati, S. Gomez, B. Pathrose, M. Joseph, M. Shynu, and B. Kuruvila, "Comparison of extraction methods on anthocyanin pigment attributes from mangosteen (*Garcinia mangostana* L.) fruit rind as potential food colourant," *Food Chemistry Advances*, vol. 4, no. June 2023, p. 100559, 2024, doi: 10.1016/j.focha.2023.100559.
- [49] S. Hosseini, M. Gharachorloo, B. Ghiassi-Tarzi, and M. Ghavami, "Evaluation of the organic acids ability for extraction of anthocyanins and phenolic compounds from different sources and their degradation kinetics during cold storage," *Polish Journal of Food and Nutrition Sciences*, vol. 66, no. 4, 2016, doi: 10.1515/pjfn-2015-0057.
- [50] T. Nhut Pham *et al.*, "Preparation and Determination of Total Anthocyanins extraction from the Skin of *Vigna cylindrica* Skeels (*Dolichos catjang* Burm. f)," *IOP Conference Series: Materials Science and Engineering*, vol. 542, no. 1, 2019, doi: 10.1088/1757-899X/542/1/012037.
- [51] T. N. Pham *et al.*, "Effect of various factors on extraction efficiency of total anthocyanins from Butterfly pea (*Clitoria ternatea* L. Flowers) in Southern Vietnam," *IOP Conference Series: Materials Science and Engineering*, vol. 544, no. 1, 2019, doi: 10.1088/1757-899X/544/1/012013.
- [52] J. Liao, H. Xue, and J. Li, "Extraction of phenolics and anthocyanins from purple eggplant peels by multi-frequency ultrasound: Effects of different extraction factors and optimization using uniform design," *Ultrasonics Sonochemistry*, vol. 90, no. July, 2022, doi: 10.1016/j.ultsonch.2022.106174.
- [53] M. Chaiphut, S. Ross, G. Ross, N. Suphrom, and S. Mahasaranon, "Influence of the lemongrass powder and polybutylene succinate on the properties of biocomposite films based on poly (lactic acid)," *Materials Today: Proceedings*, vol. 47, no. xxxx, pp. 3537–3545, 2021, doi: 10.1016/j.matpr.2021.03.544.
- [54] K. Sreekumar, B. Bindhu, and K. Veluraja, "Perspectives of Polylactic Acid From Structure to Applications," *Polymers from Renewable Resources*, vol. 12, no. 1–2, pp. 60–74, 2021, doi: 10.1177/20412479211008773.
- [55] W. B. Kusumaningrum, F. A. Syamani, and L. Suryanegara, "Heat Properties of Polylactic Acid Biocomposites after Addition of Plasticizers and Oil Palm Frond Microfiber," *Journal of Scientific and Applied Chemistry*, vol. 23, no. 8, pp. 295–304, 2020, doi: 10.14710/jksa.23.8.295-304.
- [56] H. Ni'mah, R. Rochmadi, E. M. Woo, D. A. Widiasih, and S. Mayangsari, "Preparation And Characterization Of Poly(L-Lactic Acid) Films Plasticized With Glycerol And Maleic Anhydride," *International Journal of Technology*, vol. 10, no. 3, pp. 531–540, 2019, doi: 10.14716/ijtech.v10i3.2936.

- [57] E. H. Baran and H. Yildirim Erbil, "Surface modification of 3d printed pla objects by fused deposition modeling: A review," *Colloids and Interfaces*, vol. 3, no. 2, 2019, doi: 10.3390/colloids3020043.
- [58] P. Takkalkar *et al.*, "Structural, thermal, rheological and optical properties of poly(lactic acid) films prepared through solvent casting and melt processing techniques," *Journal of the Taiwan Institute of Chemical Engineers*, vol. 104, no. xxxx, pp. 293–300, 2019, doi: 10.1016/j.jtice.2019.08.018.
- [59] N. S. A. Malek, M. Faizuwan, Z. Khusaimi, N. N. Bonnia, M. Rusop, and N. A. Asli, "Preparation and Characterization of Biodegradable Polylactic Acid (PLA) Film for Food Packaging Application: A Review," *Journal of Physics: Conference Series*, vol. 1892, no. 1, 2021, doi: 10.1088/1742-6596/1892/1/012037.
- [60] S. Prete, M. Dattilo, F. Patitucci, G. Pezzi, O. I. Parisi, and F. Puoci, "Natural and Synthetic Polymeric Biomaterials for Application in Wound Management," *Journal of Functional Biomaterials*, vol. 14, no. 9, 2023, doi: 10.3390/jfb14090455.
- [61] M. Dziadek *et al.*, "Polyphenolic compounds affect the long-term degradation behaviour of polymer and composite materials based on PCL, PLGA, and bioactive glass," *Sustainable Materials and Technologies*, 2023, doi: 10.1016/j.susmat.2023.e00568.
- [62] M. Taufik, G. Suryani Lubis, M. Ivanto, P. Studi Teknik Mesin, U. Tanjungpura, and J. H. Hadari Nawawi, "Rancang Bangun Mesin Pultrusion Pembuat Filamen 3D Printing Berbasis Limbah Plastik Botol PET," *Lubis & Ivanto*, vol. 4, no. 1, pp. 1–08, 2023.
- [63] "Plastic Bottles into 3D Filament by function3d - MakerWorld," Funtion 3D. Accessed: Apr. 19, 2024. [Online]. Available: <https://makerworld.com/en/models/190886>
- [64] P. Herfayati, S. Pandia, and H. Nasution, "Karakteristik Antosianin dari Kulit Buah Nipah (*Nypa frutican*) sebagai Pewarna Alami dengan Metode Soxhletasi," *Jurnal Teknik Kimia USU*, vol. 9, no. 1, pp. 26–33, 2020, doi: 10.32734/jtk.v9i1.2831.
- [65] H. J. B. Kunnaryo and P. R. Wikandari, "Antosianin dalam Produksi Fermentasi dan Perannya sebagai Antioksidan," *Unesa Journal of Chemistry*, vol. 10, no. 1, pp. 24–36, 2021, doi: 10.26740/ujc.v10n1.p24-36.
- [66] R. Abedi-Firoozjah *et al.*, "Application of Red Cabbage Anthocyanins as pH-Sensitive Pigments in Smart Food Packaging and Sensors," *Polymers*, vol. 14, no. 8, 2022, doi: 10.3390/polym14081629.
- [67] S. Sahraeni and H. Rahim, "Ekstraksi Antosianin Dari Kukit Buah Naga Merah Sebagai Pewarna Alami," *Prosiding Seminar Hasil Penelitian*, vol. 2018, pp. 105–109, 2018.
- [68] S. Rawdkuen, A. Faseha, S. Benjakul, and P. Kaewprachu, "Application of anthocyanin as a color indicator in gelatin films," *Food Bioscience*, vol. 36, 2020, doi: 10.1016/j.fbio.2020.100603.

- [69] Ahriani, S. Zelviani, Hernawati, and Fitriyanti, "Analisis Nilai Absorbansi Untuk Menentukan Kadar Flavonoid Daun Jarak Merah (*Jatropha Gossypifolia* L.) Menggunakan Spektrofotometer UV-Vis," *Jurnal Fisika dan Terapannya*, vol. 8, pp. 56–64, 2021, doi: 10.24252/jft.v8i2.23379.
- [70] W. Supiyanti *et al.*, "Uji Aktivitas Antioksidan dan Penentuan Kandungan Antosianin Total Kulit Buah Manggis (*Garcinia mangostana* L)," *Majalah Obat Tradisional*, vol. 15, no. 2, pp. 64–70, 2010.
- [71] B. Wiyantoko and Astuti, "Butterfly Pea (*Clitoria Ternatea* L.) Extract as Indicator of Acid-Base Titration," *IJCA (Indonesian Journal of Chemical Analysis)*, vol. 3, no. 1, pp. 22–32, 2020, doi: 10.20885/ijca.vol3.iss1.art4.
- [72] H. F. Giles, J. R. Wagner, and E. M. Mount, *Extrusion: The Definitive Processing Guide and Handbook*. 2005. doi: 10.1016/C2010-0-67040-4.
- [73] N. Hashim *et al.*, "The Effect of Blending Methods on the Properties of PLA/Gr Nanocomposites," *Journal of Physics: Conference Series*, vol. 1532, no. 1, 2020, doi: 10.1088/1742-6596/1532/1/012012.
- [74] R. Singh, R. Kumar, and I. S. Ahuja, *Thermal Analysis for Joining of Dissimilar Polymeric Materials Through Friction Stir Welding*. Elsevier Ltd., 2017. doi: 10.1016/b978-0-12-803581-8.10390-x.
- [75] M. L. Brozio and A. Masek, "The application of natural food colorants as indicator substances in intelligent biodegradable packaging materials," *Food and Chemical Toxicology*, vol. 135, 2020, doi: 10.1016/j.fct.2019.110975.
- [76] F. Doronin, A. Rudakova, G. Rytikov, and V. Nazarov, "A novel determination of the melt flow index of composite filaments used in extrusion additive manufacturing," Elsevier Ltd, 2024. doi: 10.1016/j.polymertesting.2024.108376.
- [77] I. Wright, "The Melt Flow Index in polymer 3D printing: A concise engineer's handbook | Engineering.com," Engineering.com. Accessed: May 11, 2024. [Online]. Available: <https://www.engineering.com/story/the-melt-flow-index-in-polymer-3d-printing-a-concise-engineers-handbook>
- [78] S. Ahsan, R. Diniyah, and M. F. Firmana, "Sifat Mekanis dan Termal PLA dengan Filler TiO₂ dan ZnO," *Jurnal Teknologi dan Manajemen*, vol. 20, no. 1, pp. 27–32, 2022, doi: 10.52330/jtm.v20i1.43.