

DAFTAR PUSTAKA

- [1] K. Matyjaszewski, "Acrylonitrile–butadiene– styrene polymers," in *Encyclopedia of Polymer Science and Technology*, 4th ed., vol. 1, John Wiley & Sons, Inc, 2002, pp. 174–203.
- [2] M. A. Dundar and G. S. Dhaliwal, "Investigation for impact behavior of acrylonitrile-butadiene-styrene amorphous thermoplastic," *Polym Test*, vol. 89, no. April, p. 106624, 2020, doi: 10.1016/j.polymertesting.2020.106624.
- [3] N. I. Zakaria, A. Mohd, N. B. Baba, M. Z. Umor, M. A. Ghani, and M. A. M. Amin, "Analysis Of Mechanical Properties For Recycled ABS/OPEFB Fibre Composites Using RSM Method," *Journal of Fundamental and Applied Sciences*, vol. 10, no. 1, pp. 1037–1052, 2018.
- [4] M. E. Rahmasita, M. Farid, and H. Ardhyananta, "Analisa Morfologi Serat Tandan Kosong Kelapa Sawit Sebagai Bahan Penguat Komposit Absorpsi Suara," vol. 6, no. 2, 2017.
- [5] F. Nadia, M. Padzil, S. H. Lee, Z. Mohamed, C. H. Lee, and L. C. Abdullah, "Potential of Oil Palm Empty Fruit Bunch Resources in Nanocellulose Hydrogel Production for Versatile Applications : A Review," 2020.
- [6] S. P. Yudha, R. R. Latief, and I. S. Azis, "Pengaruh Penggunaan Serat Tandan Kosong Kelapa Sawit Sebagai Penguat Terhadap Sifat Mekanik Komposit," *Prosiding Seminar Nasional Teknologi Industri X 2023*, pp. 336–339, 2023.
- [7] L. Mohammed, M. N. M. Ansari, G. Pua, M. Jawaid, and M. S. Islam, "A Review on Natural Fiber Reinforced Polymer Composite and Its Applications," *Int J Polym Sci*, vol. 2015, 2015, doi: 10.1155/2015/243947.
- [8] M. P. Bin Saiman, M. S. Bin Wahab, and M. U. Bin Wahit, "The effect of compression temperature and time on 2D woven kenaf fiber reinforced acrylonitrile-butadiene-styrene (ABS)," *Applied Mechanics and Materials*, vol. 315, pp. 630–634, 2013, doi: 10.4028/www.scientific.net/AMM.315.630.
- [9] B. Neher, N. T. Nova, R. Hossain, M. A. Gafur, and F. Ahmed, "Fabrication and Characterization on Physico-Mechanical and Structural Properties of Sawdust Reinforced Acrylonitrile Butadiene Styrene (ABS) Composites," *Materials Sciences and Applications*, vol. 11, no. 09, pp. 644–658, 2020, doi: 10.4236/msa.2020.119043.
- [10] M. Prashanth, P. S. S. Gouda, and T. S. Manjunatha, "Understanding the impact of fiber orientation on mechanical , interlaminar shear strength , and fracture properties of jute – banana hybrid composite laminates," *Polymer Composite*, pp. 1–15, 2021, doi: 10.1002/pc.26239.

- [11] B. S. J. Retnam, M. Sivapragash, and P. Pradeep, "Effects of fibre orientation on mechanical properties of hybrid bamboo / glass fibre polymer composites," *Bulletin of Materials Science*, vol. 37, no. 5, pp. 1059–1064, 2014.
- [12] C. S. Hassan, V. Durai, M. S. Salit, N. A. Aziz, and M. Z. M. Yusoff, "Mechanical and crash performance of unidirectional oil palm empty fruit bunch fibre-reinforced polypropylene composite," *Bioresources*, vol. 13, no. 4, pp. 8310–8328, 2018, doi: 10.15376/biores.13.4.8310-8328.
- [13] M. Balasubramanian, *Composite materials and processing*. 2013. doi: 10.1201/b15551.
- [14] B. Harris, *Engineering Composite Materials*. 1999.
- [15] J. F. A. S.-M. and E. M. C.F. Jasso-Gastinel, "1 Introduction : Modifiable Characteristics and Applications," in *Modification of Polymer Properties*, J.-G. Carlos F and K. Jose M, Eds., Elsevier, 2017, pp. 1–21. doi: 10.1016/B978-0-323-44353-1.00001-4.
- [16] A. B. Bîrca, O. Gherasim, V. Grumezescu, and A. M. Grumezescu, "Introduction in thermoplastic and thermosetting polymers," in *Materials for Biomedical Engineering*, Elsevier, 2019, ch. 1, pp. 1–28. doi: 10.1016/B978-0-12-816874-5.00001-3.
- [17] I. W. Widiarta, I. W. P. Nugraha, and K. R. Dantes, "Komposit Berpenguat Serat Alam Batang Kulit Waru (Hibiscus Tiliaceust) Dengan Matrik Polyester," *Jurnal Jurusan Pendidikan Teknik Mesin (JJPTM)*, vol. 8, no. 2, pp. 1–17, 2017.
- [18] D. K. Rajak, D. D. Pagar, P. L. Menezes, and E. Linul, "Fiber-Reinforced Polymer Composites: Manufacturing, Properties, and Applications," *Polymers (Basel)*, vol. 11, 2019, doi: 10.3390/polym11101667.
- [19] P. K. Mallick, *Fiber-Reinforced Composites Material, Manufacturing, and Design*, 3rd ed., vol. 83. Taylor & Francis Group, LLC, 2007.
- [20] F. Lubis, "Pembuatan dan penyelidikan perilaku mekanik komposit diperkuat serat limbah plastik akibat beban lendutan," *MEKANIK*, vol. 4, no. 2, pp. 77–84, 2018.
- [21] P. Thakur, S. N. Teli, and S. Lad, "Multiobjective Optimization in Drilling of Composites," *Proceedings of International Conference on Intelligent Manufacturing and Automation*, 2019, doi: 10.1007/978-981-13-2490-1.
- [22] J. Epaarachchi, H. Ku, and K. Gohel, "A Simplified Empirical Model for Prediction of Mechanical Properties of Random Short Fiber/Vinylester Composites," *Composite Materials*, vol. 44, no. 6, 2010, doi: 10.1177/0021998309346383.

- [23] M. K. Egbo, "A fundamental review on composite materials and some of their applications in biomedical engineering," *Journal of King Saud University - Engineering Sciences*, 2020, doi: 10.1016/j.jksues.2020.07.007.
- [24] K. Boimau, "Pengaruh Orientasi Serat Terhadap Sifat Tarik Komposit Poliester Berpenguat Serat Pisang," *LONTAR Jurnal Teknik Mesin Undana*, vol. 07, no. 01, pp. 23–27, 2020.
- [25] R. P. L. Nijssen, *Composite Materials An Introduction*. Inholland University of Applied Sciences, 2015.
- [26] S. Olivera, H. B. Muralidhara, K. Venkatesh, K. Gopalakrishna, and C. S. Vivek, "Plating on acrylonitrile–butadiene–styrene (ABS) plastic: a review," *J Mater Sci*, vol. 51, no. 8, pp. 3657–3674, 2016, doi: 10.1007/s10853-015-9668-7.
- [27] D. Gurjar, S. Sharma, and M. Sarkar, "A Review on testing methods of recycled Acrylonitrile Butadiene-," *Mater Today Proc*, vol. 5, no. 14, pp. 28296–28304, 2018, doi: 10.1016/j.matpr.2018.10.113.
- [28] "Pangsa & Tren Ukuran Pasar Acrylonitrile Butadiene Styrene," Chemanalyst.com. [Online]. Available: <https://www.chemanalyst.com/industry-report/acrylonitrile-butadiene-styrene-market-318>
- [29] U. Sharan, A. Dharkar, M. Dhamarikar, A. Choudhary, and D. Wasnik, "Materials Today : Proceedings Study on the effects of fiber orientation on the mechanical properties of natural fiber reinforced epoxy composite by finite element method," *Mater Today Proc*, vol. 45, pp. 7885–7893, 2021, doi: 10.1016/j.matpr.2020.12.614.
- [30] S. Suhartini, N. Ainur, and N. Hidayat, "Comparison of acid and alkaline pre-treatment on methane production from empty palm oil fruit bunches (OPEFB): Effect on characteristics , digester performance , and correlation of kinetic parameters," 2023, doi: <https://doi.org/10.1016/j.renene.2023.119009>.
- [31] A. K. Nasution and P. Nurrahmawati, "Inovasi Material Komposit Poliuretan menggunakan (ZnO : Nanoselulosa dari Serat Tandan Kosong Buah Kelapa Sawit) Sebagai Penguat Absorbsi Suara dan Insulasi Termal," vol. 12, no. 02, pp. 255–262, 2023.
- [32] L. Agustina, Udiantoro, and A. Halim, "Karakteristik Serat Tandan Kosong Kelapa Sawit (TKKS) Dengan Perlakuan Perebusan dan Pengukusan," *Ziraa'Ah*, vol. 41, no. 1, pp. 97–102, 2016.
- [33] D. Wulandari, Rusdlanasari, and M. Yerizam, "Characterization Biofuel from Empty Fruit Bunch through Thermal Cracking," *International Journal of Research In Vocational Studies (IJRVOCAS)*, vol. 2, no. 2, pp. 15–22, 2022.

- [34] N. S. Othman and R. Santiagoo, "Effect of Trans-Polyoctylene Rubber on the Polypropylene / Recycled Acrylonitrile Butadiene Rubber / Empty Fruit Bunch Composites," vol. 16, no. 1, pp. 19–28, 2020.
- [35] W. Ouarhim, N. Zari, and R. Bouhfid, "Mechanical performance of natural fibers - based thermosetting composites," in *Mechanical and Physical Testing of Biocomposites*, Elsevier Ltd, 2019, pp. 81–98. doi: 10.1016/B978-0-08-102292-4.00003-5.
- [36] C. S. Hassan, N. R. Chellaiah, and N. A. Aziz, "Effect of Chemical Treatment on Oil Palm Empty Fruit Bunch (OPEFB) Fiber on Water Absorption and Tensile Properties of OPEFB Fiber Reinforced Epoxy Composite," *Key Eng Mater*, vol. 701, pp. 295–299, 2016, doi: 10.4028/www.scientific.net/KEM.701.295.
- [37] L. Rahmidar, S. Wahidiniawati, and T. Sudiarti, "Pembuatan dan Karakterisasi Metil SelulosaDari Bonggol dan Kulit Nanas (Ananas comosus)," *Jurnal Pendidikan dan Ilmu Kimia*, vol. 2, no. 1, pp. 88–96, 2018.
- [38] S. Thomas, J. Kuruvilla, S. K. Malhotra, K. Goda, and M. S. Sreekala, *Polymer Composites: Volume 1*, 1st ed., vol. 1. Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA, 2012. doi: 10.1002/9783527645213.ch1.
- [39] Cometech Testing Machines Co.Ltd, "Manual Molding Machine," Cometech Testing Machines Co., Ltd.
- [40] D. Tatsuno, T. Yoneyama, K. Kawamoto, and M. Okamoto, "Hot press forming of thermoplastic CFRP sheets," *Procedia Manuf*, vol. 15, pp. 1730–1737, 2018, doi: 10.1016/j.promfg.2018.07.254.
- [41] F. Shen, "Ultra-high molecular weight polyethylene (UHMWPE) in joint replacement," in *Biomedical polymers*, Woodhead Publishing Limited, 2007, pp. 141–173. doi: 10.1533/9781845693640.141.
- [42] Q. Wei, Z. Wu, W. Wei, and J. T. Aladejana, "Optimiation of Hot-press Parameters for Plywood with Environmental Aluminophosphate Adhesive," *Bioresources*, vol. 16, no. 1, pp. 1702–1712, 2021.
- [43] V. Viani and U. Prayudie, "Pengaruh Penambahan Serat Biduri (Calotropis Gigantea) Terhadap Sifat Mekanik Komposit Polipropilena Daur Ulang / Serat Biduri," *Journal of Polymer Chemical Engineering and Technology*, vol. 1, no. 1, pp. 17–22, 2024, doi: 10.52330/jpcet.v1i1.237.
- [44] E. Melyna and R. Z. Syiar, "Pengaruh Perlakuan Ekstraksi Limbah Ampas Kopi terhadap Sifat Mekanis Komposit Bermatriks Polipropilena," *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 6, no. 2, pp. 187–193, 2023.

- [45] R. Ruzuqi, "Tensile Strength Analysis of Polymer Composite Materials Fiber Reinforced in The Fiber boat Application," *Journal of Research and Opinion*, vol. 7, no. 8, pp. 2763–2769, 2020, doi: <https://doi.org/10.15520/jro.v7i8.74>.
- [46] N. Saba, M. Jawaid, and M. T. H. Sultan, *An overview of mechanical and physical testing of composite materials*. Elsevier Ltd, 2019. doi: 10.1016/B978-0-08-102292-4.00001-1.
- [47] American Society for Testing and Materials D638, "ASTM D638-14, Standard practice for preparation of metallographic specimens," *ASTM International*, vol. 82, no. C, pp. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [48] Firmansyah, "Impact Test," PT.Detech Profesional Indonesia. Accessed: Apr. 20, 2024. [Online]. Available: <https://www.detech.co.id/impact-test/>
- [49] Y. Nuhgraha, M. K. A. Rosa, and I. Agustian, "Perancangan Alat Uji Impak Digital dengan Metode Charpy Untuk Mengukur Kekuatan Material Polimer," *Jurnal Amplifier*, vol. 10, no. 2, pp. 15–19, 2020.
- [50] B. Rask and B. Medsen, "Twisting of fibres in yarns for natural fibre composites," *International Conference On Composite Materials*, pp. 1–6, 2011.
- [51] F. Gultom, H. Supriadi, and S. Savetlana, "Pengaruh Perlakuan Alkali Terhadap Kekuatan Tarik Serat Tandan Kosong Kelapa Sawit Untuk Digunakan Pada Komposit Serat TKKS," *Jurnal Fema*, vol. 2, pp. 1–8, 2014.
- [52] H. Zhu, Y. Gu, Z. Yang, and Q. Li, "Fiber distribution of long fiber reinforced polyamide and effect of fiber orientation on mechanical behavior," *polymer Comoposite*, vol. 41, no. 4, pp. 1–20, 2019, doi: 10.1002/pc.25476.
- [53] M. Z. Ramadhan, "Pengaruh Susunan Komposit Matriks Serat Alam (kelapa dan Tebu) terhadap Kekuatan Tarik dan Impak," *JTM*, vol. 7, no. 3, pp. 41–50, 2019.
- [54] B. M. Zaidi, J. Zhang, K. Magniez, and H. Gu, "Optimizing twisted yarn structure for natural fiber-reinforced polymeric composites," *Composite Materials*, vol. 52, no. 3, pp. 1–9, 2017, doi: 10.1177/0021998317707333.
- [55] A. Alavudeen, N. Rajini, S. Karthikeyan, M. Thiruchitrambalam, and N. Venkateshwaren, "Mechanical properties of banana/kenaf fiber-reinforced hybrid polyester composites: Effect of woven fabric and random orientation," *Mater Des*, pp. 246–257, 2014, doi: 10.1016/j.matdes.2014.10.067.
- [56] F. Vietanti, N. Basuki, and S. Ma'arif, "Pengaruh Jumlah Layer dan Jenis Matriks pada Serat Hibrida Sabut Kelapa / Woven terhadap Kekuatan Tarik dan Impak," *Seminar Nasional Teknologi Industri Berkelanjutan II*, vol. 2, no. 1, pp. 361–366, 2022.