

DAFTAR PUSTAKA

- [1] Direktorat Penanganan Sampah, “SIPSN-Sistem Informasi Pengelolaan Sampah Nasional.” Accessed: Mar. 12, 2024. [Online]. Available: <https://sipsn.menlhk.go.id/sipsn/>
- [2] L. Wahyu Utomo and S. Arfiana, “Pemanfaatan Limbah Plastik Daur Ulang dari Polietilen Tereftalat (PET) Sebagai Bahan Tambahan dalam Pembuatan Nanokomposit, Semen Mortar, dan Aspal: Review,” *Jurnal Teknologi Lingkungan Lahan Basah*, vol. 11, no. 1, p. 164, 2023, doi: 10.26418/jtllb.v11i1.60812.
- [3] N. H. M. Nasir, F. Usman, E. L. Woen, M. N. M. Ansari, A. B. M. Supian, and Saloma, “Microstructural and Thermal Behaviour of Composite Material from Recycled Polyethylene Terephthalate and Fly Ash,” *Recycling*, vol. 8, no. 1, 2023, doi: 10.3390/recycling8010011.
- [4] L. Viora *et al.*, “A Comparative Study on Crystallisation for Virgin and Recycled Polyethylene Terephthalate (PET): Multiscale Effects on Physico-Mechanical Properties,” 2023.
- [5] P. Salminen, “Using recycled polyethylene terephthalate (PET) in the production of bottle trays. PhD thesis, Arcada,” p. 97, 2013.
- [6] F. Aryanti, “Pembuatan Komposit Polimer Polipropilena/Talk/Masterbatch Hitam Pada Cover Tail,” *Jurnal Teknologi dan Manajemen*, vol. 19, pp. 1–6, Apr. 2021, doi: 10.52330/jtm.v19i1.8.
- [7] F. T. Tasari, “Analisis Cangkang Kerang Darah (Anadara granosa) sebagai Sumber CaCO₃ pada Pembuatan Ubin Keramik Dinding,” *Prisma Fisika*, vol. 10, no. 3, p. 352, 2022, doi: 10.26418/pf.v10i3.58258.
- [8] P. Lertwattanaruk, N. Makul, and C. Siripattaraprat, “Utilization of ground waste seashells in cement mortars for masonry and plastering,” *Journal of Environmental Management*, vol. 111, pp. 133–141, 2012, doi: 10.1016/j.jenvman.2012.06.032.
- [9] N. S. Bakly, N. H. Al-Mutairi, A. A. Layla, and M. H. Almaamori, “Investigate the Effect of Temperature Change on the Properties of the PP/CaCO₃ Composites: A Comparative Study,” *Al-Mustaql Journal of*

- Sustainability in Engineering Sciences*, vol. 1, no. 2, pp. 48–57, 2023, doi: 10.62723/2959-5932.1000.
- [10] Elfarisna, *Limbah Cangkang Kerang Hijau*. Yogyakarta: Nuta Media, 2023.
 - [11] P. L. A. Ariska, M. A. Sahlan, and U. Hikmah, “Analisis Sifat Mekanis Komposit Matriks Polyester dengan Penguat Cangkang Kerang Hijau,” *Jurnal Fisika 13*, vol. 1, no. 1, pp. 20–28, 2023.
 - [12] D. Elvira, M. Purwandito, and Irwansyah, “Analisis Pengaruh Serbuk Cangkang Kerang Hijau (Perna Viridis) Sebagai Agregat Terhadap Kuat Tekan Campuran Beton,” vol. 2, 2023.
 - [13] A. Patti, H. Lecocq, A. Serghei, D. Acierno, and P. Cassagnau, “The universal usefulness of stearic acid as surface modifier: applications to the polymer formulations and composite processing,” *Journal of Industrial and Engineering Chemistry*, vol. 96, pp. 1–33, 2021, doi: 10.1016/j.jiec.2021.01.024.
 - [14] D. M. Nguyen *et al.*, “Synergistic influences of stearic acid coating and recycled PET microfibers on the enhanced properties of composite materials,” *Materials*, vol. 13, no. 6, pp. 1–16, 2020, doi: 10.3390/ma13061461.
 - [15] F. Khan *et al.*, “Advances of composite materials in automobile applications – A review,” *Journal of Engineering Research (Kuwait)*, no. October 2023, 2024, doi: 10.1016/j.jer.2024.02.017.
 - [16] A. Kumar, R. Bedi, and B. Singh, “Composite materials based on recycled polyethylene terephthalate and their properties – A comprehensive review,” vol. 219, no. April, 2021.
 - [17] R. Nisticò, “Polyethylene terephthalate (PET) in the packaging industry,” *Polymer Testing*, vol. 90, no. July, 2020, doi: 10.1016/j.polymertesting.2020.106707.
 - [18] L. McKeen, *5 Polyesters*. 2018. doi: 10.1016/B978-0-12-814511-1.00005-6.
 - [19] M. Babaei, M. Jalilian, and K. Shahbaz, “Chemical recycling of Polyethylene Terephthalate: A mini-review,” *Journal of Environmental Chemical Engineering*, vol. 12, no. 3, p. 112507, 2024, doi: 10.1016/j.jece.2024.112507.

- [20] T. Muringayil, S. Azat, Z. Ahmadi, O. Moini, and S. Thomas, “Case Studies in Chemical and Environmental Engineering Polyethylene terephthalate (PET) recycling: A review,” vol. 9, no. February, 2024, doi: 10.1016/j.cscee.2024.100673.
- [21] A. M. Al-sabagh, F. Z. Yehia, G. Eshaq, A. M. Rabie, and A. E. Elmetwally, “Greener routes for recycling of polyethylene terephthalate,” *Egyptian Journal of Petroleum*, vol. 25, no. 1, pp. 53–64, 2016, doi: 10.1016/j.ejpe.2015.03.001.
- [22] V. Sinha, M. R. Patel, and J. V Patel, “Pet Waste Management by Chemical Recycling: A Review,” *Journal of Polymers and the Environment*, vol. 18, no. 1, pp. 8–25, 2010, doi: 10.1007/s10924-008-0106-7.
- [23] A. M. Al-Sabagh, F. Z. Yehia, G. Eshaq, A. M. Rabie, and A. E. ElMetwally, “Greener routes for recycling of polyethylene terephthalate,” *Egyptian Journal of Petroleum*, vol. 25, no. 1, pp. 53–64, 2016, doi: 10.1016/j.ejpe.2015.03.001.
- [24] National Center for Biotechnology Information, “Stearic Acid,” PubChem Compound Summary for CID 5281. Accessed: Apr. 21, 2024. [Online]. Available: <https://pubchem.ncbi.nlm.nih.gov/compound/Stearic-Acid>
- [25] C. Li, H. Liao, H. Gao, S. Duan, and F. Cheng, “Unveiling the dual role and regulatory mechanism of stearic acid in enhancing interface compatibility in high-filled coal gangue-polyethylene composites,” *Surfaces and Interfaces*, vol. 48, p. 104336, 2024, doi: <https://doi.org/10.1016/j.surfin.2024.104336>.
- [26] R. Fauzi and N. M. Safitri, “ANALISIS BIOMETRI DAN STRUKTUR POPULASI KERANG HIJAU (*Perna viridis*) DALAM BAGAN TANCAP DI PANTAI BANYUURIP KECAMATAN UJUNGPANGKAH KABUPATEN GRESIK,” *Jurnal Techno Fish*, vol. VI, pp. 67–82, 2022.
- [27] H. A. W. Cappenberg, “BEBERAPA ASPEK BIOLOGI KERANG HIJAU *Perna viridis* Linnaeus 1758 Oleh,” vol. XXXIII, no. 1, pp. 33–40, 2008.
- [28] E. Gosling, *Bivalve Molluscs Biology, Ecology, and Culture*. USA: Blackwell Publishing, 2003.
- [29] N. Nayiroh and Kusairi, “Studi Pengaruh Variasi Fraksi Volum Filler Terhadap Sifat Mekanik Komposit Matriks Polimer (PMC) Berpenguat

- Cangkang Kerang Hijau (Perna Viridis L.),” *Wahana Fisika*, vol. 6, no. 1, pp. 2021–2069, 2021.
- [30] K. Kohlgrüber, M. Bierdel, and H. Rust, “Plastics Compounding and Polymer Processing: Fundamentals, Machines, Equipment, Application Technology,” in *Plastics Compounding and Polymer Processing*, K. Kohlgrüber, M. Bierdel, and H. Rust, Eds., Hanser, 2021, pp. I–XXXI. doi: <https://doi.org/10.3139/9781569908389.fm>.
- [31] M. Sibarani, M. P. Allan, and P. M. Santika, “Perancangan unit Extruder Pada Mesin Extrusion Laminasi Fleksible Packaging,” *Jurnal Teknik Mesin ITI*, vol. 2, no. 2, pp. 42–45, 2018, doi: 10.31543/jtm.v2i2.155.
- [32] A. Saptorahardjo, “Review Proses compounding serat alam-termoplastik di industri,” pp. 12–19, 2016.
- [33] E. D. Bulucu, B. Demirel, A. Yaras, F. Akkurt, S. Su, and B. Demirel, “Effect of Calcium Oxide on Stress Crack Resistance and Light Transmittance in PET Containers for Packaging Carbonated Beverages,” 2024, doi: 10.1021/acsomega.3c07193.
- [34] S. Ebnesajjad, “Surface and Material Characterization Techniques,” *Surface Treatment of Materials for Adhesive Bonding*, pp. 39–75, Jan. 2014, doi: 10.1016/B978-0-323-26435-8.00004-6.
- [35] C. Leyva-porras, P. Cruz-alcantar, V. Espinosa-sol, and M. Z. Saavedra-leos, “Application of Differential Scanning Calorimetry (DSC) and Modulated Differential Scanning Calorimetry (MDSC) in Food and Drug Industries,” *Polymers*, pp. 1–21, 2019.
- [36] M. Kodal, N. Karakaya, A. A. Wis, and G. Ozkoc, “Thermal Properties (DSC, TMA, TGA, DTA) of Rubber Nanocomposites Containing Carbon Nanofillers,” *Carbon-Based Nanofillers and Their Rubber Nanocomposites: Fundamentals and Applications*, pp. 325–366, Jan. 2019, doi: 10.1016/B978-0-12-817342-8.00011-1.
- [37] T. Singh and F. Ronkay, “Heliyon Thermal , thermomechanical and structural properties of recycled polyethylene terephthalate (rPET)/ waste marble dust composites,” vol. 10, no. September 2023, 2024, doi: 10.1016/j.heliyon.2024.e25015.

- [38] M. P. Gashti, S. Moradian, A. Rashidi, and M. Yazdanshenas, “Dispersibility of Hydrophilic and Hydrophobic Nano-silica Particles in Polyethylene Terephthalate Films : Evaluation of Morphology and Thermal Properties,” vol. 23, no. 5, pp. 285–296, 2015, doi: 10.1177/096739111502300502.
- [39] L. McKeen, “3 - Introduction to the Physical, Mechanical, and Thermal Properties of Plastics and Elastomers,” in *The Effect of Sterilization on Plastics and Elastomers (Third Edition)*, Third Edit., L. McKeen, Ed., in Plastics Design Library. , Boston: William Andrew Publishing, 2012, pp. 57–84. doi: <https://doi.org/10.1016/B978-1-4557-2598-4.00003-4>.
- [40] W. Conshohocken, “Standard Test Method for Melt Flow Rates of Thermoplastics by Extrusion,” pp. 1–16, 2014, doi: 10.1520/D1238-13.
- [41] T. R. Hidayani, P. E. Hutajulu, N. Vita, M. Destty, R. Paramitha, and R. S. Nasution, “Karakterisasi Komposit Polimer dengan Matriks Polistirena dan Bahan Pengisi dari Berbagai Limbah Pabrik Kelapa Sawit,” vol. 5, no. 1, pp. 8–14, 2024.
- [42] A. Mehta, U. Gaur, and B. Wunderlich, “Equilibrium melting parameters of poly(ethylene terephthalate),” *Journal of Polymer Science: Polymer Physics Edition*, vol. 16, no. 2, pp. 289–296, 1978, doi: <https://doi.org/10.1002/pol.1978.180160209>.
- [43] U. Soy, F. Findik, S. H. Yetgin, T. Gokkurt, and F. Yıldırım, “Fabrication and Mechanical Properties of Glass Fiber/Talc/CaCO₃ Filled Recycled PP Composites,” *American Journal of Applied Sciences*, vol. 14, no. 9, pp. 878–885, 2017, doi: 10.3844/ajassp.2017.878.885.
- [44] T. M. Joseph *et al.*, “Polyethylene terephthalate (PET) recycling: A review,” *Case Studies in Chemical and Environmental Engineering*, vol. 9, no. February, 2024, doi: 10.1016/j.cscee.2024.100673.
- [45] Ş. Deniz, E. Aydoğmuş, F. Kar, and H. Arslanoğlu, “Manufacturing and characterization of waste polyethylene terephthalate-based functional composites reinforced with organic and inorganic fillers,” 2024, doi: 10.1080/25740881.2024.2339302.

- [46] Y. Hernández *et al.*, “Stearic acid as interface modifier and lubricant agent of the system: Polypropylene/calcium carbonate nanoparticles,” *Polymer Engineering and Science*, vol. 59, no. s2, pp. E279–E285, 2019, doi: 10.1002/pen.25053.
- [47] M. S. Sainudin, N. H. Othman, N. Anting, A. Guntor, N. H. A. Khalid, and S. N. A. Mohd-salleh, “Experimental Evaluation on Physical and Mechanical Properties of Concrete Containing Green Mussel Shell (*Perna viridis*) Powder as an Admixture,” vol. 2, pp. 153–167, 2023.
- [48] S. Seif and G. Challita, “Thermal Degradation Kinetics of Four Different Recycling Phases of Polyethylene Terephthalate Bottles challenging issue due to the difference in properties of PET from its virgin status up to its post-consumer,” vol. 1, no. 1, pp. 1–9, 2021.