

DAFTAR PUSTAKA

- [1] A. Dwinahari Putri, "Review: Pemanfaatan Polimer Alami Dalam Pembuatan Plastik Biodegradable," *Jurnal Al'Ilmi*, vol. 12, no. 1, hlm. 2023, 2023, [Daring]. Tersedia pada: <http://jurnal.radenfatah.ac.id/index.php/alilmi>
- [2] A. H. & Sulbi, "Pemanfaatan Limbah Gelas Plastik Air Mineral," *Universitas Negeri Surabaya*, vol. 05, hlm. 19–26, 2017.
- [3] N. H. Sari dan Suteja, *Biokomposit Berbasis Serat Sembukan (Paederia Foetida L.) - Pati Colocasia Esculenta Bahan Baku, Ekstraksi, Manufaktur, Karakterisasi Dan Sifat*. Deepublish, 2023. [Daring]. Tersedia pada: https://www.google.co.id/books/edition/Biokomposit_Berbasis_Serat_Sembukan_Paed/YcrIEAAAQBAJ?hl=en&gbpv=1&dq=polimer&pg=PA3&printsec=frontcover
- [4] W. Deglas, "Pengaruh Jenis Plastik Polyethylene (Pe), Polypropylene (Pp), High Density Polyethylene (Hdpe), Dan Overheated Polypropylene (Opp) Terhadap Kualitas Buah Pisang Mas," *Jurnal Pertanian Dan Pangan*, vol. 5, no. 1, hlm. 33–42, 2023.
- [5] V. Viani dan U. Prayudie, "Pengaruh Penambahan Serat Biduri (Calotropis Gigantea) Terhadap Sifat Mekanik Komposit Polipropilena Daur Ulang / Serat Biduri," vol. 1, no. 1, hlm. 17–22, 2024, doi: 10.52330/jpcet.v1i1.237.
- [6] S. Habibie *dkk.*, "Serat Alam Sebagai Bahan Komposit Ramah Lingkungan , Suatu Kajian Pustaka," vol. 2, hlm. 1–13, 2021.
- [7] M. Ilham dan H. Istiqlaliyah, "Pemanfaatan Serat Rami (Boehmeria Nivea) Sebagai Bahan Komposit Bermatrik Polimer," *Jurnal Mesin Nusantara*, vol. 2, no. 1, hlm. 34–41, 2019, doi: 10.29407/jmn.v2i1.13125.
- [8] A. Zainuri, S. Sinarep, A. Purwoko, dan N. Nurkaliwantoro, "Pengaruh Jenis Anyaman Dan Fraksi Volume Serat Terhadap Kekuatan Bending Dan Impact Komposit Serat Rami Dengan Matrik Resin Polyester," *Jurnal Ilmiah Momentum*, vol. 15, no. 2, 2019, doi: 10.36499/jim.v15i2.3080.
- [9] Hamzah Arifin Sinambela dan Maulida, "PENGARUH KOMPOSISI PENGISI SERTA TEKANAN HOT PRESS TERHADAP KEKUATAN TARIK KOMPOSIT POLIESTER BERPENGISI PARTIKEL ZINC OXIDE (ZnO)," *Jurnal Teknik Kimia USU*, vol. 7, no. 2, hlm. 40–44, 2018, doi: 10.32734/jtk.v7i2.1649.
- [10] N. Vidakis, M. Petousis, A. Maniadi, V. Papadakis, dan A. Moutsopoulou, "The Impact of Zinc Oxide Micro-Powder Filler on the Physical and Mechanical Response of High-Density Polyethylene Composites in Material Extrusion 3D Printing," *Journal of Composites Science*, vol. 6, no. 10, 2022, doi: 10.3390/jcs6100315.
- [11] W. Trisunaryanti, *Dari Sampah Plastik Menjadi Bensin Solar*. UGM Press, 2018. [Daring]. Tersedia pada: <https://books.google.co.id/books?id=TzFTDwAAQBAJ&lpg=PP1&pg=PR26#v=onepage&q&f=false>
- [12] Azhari, A. Nuryawan, dan S. I. Ritonga, *Penggunaan Melt Flow Index Tester untuk Menentukan Nilai MFR dan MVR Suatu Polimer*. Penerbit NEM, 2022. [Daring]. Tersedia pada: https://www.google.co.id/books/edition/Penggunaan_Melt_Flow_Index_Tester_untuk/CoR-EAAAQBAJ?hl=en&gbpv=1&dq=Istilah&pg=PA1&printsec=frontcover
- [13] Z. Noer dan I. Dayana, *Buku Fisika dan Teknologi Polimer*. Guepedia, 2021. [Daring]. Tersedia pada:

- https://www.google.co.id/books/edition/Buku_Fisika_dan_Teknologi_Polimer/gxJNEAAAQBAJ?hl=en&gbpv=1&dq=Klasifikasi&pg=PA27&printsec=frontcover
- [14] N. H. Sari dan Suteja, *Polimer Termoset*. Deepublish, 2021. [Daring]. Tersedia pada:
https://www.google.co.id/books/edition/Polimer_Termoset/UeIhEAAAQBAJ?hl=en&gbpv=1&dq=polimer&pg=PA9&printsec=frontcover
- [15] G. Wypych, *Handbook of Polymers*, Second Edi. ChemTec Publishing, 2016. [Daring]. Tersedia pada:
<https://books.google.co.id/books?id=aedxCQAAQBAJ&lpg=PA112&hl=id&pg=PA500#v=onepage&q&f=false>
- [16] A. Dwi Supriono, D. Wicaksono, dan Sehonon, “Analisa Kekuatan Polypropylene Dengan Campuran Hdpe Dan Serat Karbon Menggunakan Uji Impact,” *Teknika STTKD: Jurnal Teknik, Elektronik, Engine*, vol. 8, no. 2, hlm. 251–256, 2022, doi: 10.56521/teknika.v8i2.640.
- [17] F. Burgada dkk., “Upgrading recycled polypropylene from textile wastes in wood plastic composites with short hemp fiber,” *Polymers (Basel)*, vol. 13, no. 8, hlm. 1–22, 2021, doi: 10.3390/polym13081248.
- [18] V. Harahap, *PEMBUATAN MATERIAL KOMPOSIT BaFe12O19/ZnO PADA BIDANG RADIOLOGI*. Ahlimedia Press, 2021. [Daring]. Tersedia pada:
<https://play.google.com/books/reader?id=E3RXEAAAQBAJ&pg=GBS.PA5&hl=en>
- [19] S. Dey dan V. V. P. Kumar, “Supported and un-supported zinc and chromium oxide catalysts for lower temperature CO oxidation : A review,” *Environmental Challenges*, vol. 3, no. February, hlm. 100061, 2021, doi: 10.1016/j.envc.2021.100061.
- [20] S. Ahsan, R. Diniyah, dan M. F. Firmana, “Sifat Mekanis dan Termal PLA dengan Filler TiO₂ dan ZnO,” *Jurnal Teknologi dan Manajemen*, vol. 20, no. 1, hlm. 27–32, 2022, doi: 10.52330/jtm.v20i1.43.
- [21] N. Arafah, N. Noerati, dan D. Sugiyana, “PEMANFAATAN SERAT RAMI (Boehmeria nivea) SEBAGAI MATERIAL PEREDAM SUARA UNTUK BANGUNAN RUMAH,” *Arena Tekstil*, vol. 36, no. 1, hlm. 31–38, 2021, doi: 10.31266/at.v36i1.6521.
- [22] N. Srahputri, S. Steven, dan R. Suratman, “Sifat Tarik Dan Sifat Impak Komposit Polipropilena High Impact Berpenguat Serat Rami Acak Yang Dibuat Dengan Metode Injection Molding,” *Mesin*, vol. 26, no. 1, hlm. 8–16, 2017, doi: 10.5614/mesin.2017.26.1.2.
- [23] H. Arina dan N. Faizah, “Pengaruh Penambahan Serat Kulit Jagung Terhadap Sifat Mekanik Komposit Polipropilena (PP) dengan Penambahan Aluminium Oksida (Al₂O₃) dan Maleat Anhidrida (MAH) sebagai Coupling Agent,” *Journal of Polymer Chemical Engineering and Technology*, vol. 1, no. 1, hlm. 41–48, 2024, doi: 10.52330/jpcet.v1i1.257.
- [24] A. Arendra dan S. Akhmad, “Rancang Bangun Mesin Hot Press untuk Recycle Plastik Hdpe dan Karakterisasi Pengaruh Temperatur Pemanasan Waktu Pemanasan dan Temperatur Pembukaan terhadap Cacat Flashing Cacat Warpge dan Konsumsi Energi Pencetakan,” *Rekayasa*, vol. 10, no. 2, hlm. 108, 2017, doi: 10.21107/rekayasa.v10i2.3612.
- [25] E. Melyna dan A. P. Afridana, “The Effect of Coffee Husk Waste Addition with Alkalisiation Treatment on the Mechanical Properties of Polypropylene Composites,” *Equilibrium Journal of Chemical Engineering*, vol. 7, no. 1, hlm. 14, 2023, doi: 10.20961/equilibrium.v7i1.68556.
- [26] R. D. Salindeho, J. Soukoto, dan R. Poeng, “Pemodelan Pengujian Tarik Untuk Menganalisis Sifat Mekanik Material,” *Jurnal J-Ensatec*, vol. 3, no. 1, hlm. 1–11, 2018.

- [27] American Society for Testing and Materials, "ASTM D638-14, Standard practice for preparation of metallographic specimens," *ASTM International*, vol. 82, no. C, hlm. 1–15, 2016, doi: 10.1520/D0638-14.1.
- [28] E. Budiyanto dan S. D. Handono, *Pengujian Material*. 2020. [Daring]. Tersedia pada:
https://www.google.co.id/books/edition/Pengujian_Material/YAYhEAAAQBAJ?hl=en&gbpv=1&dq=pengujian+uji+tarik+pada+material&pg=PA49&printsec=frontcover
- [29] I. Mawardi, *Proses Manufaktur Plastik dan Komposit*. 2019. [Daring]. Tersedia pada:
https://www.google.co.id/books/edition/Proses_Manufaktur_Plastik_dan_Komposit/RVWwDwAAQBAJ?hl=en&gbpv=1&dq=kuat+impak+komposit+plastik&pg=PA106&printsec=frontcover
- [30] N. M. Z. Abidin, M. T. H. Sultan, A. U. M. Shah, dan S. N. A. Safri, "Charpy and Izod impact properties of natural fibre composites," *IOP Conf Ser Mater Sci Eng*, vol. 670, no. 1, 2019, doi: 10.1088/1757-899X/670/1/012031.
- [31] R. A. Sani, *Karakterisasi Material*. PT Bumi Aksara, 2019. [Daring]. Tersedia pada:
https://books.google.co.id/books?id=ooM_EAAAQBAJ&newbks=1&newbks_redir=0&lpg=PA14&dq=metode+charpy+pada+kuat+impak&hl=id&pg=PA14#v=onepage&q=metode+charpy+pada+kuat+impak&f=false
- [32] B. T. Mulyo dan H. Yudiono, "Analisis Kekuatan Impak Pada Komposit Serat Daun Nanas Untuk Bahan Dasar Pembuatan Helm SNI," *Jurnal Kompetensi Teknik*, vol. 10, no. 2, hlm. 1–8, 2018.
- [33] D. J. Hassana dan N. A. Ali, "Evaluation of Mechanical Properties for Epoxy reinforced with palm oil /Zinc oxide composites," *Iraqi Journal of Physics (IJP)*, vol. 20, no. 2, hlm. 26–37, 2022, doi: 10.30723/ijp.v20i2.978.
- [34] S. Wacharawichanant dan A. Phutphongsai, "The Study of Morphology and Mechanical Properties of Compatibilized Polypropylene/Zinc Oxide Composites," *Journal of Solid Mechanics and Materials Engineering*, vol. 1, no. 10, hlm. 1231–1237, 2007, doi: 10.1299/jmmp.1.1231.
- [35] Kodre, Attarde, Yendhe, Patil, dan Barge, "Differential Scanning Calorimetry: A Review," vol. 3, no. 3, 2014, doi: 10.1002/(sici)1522-9505(19980201)254:1<55::aid-apmc55>3.0.co;2-f.
- [36] S. Ahsan, "Spektrum Inframerah dan Sifat Termal Poliasam Laktat (PLA): Perbandingan Filler Seng Oksida dan Kalsium Karbonat," *Jurnal Teknologi dan Manajemen*, vol. 18, no. 2, hlm. 40–50, 2020, [Daring]. Tersedia pada: www.iitk.ac.in
- [37] K. Syamsu, C. Pandji, dan E. R. Lumbanraja, "Pengaruh penambahan polioksietilen-(20)-sorbitan monolaurat pada karakteristik bioplastik poli-hidroksialkanoat (PHA) yang dihasilkan *Ralstonia eutropha* pada substrat hidrolisat pati sagu," *Jurnal Teknik Industri Pertanian*, vol. 18, no. 2, hlm. 41–46, 2018.
- [38] J. Shojaeiarani, D. Bajwa, L. Jiang, J. Liaw, dan K. Hartman, "Insight on the influence of nano zinc oxide on the thermal, dynamic mechanical, and flow characteristics of Poly(lactic acid)– zinc oxide composites," *Polym Eng Sci*, vol. 59, no. 6, hlm. 1242–1249, 2019, doi: 10.1002/pen.25107.
- [39] U. Soy, F. Findik, S. H. Yetgin, T. Gokkurt, dan F. Yıldırım, "Fabrication and Mechanical Properties of Glass Fiber/Talc/CaCO₃ Filled Recycled PP Composites," *Am J Appl Sci*, vol. 14, no. 9, hlm. 878–885, 2017, doi: 10.3844/ajassp.2017.878.885.
- [40] S. Thipperudrappa, A. Ullal Kini, dan A. Hiremath, "Influence of zinc oxide nanoparticles on the mechanical and thermal responses of glass fiber-reinforced

- epoxy nanocomposites,” *Polym Compos*, vol. 41, no. 1, hlm. 174–181, 2020, doi: 10.1002/pc.25357.
- [41] Silvia, Castigliana, dan Halimatuddahlia, “Pengujian Kekuatan Tarik Dan Kekuatan Lentur Komposit Hibrid Plastik Bekas Kemasan Gelas Jenis Polipropilena/ Serbuk Kayu Kelapa Termodifikasi/Serbuk Serat Kaca Tipe E,” *Jurnal Teknik Kimia USU*, vol. 4, no. 3, hlm. 1–5, 2015, doi: 10.32734/jtk.v4i3.1473.
- [42] K. R. Dantes, E. Elisa, dan I. M. P. B. Susila, “Analisis Kekuatan Impact Dan Model Perpatahan Komposit Polyester Berpenguat Serat Alam Ijuk,” *Jurnal Rekayasa Mesin*, vol. 14, no. 2, hlm. 401–408, 2023, doi: 10.21776/jrm.v14i2.1105.
- [43] A. M. Díez-Pascual dan A. L. Díez-Vicente, “Poly(3-hydroxybutyrate)/ZnO bionanocomposites with improved mechanical, barrier and antibacterial properties,” *Int J Mol Sci*, vol. 15, no. 6, hlm. 10950–10973, 2014, doi: 10.3390/ijms150610950.
- [44] D. Pamungkas, I. W. Sujana, dan B. S. Widodo, “Analisis Pengaruh Variasi Penambahan Zinc (ZnO) Dan Alumina (Al₂O₃) Terhadap Kekuatan Mekanik Dan Struktur Makro Pada Komposit Resin Epoxy Berpenguat Serat Ampas Tebu,” vol. 12, no. 1, 2021.
- [45] A. Uysal, “Tensile Properties of Polypropylene / Metal Oxide Nano Tensile Properties of Polypropylene / Metal Oxide Nano Composites,” vol. 1, no. January 2011, hlm. 25–30, 2014.
- [46] V. Y. Pamela, R. Syarief, E. S. Iriani, dan N. E. Suyatma, “Alkohol dengan Penambahan Nanopartikel ZnO dan Asam Stearat untuk Kemasan Multilayer,” *Jurnal Penelitian Pascapanen Pertanian*, vol. 13, no. 2, hlm. 63–73, 2016.
- [47] S. S. Giat, D. Indah Anwar, dan dan Basril Abbas, “SIFAT FISIS DAN MEKANIS KOMPOSIT HIGH DENSITY POLYETHYLENE (HDPE)-HYDROXYAPATITE (HA_p) DENGAN TEKNIK IRADIASI GAMMA (PHYSICO AND MECHANICAL PROPERTIES OF HIGH DENSITY POLYETHYLENE (HDPE)-HYDROXYAPATITE (HA_p) COMPOSITES USING GAMMA IRRADIATION TECHNIQUES),” hlm. 53–60, 2015.